

**GLASTRON 2007**

# **Product Specifications Manual**



## Table of Contents

Model Designator Key .....	2
2007 Model Directory .....	3
50 Years of Leadership .....	4-5
Glastron Pricing: The Real Deal .....	6-7
Glastron Performance .....	8
SSV® Hull Design .....	9
VEC® Technology .....	10-11
Unitized Hull & Stringer System .....	12
Unitized Deck & Floor .....	13
Customer Satisfaction .....	14
Glastron's Unmatched Warranty .....	15
Component Warranty Summary .....	16-17
Glastron Warranty .....	18-19
VEC® Warranty .....	20-21
Features & Benefits Summary .....	22-23
Canvas Choices .....	24
Seating Choices .....	25
EZ Loader® Trailers .....	26-27
Financing Guide .....	28
Definitions of Measurements .....	29
Model Specifications .....	30-77
Sterndrive Engine Specifications .....	78-85



## Model Designator Key

0 = Outboard

5 = Open Bow Sterndrive

9 = Cuddy Cabin Sterndrive


Example: the MX 170 is an outboard open bow model.

## Model Directory


<b>MX Runabouts</b>	
MX 170 .....	30
MX 175 .....	32
<b>GT Runabouts</b>	
GT 180 .....	34
GT 185 .....	36
GT 205 .....	38
<b>GT Ski &amp; Fish</b>	
GT 185 Ski & Fish .....	40
GT 205 Ski & Fish .....	42
<b>GX Special Edition</b>	
GX 205 .....	44
<b>GXL Runabouts</b>	
GXL 185 .....	46
GXL 205 .....	48
GXL 235 .....	50
GXL 255 .....	52
<b>GXL Ski &amp; Fish</b>	
GXL 180 Ski & Fish .....	54
GXL 185 Ski & Fish .....	56
GXL 205 Ski & Fish .....	58
<b>Deck Boats</b>	
DS 205 .....	60
DS 215 .....	62
DX 215 .....	64
DX 235 .....	66
<b>GS Series</b>	
GS 209 .....	68
GS 219 .....	70
GS 259 .....	72
GS 269 .....	74
GS 279 .....	76

## 50 Years of Leadership in Family Boating


- Glastron has been making fiberglass boats for **50 years**—a milestone few boat companies have achieved. During that time, they have built **nearly half a million fiberglass runabouts**.




- More than any other manufacturer, Glastron has a **legacy of unprecedented product innovations and technological breakthroughs**. Among them:
  - The deep-vee hull
  - The tri-hull
  - Two-tone graphics
  - Sterndrive-powered boats
  - The SSV® hull
  - Fiberglass stringer systems
  - VEC® closed-mold boat building technology



- More than a **few well-known people over the years have owned Glastron boats**, from President Lyndon Johnson...to England's Royal Family...to Elvis Presley. Glastron boats also appeared in **numerous movies and television shows**. Glastron was James Bond's boat of choice in *Live and Let Die* and *Moonraker*. The most famous Glastron ever? The Batboat!



- The **Glastron "sweep spear" is the most well-known icon in boating**. It's the marine industry's equivalent to the Nike "swoosh."




- Glastron's product line today encompasses many types of trailerable family boats: **bowriders, ski & fish models, deck boats, cuddy cabins and twin-cabin cruisers**.
- Throughout the company's 50-year history, its focus has been on designing and building boats that provide a great family boating experience. The company has always managed to stay ahead of other companies in building boats that possess three distinct Glastron qualities:
  - **Advanced technology**
  - **Highly functional, family-friendly designs**
  - **Outstanding performance**

## Glastron's Pricing Philosophy

- Glastron's Little Falls, Minnesota facility is now the most technologically-advanced boat building complex in the world.

*Time* magazine called it "The Plant of the Future."



- This large-scale production facility builds over 7,000 boats each year. Its high volume, combined with its high-tech boat building methods, has an added bonus: economy of scale.




- The bottom line: Glastron owners get a top-quality, high-tech boat at a surprisingly affordable price—we call it "The Real Deal" pricing.



- "The Real Deal" prices are prominently featured on our website, along with prices for available options. Log on to get the full story and to build a Glastron boat to meet your exact needs.

[www.glastron.com](http://www.glastron.com)


## Glastron Performance



- Glastron's **penchant for performance** is known throughout the industry.
- Every Glastron model delivers performance attributes that every family boater can appreciate (and every Glastron owner knows):
  - **Very quick planing times** (and minimal bowrise)
  - **Impressive top speeds**
  - **Low minimum planing speeds** (particularly important for tubing, kneeboarding and wakeboarding)
  - **Agile handling**
  - **Excellent fuel economy**
- **Glastron provides performance data on every model.** Found on pages 30-76 of this manual, it includes authenticated speed, acceleration and, in many cases, fuel economy figures for popular engine choices.

## SSV® Hull Design



- **A boat's hull design is the most important thing** that determines how that boat will perform. That's why Glastron has made hull design a top priority right from day one.



- The legendary **SSV® hull** (Super Stable Vee) is the biggest reason Glastron boats plane, run and corner so well.
- Compared to a deep-vee hull, Glastron's SSV hull is also **more stable when you're not underway**—a desirable benefit when you're fishing, anchored or docked.
- In boating circles, people recognize the SSV hull as **one of the best-performing hulls ever designed.** If there's any doubt, just ask any Glastron owner how well their boat performs.
- **Glastron's SSV hull is patented.** So no matter what other manufacturers may tell you, they don't have an SSV hull.

## VEC® Technology

- VEC® technology (Virtual Engineered Composites) is a **patented process** developed by Genmar and introduced by Glastron in 2000.
- Other manufacturers build fiberglass boats in open molds, a process that is labor-intensive, messy and imprecise.




- VEC, on the other hand, is a **closed-mold process**.



- The VEC system is a highly automated, computer-controlled manufacturing process—one that results in a **near-perfect fiberglass boat hull every time**.
- VEC construction eliminates the need for wood stringers. A **fiberglass stringer system is an integral part of the hull**.
- Every VEC boat has a **skid-resistant fiberglass floor**.
- VEC is also a cleaner and more **environmentally-friendly** way to build boats. The fiberglass lamination portion of the VEC manufacturing process reduces styrene emissions by 90% compared to conventional hand-laid lamination.
- Glastron backs every VEC-built boat with the ultimate warranty: a **lifetime limited warranty** on all structural components.

## Unitized Hull & Stringer System

- Thanks to VEC® technology, most Glastron runabouts also have a completely **integrated hull and stringer system**.




- The hull and stringer system are molded as a **single fiberglass structure**.
- There are **no wooden stringers** as there are with conventional construction—so there's nothing to rot or separate.
- Integrated fiberglass construction means less weight and enhanced structural rigidity—in other words, a **lighter, stronger boat**.



## Unitized Deck & Floor

- All Glastron runabouts are constructed with a **unitized deck/floor**.



- The entire topside of the boat—deck, floor, side panels, footwells, seat bases—is **fabricated as single fiberglass component** (versus 2, 3 or more components in conventional construction).
- There are **no seams or joints**, which provides a clean and seamless look.
- Unitized construction means **unparalleled structural rigidity**, which translates to a greater strength.
- Another benefit: boats with a unitized construction have a **quieter, smoother, more responsive ride**. So not only can you *see* the difference, but you can actually *feel* the difference on the water.



## Customer Satisfaction

- Glastron has always been known for its ability to anticipate the needs and wants of family boaters. As a result, **our boats possess the essential elements for a great boating experience:**
  - Attractive styling
  - Highly functional, family-friendly design
  - Impressive performance
  - Lots of built-in safety features
- Over the course of fifty years, **we've built a loyal following among Glastron owners.** They know us for quality products and outstanding customer support.
- **Glastron enjoys one of the industry's highest occurrences of repeat buyers.** Three out of four Glastron owners (we survey every new customer) indicate they're likely to buy another Glastron boat.
- **Glastron has received the industry's Excellence in Customer Satisfaction**

**Award every year** since the program was established in 2003 by the NMMA (National Marine Manufacturers Association).



## Glastron's Unmatched Warranty

Manufacturers of quality products tend to stand behind them, so the best way to judge the quality of a boat is to look at how well it's backed. When you compare Glastron warranties with those of other boat builders, you'll see that Glastron's are among the **best** in the marine industry.

- Every Glastron boat comes with a **lifetime limited warranty on the hull.**



- Glastron models built with VEC® technology models (17, 18, 19 and 20-foot runabouts) come with a **lifetime limited warranty on all structural components** that is transferable to the second owner.
- Glastron also provides a **2-year limited warranty on all components.\*** That's twice as long as most boat builders.
- **Some factory-installed components are covered by an even longer warranty.** Individual items are summarized on pages 16-17.

*\*Propulsion warranties vary by manufacturer.*

## Component Warranty Summary

<u>Company</u>	<u>Item</u>	<u>Warranty</u>
Faria	Instruments	Lifetime limited warranty
Inland	Perma Panel wood components	Lifetime limited warranty
G&T	Upholstery vinyl & fabrics	5 year limited warranty
Sunbrella	Canvas	5 year limited warranty
Bennett	Trim tabs	5 year limited warranty
Perko	Marine hardware	5 year limited warranty
Garelick	Seat pedestals	3 year limited warranty
Lowrance	Depth sounders & fish finders	3 year limited warranty
Moeller	Fuel tanks	3 year limited warranty
Syntec	Marine carpeting	3 year limited warranty
M & G Electronics	Dashes & wiring	3 year limited warranty
Clarion	AM/FM/CD player	2 year limited warranty
Novatron	Dash panel, switches & wiring	2 year limited warranty
Teleflex	Steering & control cables	2 year limited warranty
Minn Kota	Trolling motor	2 year limited warranty

<u>Company</u>	<u>Item</u>	<u>Warranty</u>
Rule	Bilge pumps & blowers	3 year limited warranty*
Ameritex	Windshield	2 year limited warranty*
Moeller	Rotocast components	2 year limited warranty*
RMI	Rotocast components	2 year limited warranty*

*\* 1 year vendor warranty plus additional year of Glastron warranty.*

Volvo Penta	Stern drive engine & outdrive	2 year limited warranty**
MerCruiser	Stern drive engine & outdrive	2 year limited warranty
Evinrude	Outboard motor Direct Injection E-TEC	3 year limited warranty 3 year limited warranty
Mercury	Outboard motor 2 stroke up to 125 hp 2 stroke 150+ hp Optimax 4 stroke	1 year limited warranty 2 year limited warranty 3 year limited warranty 3 year limited warranty
Yamaha	Outboard motor 2 stroke 4 stroke	1 year limited warranty 3 year limited warranty

*\*\*North America only; 1 year limited warranty elsewhere.*

## Glastron Limited Warranty

**Glastron Boats** warrants to you, the First Retail Purchaser of a new Glastron boat bought from a factory authorized North American dealer that it will repair or replace defects in materials or workmanship within the applicable Warranty Periods, subject to the "What This Warranty Does NOT Cover" section.

The applicable Warranty Period runs from the date of delivery to the first retail customer provided that the boat is delivered within twelve (12) months from the date of manufacture. For boats delivered more than twelve (12) months after the date of manufacture, coverage will run from the date of manufacture and the First Retail Purchaser will be entitled to the coverage remaining under the Warranty Periods. All warranties run concurrently.

**Structural defects in the hull:** Lifetime Limited Warranty

**Defects in factory installed non-structural parts & components:** Two (2) year Warranty Period

This warranty extends only to the First Retail Purchaser, but may be transferred to a second owner subject to other terms, limitations, and exclusions of the Glastron Limited Warranty. For a transfer fee of \$250 and the submittal of the Warranty Transfer Application, the Second Retail Purchaser may obtain a warranty for structural defects in the hull (the available warranty coverage period is the balance of 10 years from the date of the original purchase by the First Retail Purchaser) and factory installed non-structural parts and components (the available warranty coverage period is the balance of 2 years from the date of the original purchase by the First Retail Purchaser). The Warranty Transfer Application must be received by Glastron within 30 days of purchase by the Second Retail Purchaser. Proof of purchase date is required. The warranty may only be transferred **once**.

Your sole and exclusive remedy is the repair or replacement, at Glastron's sole option, of parts and components covered by this warranty.

This Glastron boat, including any alleged defective part, must be returned to an authorized Glastron dealer within the applicable warranty period to obtain warranty service. The Glastron dealer will carry out the warranty procedures on the owner's behalf. All warranty work will be performed at an authorized dealer, or at another repair facility that Glastron selects. The owner is responsible for the expense associated with transporting the boat to and from the repair facility.

An action for breach of warranty shall be barred unless it is commenced within four (4) years from the date the cause of action accrues. An action for breach of any duty or obligation to repair or replace shall be barred unless it is commenced within one year from the date the cause of action accrues regardless of the time remaining in the Warranty Period.

### WHAT IS NOT COVERED:

This Warranty does not cover:

1. A boat purchased from any party other than an authorized Glastron dealer.
2. A boat, including its components that have been altered or modified so as to adversely affect its operation, performance or durability.
3. Engines, outdrive, controls, propellers, batteries, appliances and other equipment or accessories that are not manufactured by Glastron, whether or not warranted by other manufacturers.
4. Gelcoat finishes (including blistering and osmotic blistering, cracking, crazing or discoloration), mirrors, window glass, varnishes, paints, fabrics, chromium plated and stainless steel finishes, because of the varying affects resulting from different climatic and use conditions.
5. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this warranty.
6. Any boat which has been misused, used in a negligent manner, used for racing, used for rental, charter, military or other commercial purposes, used without normal maintenance, operated contrary to any instruction furnished by Glastron, or operated in violation of any Federal, State, Coast Guard or other governmental agency laws, rules or regulations.
7. Any representation relating to speed, range, fuel consumption or other estimated performance characteristic.
8. Loss of time, inconvenience, boat payments, retail charges, improper lifting or trailering, travel expense, loss of use, in-and-out-of-water charges, towing and storage charges, loss of or damage to personal property, or other remedies not specifically allowed.
9. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery or commissioning.
10. Leakage around windshield, hatches or other-designed openings.
11. Fit and adjustment of exterior canvas tops, enclosures, and weather covers.
12. Sacrificial deterioration of anti-fouling paint or zinc anodes.

Remedy under this warranty is **expressly limited to repair or replacement** of defects in materials or workmanship, and **does not include incidental or consequential damages** which are specially **DISCLAIMED**. **NOTE: SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.** The express limited warranty described on previous page is exclusive. **All IMPLIED WARRANTIES ARE LIMITED IN THEIR DURATION TO THE ONE (1) YEAR WARRANTY PERIOD. ALL IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED IN THEIR ENTIRETY AFTER EXPIRATION OF THE ONE (1) YEAR WARRANTY PERIOD.** There are no warranties which extend beyond the description of the face hereof. **NOTE: SOME STATES DO NOT ALLOW LIMITATION ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.** THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

This document contains the entire warranty given by Glastron. Glastron does not authorize any person or persons, including its Glastron dealers, to change the terms of this express limited warranty, which is Glastron's **only** warranty. Glastron reserves the right to change or improve the design or manufacture of Glastron boats without obligation to modify any boat previously manufactured.

# GLASTRON

## VEC® Lifetime Limited Warranty

**Glastron Boats** warrants to you, the First Retail Purchaser of this boat manufactured with VEC® technology, that it will repair or replace defects in materials or workmanship that occur within the applicable Warranty Periods, subject to the "What This Warranty Does Not Cover" section on the following page. The applicable Warranty Periods run from the date of purchase to the first retail customer provided that the boat is delivered within twelve (12) months from the date of dealer invoice. For boats delivered more than twelve (12) months after the date of invoice, coverage will run from the date of invoice and the First Retail Purchaser will be entitled to the coverage remaining under the Warranty Periods. All warranties run concurrently.

### Warranty Periods:

**Structural defects in the hull, deck, floor, stringers and transom:**  
Lifetime Limited Warranty

**Defects in factory installed non-structural parts and components:**  
Two (2) year Warranty Period

**Defects in gelcoat cosmetics, including cracking, crazing, discoloration and fading:** One (1) year Warranty Period

**Defects causing gelcoat blistering:** Five (5) year Warranty Period, except that Glastron shall have no liability or responsibility to correct or repair any damage if the original gel surface has been altered in any way, including repair, application of any coating other than marine anti-fouling bottom paint, improper surface preparation for paint, or excessive sanding or sandblasting

This warranty extends only to the First Retail Purchaser but may be transferred to a second owner subject to other terms, limitations, and exclusions of the Glastron Limited Warranty. For a transfer fee of \$250 and the submittal of the Warranty Transfer Application, the Second Retail Purchaser may obtain a warranty for structural defects in the hull, deck, floor, stringers, and transom (the available warranty coverage period is the balance of 10 years from the date of the original purchase by the First Retail Purchaser and factory installed non-structural parts and components (the available warranty coverage period is the balance of 2 years from the date of the original purchase by the First Retail Purchaser). The Warranty Transfer Application must be received by Glastron within 30 days of purchase by the Second Retail Purchaser. Proof of purchase date is required. The warranty may only be transferred **once**.

Your sole and exclusive remedy is the repair or replacement, at its sole option, of parts and components covered by this warranty.

This Glastron boat, including any alleged defective part, must be returned to an authorized Glastron dealer within the applicable warranty period to obtain warranty service. The Glastron dealer will carry out the warranty procedures on the owner's behalf. All warranty work will be performed at an authorized dealer, at the Glastron factory, or at another repair facility that Glastron selects. The owner is responsible for the expense associated with transporting the boat to and from the repair facility.

An action for breach of warranty shall be barred unless it is commenced within four (4) years from the date the cause of action accrues.

An action for breach of any duty or obligation to repair or replace shall be barred unless it is commenced within one (1) year from the date the cause of action accrues regardless of the time remaining in the Warranty Period..

### What This Warranty Does Not Cover:

1. A boat purchased from any party other than an authorized Glastron dealer.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability.
3. Dealer or customer installed parts or components, or any damage to the boat due to installation of aftermarket parts and components..
4. Engines, outdrives, controls, propellers, batteries and other equipment or accessories that are not manufactured by Glastron, whether or not warranted by other manufacturers.
5. Windshield breakage and leakage around windshields, hatches or other designed openings.
6. Any boat that has been misused, used in a negligent manner, used for racing, used for rental or other commercial purposes, used without normal maintenance, operated contrary to any instruction furnished by Glastron, involved in an accident, or operated in violation of any Federal, State, Coast Guard or other governmental agency laws, rules or regulations.
7. Weight, speed, fuel consumption, or other estimated performance characteristic.
8. Loss of time, inconvenience, boat payments, retail charges, travel expense, loss of use, haul out, launch, towing and storage charges, loss of or damage to personal property, or other remedies not specifically allowed.
9. A boat that has been overpowered according to the maximum recommended engine horsepower specified on the capacity plate.
10. Canvas, zippers, vinyl, upholstery, plastics, fabric, or trim.
12. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
12. Repairs made necessary due to inadequate trailering or trailer support, or trailers that are improperly assembled, designed or adjusted.

Remedy under this warranty is expressly limited to repair or replacement of defects in materials or workmanship, **and does not include incidental or consequential damages** that are specifically DISCLAIMED. Note: SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. The express limited warranty described above is exclusive. **ALL IMPLIED WARRANTIES ARE LIMITED IN THEIR DURATION TO TWO (2) YEARS FROM THE DATE OF PURCHASE. IMPLIED WARRANTIES (IF ANY) INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED IN THEIR ENTIRETY AFTER TWO (2) YEARS FROM THE DATE OF PURCHASE.** There are no warranties which extend beyond the description on the face hereof. **NOTE: SOME STATES DO NOT ALLOW LIMITATION ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.**

This document contains the entire warranty given by Glastron. Glastron does not authorize any person or persons, including Glastron dealers, to change the terms of this express limited warranty, which is Glastron's only warranty. Glastron reserves the right to change or improve the design or manufacture of Glastron boats without obligation to modify any boat previously manufactured.

## Features & Benefits Summary

### FEATURES:


### BENEFITS:

- |  |   |
|--|---|
| <p><b>1.</b> 50-year legacy of innovation</p>  | <p>Glastron was the first company to produce fiberglass boats on a large scale; no other manufacturer has as many product innovations and technological breakthroughs</p> |
| <p><b>2.</b> Performance</p>   | <p>With a Glastron boat, performance is designed in from the start</p>  |
| <p><b>3.</b> Patented SSV® hull design</p>   | <p>Quick planing; superior handling; enhanced fuel economy</p>  |
| <p><b>4.</b> VEC® construction on 17, 18, 19 and 20-foot runabout models</p>                 | <p>State-of-the-art technology with lifetime limited warranty on structural components</p>  |
| <p><b>5.</b> Unitized deck/floor construction on most models all runabout models</p>         | <p>Clean, seamless appearance; greater structural integrity; smooth, quiet, responsive ride</p>   |
| <p><b>6.</b> Unitized hull &amp; stringer system on many runabout models</p>                 | <p>Stronger, lighter, won't rot</p>   |
| <p><b>7.</b> Key structural areas are reinforced with multi-axial knitted fiberglass</p>     | <p>Double strength in this important area</p>   |
| <p><b>8.</b> All deck fittings are backed by under-deck supports fiberglassed into deck</p>  | <p>Strength; durability</p>   |
| <p><b>9.</b> Aircraft locknuts on bolts</p>  | <p>Strength; long-term durability</p>   |
| <p><b>10.</b> One-piece, lock looped marine-grade carpet</p>                                 | <p>Better appearance; no seams</p>  |
| <p><b>11.</b> Marine-grade vinyl; marine-grade stitching</p>                                 | <p>UV protected</p>   |
| <p><b>12.</b> Ski locker drain in subfloor</p>   | <p>Lets water drain into bilge, keeping locker dry</p>  |
| <p><b>13.</b> Tilt steering wheel standard on most models</p>                                | <p>More comfortable steering position</p>   |
| <p><b>14.</b> Individual Faria® analog gauges</p>  | <p>Easy-to-read; lifetime warranty</p>  |
| <p><b>15.</b> Gas fill is located on side of boat (never over swim platform)</p>             | <p>Eliminates risk of fuel spilling onto swim platform</p>  |
| <p><b>16.</b> Low, built-in swim platform with stainless steel boarding ladder</p>           | <p>Ease of boarding</p>   |
| <p><b>17.</b> Boarding ladder on runabouts is located on starboard side of swim platform</p> | <p>Allows driver to see skier at all times when circling for pickup</p>   |
| <p><b>18.</b> Each model is carefully designed for the proper weight-to-horsepower ratio</p> | <p>Better planing time; better fuel economy; better top speed</p>   |
| <p><b>19.</b> Choice of MerCruiser® or Volvo Penta® sterndrive power</p>                     | <p>Customer can select preferred brand</p>  |
| <p><b>20.</b> Choice of Mercury®, Yamaha® or Evinrude® on all outboard models</p>            | <p>Customer can select preferred brand</p>  |

## Canvas Choices



Soft Top




Bimini Top



Canvas Package



Camper Canvas Package



Bow Cover



Cockpit Cover



Mooring Cover

MX models feature blue Sunbrella fabric.


GT models in red and blue feature color-matched Sunbrella® fabric; yellow models feature black Sunbrella fabric.

GX, GXL, DS and DX models in black, blue and red feature color-matched Sunbrella fabric; yellow models feature black Sunbrella fabric.


GS models in blue or sand feature color-matched Sunbrella fabric.

All mooring covers feature gray canvas with waterproof inner liner.


## Seating Choices



Sport Seating (SL)



Ski & Fish Seating (SF)



U-Shaped Seating (U)

Sport Seating (SL) standard on MX models, GT models, GX 205 and GXL 185.

Ski & Fish Seating (SF) featured on GT Ski & Fish models and GXL Ski & Fish models.

U-Shaped Seating (U) standard on GXL 205, GXL 235 and GXL 255.

# GLASTRON

## EZ Loader Custom Boat Trailers

Glastron Boat Model	Trailer Model	Axle(s)
MX 170	MX 2450	Single
MX 175 (4.0's)	MX 2700	Single w/Brakes
MX 175 (4.3's)	MX 3000	Single w/Brakes
GT 180	TRST 2500	Single w/Brakes
GT 185	TRST 3000	Single w/Brakes
GT 205	TRST 3500	Single w/Brakes
GT 185 SF	TRST 3000	Single w/Brakes
GT 205 SF	TRST 3500	Single w/Brakes
GX 205	EXL 3500	Single w/Brakes
GXL 185	TRST 3500	Single w/Brakes
GXL 205	EXL 3500	Single w/Brakes
GXL 235	EXL 5200	Tandem w/Brakes One Axle
GXL 255	EXL 5800	Tandem w/Brakes One Axle
GXL 180 SF	TRST 3000	Single
GXL 185 SF	TRST 3500	Single w/Brakes
GXL 205 SF	EXL 4000	Tandem w/Brakes One Axle
DS 205	EXL 4000	Tandem w/Brakes One Axle
DS 215	EXL 5200	Tandem w/Brakes One Axle
DX 215	EXL 5200	Tandem w/Brakes One Axle
DX 235	EXL 5800	Tandem w/Brakes One Axle
GS 209	EXL 4000	Tandem w/Brakes One Axle
GS 219	EXL 4400	Tandem w/Brakes One Axle
GS 259 (Non-Package)	EXL 7500	Tandem w/Brakes One Axle
GS 269 (Non-Package)	EXL 7500	Tandem w/Brakes One Axle
GS 279 (Non-Package)	EXL 7500	Tandem w/Brakes

**2007 Standard EXL Features:** Tube Construction, Steel Fenders, Double Bunks, Aluminum Steps, Chrome Rims, Spare Carrier, Swing Tongue Standard on all Trailers thru the EXL 4000

**2007 Standard TRST Features:** Tube Construction, Steel Fenders, Double Bunks (except GT 180), Alumalook Wheels, Blackwall Bias Tires, Painted Steel Steps, Swing Tongue Standard on GXL 180 SF / GXL 185 / GXL 185 SF

## Standard Galvanized Bunk Trailers

Glastron Boat Model	Trailer Model
MX 170	EZL96B 15-18 2450NB
MX 175 (3.0's)	EZL96B 15-18 2800H1X
MX 175 (4.3's)	EZL96B 15-18 3100H1X
GT 180	EZL96B 15-18 2450NB
GT 185	EZL96B 15-18 3100H1X
GT 205	TEZL96B 17-20 4000H1X
GT 185 SF	EZL96B 15-18 3100H1X
GT 205 SF	TEZL96B 17-20/22 4000H1X
GX 205	TEZL96B 17-20/22 4000H1X
GXL 185	EZL96B 17-20 3100H1X
GXL 205	TEZL96B 17-20/22 4000H1X
GXL 235	TEZL96B 19-22 4700H1X
GXL 255	TEZB 23-25/27 5800H1X
GXL 180 SF	EZL96B 15-18 3100H1X
GXL 185 SF	TEZL96B 17-20/22 4000H1X
GXL 205 SF	TEZL96B 17-20/22 4000H1X
DS 205	TEZL96B 17-20/22 4000H1X
DS 215	TEZL96B 19-22 4700H1X
DX 215	TEZL96B 19-22 4700H1X
DX 235	TEZB 19-22/24 5200H1X
GS 209	TEZL96B 17-20/22 4000H1X
GS 219	TEZL96B 19-22 4700H1X
GS 259 (Non-Package)	TEZB 23-25/27 5800H1X
GS 269 (Non-Package)	TEZB 23-25/27 7500H1X
GS 279 (Non-Package)	TEZB 23-25/27 7500H1X

**LIMITED OPTIONS OFFERED:** Swing Tongue, Load Guides, Brake Flush Kit(s), Brakes on Second Axle, Roller Upgrade, Spare Tire & Wheel w/Carrier.

## Standard Aluminum Bunk Trailers

Glastron Boat Model	Trailer Model
MX 170	ALB 16-18 2800H1X
MX 175 (3.0's)	ALB 16-18 2800H1X
MX 175 (4.3's)	ALB 16-18 3100H1X
GT 180	ALB 16-18 2800H1X
GT 185	ALB 16-18 3100H1X
GT 205	TALB 18-21 4000H1X
GT 185 SF	ALB 16-18 3100H1X
GT 205 SF	TALB 18-21 4000H1X
GX 205	TALB 18-21 4000H1X
GXL 185	ALB 18-20 3100H1X
GXL 205	TALB 18-21 4000H1X
GXL 235	TALB 20-23 4600H1X
GXL 255	TALB 21-25 6200H1X
GXL 180 SF	ALB 16-18 3100H1X
GXL 185 SF	TALB 18-21 4000H1X
GXL 205 SF	TALB 18-21 4000H1X
DS 205	TALB 18-21 4000H1X
DS 215	TALB 20-23 4600H1X
DX 215	TALB 20-23 4600H1X
DX 235	TALB 20-23 5000H1X
GS 209	TALB 18-21 4000H1X
GS 219	TALB 20-23 4600H1X
GS 259 (Non-Package)	TALB 23-27 6200H1X
GS 269 (Non-Package)	TALB 23-27 7900 H1X
GS 279 (Non-Package)	TALB 23-27 7900 H1X

**LIMITED OPTIONS OFFERED:** Swing Tongue, Brake Flush Kit(s), Aluminum Single Axle Fenders, Brakes on Second Axle, Roller Upgrade, Spare Tire & Wheel w/Carrier

These options are available through the EZ Loader Division or Distributor that will be shipping the trailer order.

We are offering these limited options to simplify the program and to avoid any delays in shipping. These options will be supplied and invoiced to your dealer by the participating EZ Loader Division or Distributor in the Dealer's area.

## Monthly Payments

Length of Loan	Interest Rate	Payment Per \$1000
3 years	6.00%	30.42
	6.50%	30.65
	7.00%	30.88
	7.50%	31.11
	8.00%	31.34
	8.50%	31.57
5 years	6.00%	31.80
	6.50%	19.33
	7.00%	19.57
	7.50%	19.80
	8.00%	20.04
	8.50%	20.28
7 years	9.00%	20.52
	6.00%	20.76
	6.50%	14.61
	7.00%	14.85
	7.50%	15.09
	8.00%	15.34
8 years	8.50%	15.59
	9.00%	15.84
	6.00%	16.09
	6.50%	13.14
	7.00%	13.39
	7.50%	13.63
10 years	8.00%	13.88
	8.50%	14.14
	9.00%	14.39
	6.00%	14.65
	6.50%	11.10
	7.00%	11.35
12 years	7.50%	11.61
	8.00%	11.87
	8.50%	12.13
	9.00%	12.40
	6.00%	12.67
	6.50%	9.76
15 years	7.00%	10.02
	7.50%	10.28
	8.00%	10.55
	8.50%	10.82
	9.00%	11.10
	6.00%	11.38
	6.50%	8.44
	7.00%	8.71
	7.50%	8.99
	8.00%	9.27
	8.50%	9.56
	9.00%	9.85
		10.14

## Definitions of Measurements

**Length Overall (LOA)** — Distance along the centerline from the tip of the bow to the aft-most part of the hull.

**Maximum Beam** — Maximum width of the boat.

**Transom Width** — Maximum width of the boat at the transom.

**Depth** — Vertical distance from the lowest point of the keel to the highest point of the boat, excluding windshields, lights and other removable components.

**Transom Deadrise** — Angle of the hull at the transom, as measured in degrees, relative to the water.

**Maximum Depth** — Vertical distance from the lowest point of the keel to the highest point of the boat, including windshields.

**Cockpit Depth** — Vertical distance from the boat floor to the top of gunwale as measured at the driver's seat.

**Length Overall on Trailer** — Distance measured along the boat centerline, from forward-most point of trailer to aft-most point of motor/outdrive.

**Boat Height on Trailer** — Vertical distance from the ground to the highest point of boat, including the windshield.

**Draft (drive unit up)** — Total number of inches of boat and/or motor and drive unit below the waterline. Measured unloaded, with the motor/drive unit in the full up position.

**Draft (drive unit down)** — Total number of inches of boat and/or motor and drive unit below the waterline. Measured unloaded, with the motor/drive unit in the full down position.





**Specifications**

- LOA** 17'1" (5.21 m.)
- Beam** 88" (2.24 m.)
- Depth** 43" (1.09 m.)
- Maximum Depth** 59" (1.50 m.)
- Cockpit Depth** 28½" (.72 m.)
- Approx. Wt.** 1485 lbs. (674 kg.)  
w/o Engine
- Transom Width** 86" (2.18 m.)
- Transom Deadrise** 21°
- LOA on Trailer** 21'6" (6.55 m.)
- Fuel Capacity** 23 gal. (87 L.)
- Maximum Load** 1800 lbs. (816 kg.)
- Max. Persons** 7 or 1150 lbs. (522 kg.)
- Max. Horsepower** 150 (112 kw.)
- NMMA Certified
- Draft: A. Drive Unit Up** 15½" (.39 m.)
- B. Drive Unit Down** 28½" (.72 m.)

**Standard Features**

- Adjustable bucket seats
- Bilge pump
- Bow seats w/concealed storage
- Integrated bow steps
- Integrated swim platform
- Passenger grab handles
- Rear bench seat w/open storage
- Ski locker
- Ski tow ring
- Stainless steel bow eye & stern eyes
- Stainless steel boarding ladder
- Unitized fiberglass deck/floor
- Walk-thru curved windshield
- VEC technology

**Optional Features**

- AM/FM/CD stereo w/2 speakers
- Glove box
- Ski tow pylon
- Snap-in carpet
- XL Package: special graphics, snap-in carpet, AM/FM/CD stereo w/2 speakers, glove box, forward bow cushion
- XL graphics

**Optional Canvas**

- Bimini top & boot
- Bow cover
- Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain
- Cockpit cover
- Soft top & boot
- Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Standard Color**

White w/Blue Graphics

**Engine Choices**

- Evinrude 115 DSLSD
- Evinrude 150 DSLSD
- Mercury 90 ELPT Optimax
- Mercury 115 ELPT Optimax
- Mercury 135 L Optimax
- Mercury 150 L Optimax
- Yamaha 90 TLRD
- Yamaha 115 TLRD
- Yamaha F 115 TLRD
- Yamaha F 150 TLRD

**Performance**

**Engine: Johnson 115 FastStrike, Prop: 14 x 19**

RPM	MPH	GPH	RANGE*
2500	15	2.9	107
3200	25	4.2	123
4200	35	6.3	115
WOT	43-45	—	—

Time to plane: 3.5 sec.

**Engine: Johnson 150 FastStrike, Prop: 14½ x 19**

RPM	MPH	GPH	RANGE*
2400	15	3.7	84
3200	30	5.0	124
4200	40	7.5	110
WOT	49-52	—	—

Time to plane: 3.2 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length** 17' 1" (5.21 m.)  
**Beam** 88" (2.24 m.)  
**Depth** 44" (1.12 m.)  
**Maximum Depth** 57" (1.45 m.)  
**Cockpit Depth** 28½" (.72 m.)  
**Approx. Wt.** 2280 lbs. (1035 kg.)  
 w/3.0 GL Volvo Penta  
**Transom Width** 86" (2.18 m.)  
**Transom Deadrise** 21°  
**LOA on Trailer** 21' 10" (6.65 m.)  
**Fuel Capacity** 23 gal. (87 L.)  
**Maximum Load** 1100 lbs. (499 kg.)  
**Max. Persons** 7 or 1000 lbs. (454 kg.)  
 NMMA Certified  
**Draft: A. Drive Unit Up** 16" (.41 m.)  
**B. Drive Unit Down** 31" (.79 m.)

**Standard Features**

Adjustable bucket seats  
 Bilge pump  
 Bow seats w/concealed storage  
 Integrated bow steps  
 Integrated swim platform  
 Padded sunlounge  
 Passenger grab handles  
 Rear bench seat w/open storage  
 Ski locker  
 Ski tow ring  
 Stainless steel bow eye & stern eyes  
 Stainless steel boarding ladder  
 Unitized fiberglass deck/floor  
 Walk-thru curved windshield  
 VEC technology

**Optional Features**

AM/FM/CD stereo w/2 speakers  
 Glove box  
 High altitude propeller  
 Snap-in carpet  
 XL Package: special graphics,  
 snap-in carpet, AM/FM/CD stereo  
 w/2 speakers, glove box, forward  
 bow cushion  
 XL graphics

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru  
 curtain, side curtains, stern curtain  
 Cockpit cover  
 Soft top & boot  
 Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Standard Color**

White w/Blue Graphics

**Engine Choices**

3.0L MerCruiser (135 hp)      3.0 GL Volvo Penta (135 hp)  
 4.3L MerCruiser (190 hp)      4.3 GL Volvo Penta (190 hp)

**Performance**

**Engine: 3.0 GL Volvo Penta, Prop: 14.3 x 21**

RPM	MPH	GPH	RANGE*
2000	10	2.1	99
3000	20	3.2	129
4000	35	7.6	95
WOT	41-44	—	—

Time to plane: 3.7 sec.

**Engine: 3.0L MerCruiser, Prop: 14¼ x 21**

RPM	MPH	GPH	RANGE*
2000	10	2.2	94
3000	22	3.4	134
4000	34	7.5	93
WOT	41-43	—	—

Time to plane: 3.8 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

- Length 17' 1" (5.21 m.)
- Beam 88" (2.24 m.)
- Depth 43" (1.09 m.)
- Maximum Depth 59" (1.50 m.)
- Cockpit Depth 28 1/2" (.72 m.)
- Approx. Wt. 1500 lbs. (680 kg.) w/o engine
- Transom Width 86" (2.18 m.)
- Transom Deadrise 21°
- LOA on Trailer 21' 6" (6.55 m.)
- Fuel Capacity 23 gal. (87 L.)
- Maximum Load 1800 lbs. (816 kg.)
- Max. Persons 8 or 1150 lbs. (522 kg.)
- Max. Horsepower 150 (112 kw.)
- NMMA Certified
- Draft: A. Drive Unit Up 15 1/2" (.39 m.)
- B. Drive Unit Down 28 1/2" (.72 m.)

**Standard Features**

- Adjustable deluxe bucket seats
- AM/FM/CD stereo w/2 speakers
- Bilge pump
- Bow seats w/concealed storage
- Bow step/platform with removable cushion
- Glove box
- Integrated swim platform
- Passenger grab handles
- Rear bench seating w/concealed storage
- Ski locker
- Stainless steel boarding ladder
- Stainless steel bow eye & stern eyes
- Two-tone deck & hull graphics
- Unitized fiberglass deck/floor
- Walk-thru curved windshield
- VEC technology

**Optional Features**

- 3-step boarding ladder
- Convenience Package: automatic bilge pump, hour meter & depth sounder
- Flip-up bucket seat (1 or 2)
- Full side glass windshield
- Ski tow pylon
- Snap-in carpet
- Tilt steering wheel
- XL Package: 3-step boarding ladder, tilt steering wheel, full side glass windshield, convenience package, flip-up bucket helm seat, ski tow pylon, snap-in carpet, aluminum rubrail trim w/black insert

**Optional Canvas**

- Bimini top & boot
- Bow cover
- Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain
- Cockpit cover
- Soft top & boot
- Mooring cover

*\*All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

- White w/Blue & Black Accents
- White w/Red & Black Accents
- White w/Yellow & Black Accents

**Engine Choices**

- Evinrude 115 DSLSD
- Evinrude 150 DSLSD
- Mercury 90 ELPT Optimax
- Mercury 115 ELPT Optimax
- Mercury 135 L Optimax
- Mercury 150 L Optimax
- Yamaha 90 TLRD
- Yamaha 115 TLRD
- Yamaha F 115 TLRD
- Yamaha 150 TLRD

**Performance**

Engine: Johnson 115 FastStrike, Prop: 14 x 19

RPM	MPH	GPH	RANGE*
2500	15	2.9	107
3200	25	4.2	123
4200	35	6.3	115
WOT	43-45	—	—

Time to plane: 3.5 sec.

Engine: Johnson 150 FastStrike, Prop: 14 1/2 x 19

RPM	MPH	GPH	RANGE*
2400	15	3.7	84
3200	30	5.0	124
4200	40	7.5	110
WOT	49-52	—	—

Time to plane: 3.2 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length w/swim platform** 18'5" (5.61 m.)  
**Beam** 88" (2.24 m.)  
**Depth** 44" (1.12 m.)  
**Maximum Depth** 59" (1.50 m.)  
**Cockpit Depth** 28½" (.72 m.)  
**Approx. Wt.** 2315 lbs. (1050 kg.)  
 w/3.0 GL Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** 86" (2.18 m.)  
**LOA on Trailer** 21' 10" (6.65 m.)  
**Fuel Capacity** 23 gal. (87 L.)  
**Maximum Load** 1150 lbs. (522 kg.)  
**Max. Persons** 8 or 1150 lbs. (522 kg.)  
 NMMA Certified

**Draft: A. Drive Unit Up** 16" (.41 m.)  
**B. Drive Unit Down** 31" (.79 m.)

**Standard Features**

Adjustable deluxe bucket seats  
 AM/FM/CD stereo w/2 speakers  
 Automatic bilge pump  
 Extended swim platform  
 w/3-step ladder  
 Glove box  
 Integrated bow steps  
 w/removable cushion  
 Padded sunlounge  
 Passenger grab handles

Rear bench seating  
 w/concealed storage  
 Ski locker  
 Ski tow ring  
 Stainless steel boarding ladder  
 Stainless steel bow eye & stern eyes  
 Two-tone deck & hull graphics  
 Unitized fiberglass deck/floor  
 Walk-thru curved windshield  
 VEC technology

**Optional Features**

Convenience Package: hour meter & depth sounder  
 Flip-up bucket seat (1 or 2)  
 Full side glass windshield  
 High altitude propeller  
 Snap-in carpet  
 Tilt steering wheel

Wakeboard tower  
 XL Package: tilt steering wheel, full side glass windshield, Convenience Package, flip-up bucket helm seat, snap-in carpet, aluminum rubrail trim w/black insert

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain

Cockpit cover  
 Soft top & boot  
 Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

White w/Blue & Black Accents  
 White w/Red & Black Accents

White w/Yellow & Black Accents

**Engine Choices**

3.0L MerCruiser (135 hp)  
 4.3L MerCruiser (190 hp)

3.0 GL Volvo Penta (135 hp)  
 4.3 GL Volvo Penta (190 hp)

**Performance**

**Engine: 3.0 GL Volvo Penta, Prop: 14.3 x 21**

RPM	MPH	GPH	RANGE*
2000	10	2.1	99
3000	20	3.2	129
4000	35	7.6	95
WOT	42-44	—	—

Time to plane: 3.4 sec.

**Engine: 4.3L MerCruiser, Prop: 14¼ x 23**

RPM	MPH	GPH	RANGE*
2400	15	3.0	104
3200	35	5.0	145
4000	45	8.5	110
WOT	48-50	—	—

Time to plane: 3.5 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length w/swim platform** 20' 8" (6.30 m.)  
**Beam** 92" (2.33 m.)  
**Depth** 43" (1.09 m.)  
**Maximum Depth** 56" (1.42 m.)  
**Cockpit Depth** 29" (.74 m.)  
**Approx. Wt.** 2780 lbs. (1260 kg.) w/4.3 GL Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** N/A  
**LOA on Trailer** 24' 6" (7.46 m.)  
**Fuel Capacity** 35 gal. (132 L.)  
**Maximum Load** 1275 lbs. (578 kg.)  
**Max. Persons** 9 or 1275 lbs. (578 kg.)  
**NMMA Certified**

**Draft: A. Drive Unit Up** 16½" (.42 m.)  
**B. Drive Unit Down** 31½" (.80 m.)

**Standard Features**

Adjustable deluxe bucket seats  
 AM/FM/CD stereo w/2 speakers  
 Automatic bilge pump  
 Extended swim platform w/3-step ladder  
 Glove box  
 Integrated bow steps w/removable cushion  
 Padded sunlounge  
 Passenger grab handles

Rear bench seating w/concealed storage  
 Ski locker  
 Ski tow ring  
 Stainless steel boarding ladder  
 Stainless steel bow eye & stern eyes  
 Two-tone deck & hull graphics  
 Unitized fiberglass deck/floor  
 Walk-thru curved windshield  
 VEC technology

**Optional Features**

Convenience Package: hour meter & depth sounder  
 Flip-up bucket seat (1 or 2)  
 Full side glass windshield  
 High altitude propeller  
 Snap-in carpet  
 Tilt steering wheel

Wakeboard tower  
 XL Package: tilt steering wheel, full side glass windshield, Convenience Package, flip-up bucket helm seat, snap-in carpet, aluminum rubrail trim w/black insert

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain

Cockpit cover  
 Soft top & boot  
 Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

White w/Blue & Black Accents  
 White w/Red & Black Accents

White w/Yellow & Black Accents

**Engine Choices**

3.0L MerCruiser (135 hp)  
 4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220)  
 5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)

3.0 GL Volvo Penta (135 hp)  
 4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)

**Performance**

**Engine: 4.3L MerCruiser, Prop: 14¼ x 23**

RPM	MPH	GPH	RANGE*
2000	15	2.8	169
3000	25	3.8	207
4000	35	6.9	160
WOT	47-49	—	—

Time to plane: 3.5 sec.

**Engine: 5.0 GL Volvo Penta, Prop: 14.3 x 21**

RPM	MPH	GPH	RANGE*
2500	15	3.5	135
3500	40	8.5	148
4000	45	9.8	145
WOT	53-55	—	—

Time to plane: 2.9 sec.

**Engine: 5.0 GXi Volvo Penta, Prop: 14¼ x 21**

RPM	MPH	GPH	RANGE*
2000	13	3.6	114
3000	31	6.5	149
4000	45	11.0	130
WOT	55-58	—	—

Time to plane: 2.8 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.  
 \*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_

# GT 185

## Ski & Fish



### Specifications

**Length w/swim platform**  
18'5" (5.61 m.)

**Beam** 88" (2.24 m.)

**Depth** 44" (1.12 m.)

**Maximum Depth** 59" (1.50 m.)

**Cockpit Depth** 28½" (.72 m.)

**Approx. Wt.** 2315 lbs. (1050 kg.)  
w/3.0 GL Volvo Penta

**Transom Deadrise** 21°

**Transom Width** 86" (2.18 m.)

**LOA on Trailer** 21' 10" (6.65 m.)

**Fuel Capacity** 23 gal. (87 L.)

**Maximum Load** 1150 lbs. (522 kg.)

**Max. Persons** 8 or 1150 lbs. (522 kg.)

NMMA Certified

**Draft:** A. Drive Unit Up 16" (.41 m.)  
B. Drive Unit Down 31" (.79 m.)

### Standard Features

Adjustable deluxe bucket seats

Aerated livewell

AM/FM/CD stereo w/2 speakers

Automatic bilge pump

Bow instrument panel with  
voltage, 12/24V trolling motor  
receptacle, livewell/trim/battery  
selector switches

Bow seats w/concealed storage

Built-in tackle trays

Extended swim platform  
w/3-step ladder

Fishing rod holders

Front & rear convertible  
casting decks

Glove box

Integrated bow steps  
w/removable cushion

Rear bench seat

Removable padded sunlounge

Ski locker

Ski tow ring

Stainless steel boarding ladder

Stainless steel bow eye & stern eyes

Swivel fishing seats for casting  
decks (2)

Trolling motor mount

Two-tone deck & hull graphics

Unitized fiberglass deck/floor

Walk-thru curved windshield

VEC technology

### Optional Features

Convenience Package: hour meter &  
depth sounder

Fishing Package: trolling motor &  
fish finder

Flip-up bucket seat (1 or 2)

Full side glass windshield

High altitude propeller

Snap-in carpet

Tilt steering wheel

XL Package: Fishing Package,  
Convenience Package, snap-in  
carpet, tilt steering wheel,  
aluminum rubrail trim w/black  
insert

### Optional Canvas

Mini top & boot

Raw cover

Invas Package: bow cover, walk-thru  
curtain, side curtains, stern curtain

Cockpit cover

Soft top & boot

Mooring cover

*\*Canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

### Color Choices

White w/Blue & Black Accents

White w/Red & Black Accents

White w/Yellow & Black Accents

### Engine Choices

3.0L MerCruiser (135 hp)

3.0 GL Volvo Penta (135 hp)

4.3L MerCruiser (190 hp)

4.3 GL Volvo Penta (190 hp)

### Performance

Engine: 3.0 GL Volvo Penta, Prop: 14.3 x 21

RPM	MPH	GPH	RANGE*
2000	10	2.1	99
3000	20	3.2	129
4000	35	7.6	95
WOT	41-43	—	—

Time to plane: 3.4 sec.

Engine: 4.3L MerCruiser, Prop: 14¼ x 23

RPM	MPH	GPH	RANGE*
2400	15	3.0	104
3200	35	5.0	145
4000	45	8.5	110
WOT	48-50	—	—

Time to plane: 3.5 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

### Sale Price

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

TOTAL PRICE \$ \_\_\_\_\_

# GT 205

## Ski & Fish



### Specifications

<b>Length w/swim platform</b> 20' 8" (6.30 m.)	<b>Transom Deadrise</b> 21°
<b>Beam</b> 92" (2.33 m.)	<b>Transom Width</b> N/A
<b>Depth</b> 43" (1.09 m.)	<b>LOA on Trailer</b> 24' 6" (7.46 m.)
<b>Maximum Depth</b> 56" (1.42 m.)	<b>Fuel Capacity</b> 35 gal. (132 L.)
<b>Cockpit Depth</b> 29" (.74 m.)	<b>Maximum Load</b> 1275 lbs. (578 kg.)
<b>Approx. Wt.</b> 2780 lbs. (1260 kg.) w/4.3 GL Volvo Penta	<b>Max. Persons</b> 9 or 1275 lbs. (578 kg.)
	<b>NMMA Certified</b>
<b>Draft: A. Drive Unit Up</b> 16½" (.42 m.)	
<b>B. Drive Unit Down</b> 31½" (.80 m.)	

### Standard Features

Adjustable deluxe bucket seats	Front & rear convertible casting decks
Aerated livewell	Glove box
AM/FM/CD stereo w/2 speakers	Rear bench seat
Automatic bilge pump	Removable padded sunlounge
Bow instrument panel with voltmeter, 12/24V trolling motor receptacle, livewell/trim/battery selector switches	Ski locker
Bow seating w/concealed storage compartments	Ski tow ring
Built-in tackle trays	Stainless steel bow eye & stern eyes
Extended swim platform w/3-step ladder	Swivel fishing seats for casting decks (2)
Fishing rod holders	Trolling motor mount
	Two-tone deck & hull graphics
	Unitized fiberglass deck/floor
	Walk-thru curved windshield
	VEC technology

### Optional Features

Convenience Package: hour meter & depth sounder	Snap-in carpet
Fishing Package: trolling motor & fish finder	Tilt steering wheel
Flip-up bucket seat (1 or 2)	XL Package: Fishing Package, Convenience Package, snap-in carpet, tilt steering wheel, aluminum rubrail trim w/black insert
Full side glass windshield	
High altitude propeller	

### Optional Canvas

Bimini top & boot	Cockpit cover
Bow cover	Soft top & boot
Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain	Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

### Color Choices

White w/Blue & Black Accents	White w/Yellow & Black Accents
White w/Red & Black Accents	

### Engine Choices

3.0L MerCruiser (135 hp)	3.0 GL Volvo Penta (135 hp)
4.3L MerCruiser (190 hp)	4.3 GL Volvo Penta (190 hp)
4.3L MPI MerCruiser (220 hp)	4.3 GXi Volvo Penta (225 hp)
5.0L MerCruiser (220 hp)	5.0 GL Volvo Penta (220 hp)
5.0L MPI MerCruiser (260 hp)	5.0 GXi Volvo Penta (270 hp)

### Performance

**Engine: 4.3L MerCruiser, Prop: 14¾ x 23**

RPM	MPH	GPH	RANGE*
2000	15	2.8	169
3000	25	3.8	207
4000	35	6.9	160
WOT	45-48	—	—

Time to plane: 3.5 sec.

**Engine: 5.0 GL Volvo Penta, Prop: 14.3 x 21**

RPM	MPH	GPH	RANGE*
2500	15	3.5	135
3500	40	8.5	148
4000	45	9.8	145
WOT	50-52	—	—

Time to plane: 3.5 sec.

**Engine: 5.0 GXi Volvo Penta, Prop: 14¾ x 21**

RPM	MPH	GPH	RANGE*
2000	13	3.6	114
3000	31	6.5	149
4000	45	11.0	130
WOT	52-55	—	—

Time to plane: 3.4 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

### Sale Price

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

Length 19' 11" (6.07 m.)  
 Beam 96" (2.44 m.)  
 Depth 45 3/4" (1.16 m.)  
 Maximum Depth 56 3/4" (1.44 m.)  
 Cockpit Depth 32" (.81 m.)  
 Approx. Wt. 3025 lbs. (1370 kg.)  
 w/5.0 GL Volvo Penta

Transom Deadrise 21°  
 Transom Width 92" (2.34 m.)  
 LOA on Trailer 24' 9" (7.54 m.)  
 Fuel Capacity 35 gal. (132 L.)  
 Maximum Load 1475 lbs. (669 kg.)  
 Max. Persons 10 or 1475 lbs. (669 kg.)  
 NMMA Certified

Draft: A. Drive Unit Up 16 1/2" (.42 m.)  
 B. Drive Unit Down 31 1/2" (.80 m.)

**Standard Features**

AM/FM/CD stereo w/4 speakers  
 Automatic bilge pump  
 Cockpit courtesy lights  
 Depth sounder  
 Glove box  
 Hour meter  
 Integrated swim platform  
 Padded sunlounge  
 Rear bench seat  
 Ski locker

Ski tow ring  
 Snap-in carpet  
 Stainless steel grab handles  
 SuspensionAire wraparound bucket  
 seats with flip-up bolsters  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Unitized fiberglass deck/floor  
 VEC technology

**Optional Features**

Corsa Quick & Quiet II exhaust  
 system w/Captain's Call  
 Docking lights  
 Extended swim platform  
 High altitude propeller  
 Low profile black windshield  
 Sirius satellite radio  
 Stereo remote for dash

SS Upgrade Package: stainless steel  
 rubrail, docking lights, pull-up  
 cleats, transom-mounted stereo  
 remote & tilt/trim switch  
 U-shaped cockpit seating w/filler  
 cushions  
 Wakeboard tower

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover,  
 walk-thru curtain, side curtains,  
 stern curtain

Cockpit cover  
 Soft top & boot  
 Mooring cover  
 Mooring cover w/extended  
 swim platform

*(All canvas choices except mooring cover are color-coordinated Sumbrella fabric)*

**Color Choices**

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

**Engine Choices**

5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250)  
 350 Magnum MPI Alpha MerCruiser (300)

5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 GXi Volvo Penta (315 hp)

**Performance**

Engine: 4.3 GL Volvo Penta, Prop: 14 1/4 x 21

RPM	MPH	GPH	RANGE*
2000	15	2.8	169
3000	25	3.8	207
4000	35	6.9	160
WOT	45-47	—	—

Time to plane: 3.4 sec.

Engine: 5.0 GL Volvo Penta, Prop: 14 x 21

RPM	MPH	GPH	RANGE*
2000	11	4.1	85
3000	32	7.1	142
3500	40	8.8	143
WOT	52-54	—	—

Time to plane: 2.8 sec.

Engine: 5.7L MerCruiser, Prop: 14 1/4 x 21

RPM	MPH	GPH	RANGE*
2200	15	3.3	143
2800	25	4.3	183
3500	40	8.0	158
WOT	53-56	—	—

Time to plane: 3.1 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.  
 \*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

TOTAL PRICE \$ \_\_\_\_\_





**Specifications**

Length 18' (5.49 m.)  
 Beam 91" (2.31 m.)  
 Depth 43" (1.09 m.)  
 Maximum Depth 53" (1.35 m.)  
 Cockpit Depth 29 1/2" (.75 m.)  
 Approx. Wt. 2730 lbs. (1240 kg.)  
 w/4.3 GL Volvo Penta

Transom Deadrise 21°  
 Transom Width 86" (2.18 m.)  
 LOA on Trailer 22' 4" (6.81 m.)  
 Fuel Capacity 29 gal. (110 L.)  
 Maximum Load 1200 lbs. (544 kg.)  
 Max. Persons 8 or 1200 lbs. (544 kg.)  
 NMMA Certified

Draft: A. Drive Unit Up 16" (.41 m.)  
 B. Drive Unit Down 29" (.74 m.)

**Standard Features**

WM/FM/CD stereo w/4 speakers  
 Automatic bilge pump  
 Carry-on cooler  
 Cockpit courtesy lights  
 Glove box  
 Integrated swim platform  
 Padded sunlounge  
 Rear bench seat  
 Ski locker  
 Ski tow ring

Snap-in carpet  
 Stainless steel passenger grab handles  
 SuspensionAire wraparound bucket seats w/flip-up bolsters  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 VEC technology

**Optional Features**

Convenience Package: hour meter & depth sounder  
 Extended swim platform  
 High altitude propeller  
 Low profile black windshield  
 Sirius satellite radio

SS Upgrade Package: stainless steel rubrail, docking lights, pull-up cleats, transom-mounted stereo remote, tilt/trim switch  
 Stereo remote for dash  
 Wakeboard tower

**Optional Canvas**

imini top & boot cover  
 Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain

Soft top & boot  
 Mooring cover  
 Mooring cover w/extended swim platform

*All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

/White/Black  
 /White/Blue

White/Red  
 White/Yellow

**Engine Choices**

3.0L MerCruiser (135 hp)  
 4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)

3.0 GL Volvo Penta (135 hp)  
 4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)

**Performance**

Engine: 3.0L MerCruiser, Prop: 14 1/4 x 19

RPM	MPH	GPH	RANGE*
2100	15	2.5	157
2900	25	3.5	186
3500	35	7.4	123
WOT	42-44	—	—

Time to plane: 3.4 sec.

Engine: 4.3 GL Volvo Penta, Prop: 14 x 23

RPM	MPH	GPH	RANGE*
2200	15	3.0	131
2900	25	4.0	163
3400	35	7.9	116
WOT	49-51	—	—

Time to plane: 3.1 sec.

Engine: 4.3 MPI MerCruiser, Prop: 14 1/4 x 21

RPM	MPH	GPH	RANGE*
2000	10	4.0	65
3000	30	6.5	121
4000	43	11.1	101
WOT	51-53	—	—

Time to plane: 3.5 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.  
 \*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

TOTAL PRICE \$ \_\_\_\_\_



## Specifications

**Length** 19' 11" (6.07 m.)  
**Beam** 96" (2.44 m.)  
**Depth** 45 1/4" (1.16 m.)  
**Maximum Depth** 56 3/4" (1.44 m.)  
**Cockpit Depth** 32" (.81 m.)  
**Approx. Wt.** 3025 lbs. (1370 kg.)  
 w/5.0 GL Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** 92" (2.34 m.)  
**LOA on Trailer** 24' 9" (7.54 m.)  
**Fuel Capacity** 35 gal. (132 L.)  
**Maximum Load** 1475 lbs. (669 kg.)  
**Max. Persons** 10 or 1475 lbs. (669 kg.)  
 NMMA Certified

**Draft:** A. Drive Unit Up 16 1/2" (.42 m.)  
 B. Drive Unit Down 31 1/2" (.80 m.)

## Standard Features

AM/FM/CD stereo w/4 speakers  
 Automatic bilge pump  
 Bow anchor locker  
 Carry-on cooler  
 Cockpit courtesy lights  
 Depth sounder  
 Glove box  
 Hour meter  
 Integrated swim platform  
 Padded sunlounge w/port & starboard storage compartments  
 Pull-up cleats  
 Ski locker w/mat  
 Ski tow ring

Sculpted snap-in carpet  
 Stainless steel cupholders  
 Stainless steel passenger grab handles  
 SuspensionAire wraparound bucket seats w/flip-up bolsters  
 Telescopic 3-step boarding ladders, fore & aft  
 Tilt steering wheel  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 U-shaped rear seating  
 Walk-thru transom boarding gate  
 VEC technology

## Optional Features

Bow filler cushions  
 Docking lights  
 Captain's Call (electric) w/Corsa Quick & Quiet II  
 Extended swim platform  
 High altitude propeller  
 Low profile black windshield  
 Rear sundeck power lift

Sirius satellite radio  
 SS Upgrade Package: stainless steel rubrail, docking lights, transom-mounted stereo remote & tilt/trim switch  
 Stern filler cushions  
 Stereo remote for dash  
 Wakeboard tower

## Optional Canvas

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain  
 Cockpit cover

Soft top & boot  
 Mooring cover  
 Mooring cover w/extended swim platform

(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)

## Color Choices

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

## Engine Choices

5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Magnum MPI Alpha MerCruiser (300 hp)

5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 GXi Volvo Penta (315 hp)

## Performance

Engine: 5.0 GL Volvo Penta, Prop: 14 x 21

RPM	MPH	GPH	RANGE*
2000	11	4.1	85
3000	32	7.1	142
3500	40	8.8	143
WOT	52-54	—	—

Time to plane: 2.8 sec.

Engine: 5.7L MerCruiser, Prop: 14 1/4 x 21

RPM	MPH	GPH	RANGE*
2200	15	3.3	143
2800	25	4.3	183
3500	40	8.0	158
WOT	53-56	—	—

Time to plane: 3.1 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

Length 23' (7.01 m.)  
 Beam 102" (2.59 m.)  
 Depth 53" (1.35 m.)  
 Maximum Depth 65" (1.65 m.)  
 Cockpit Depth 37" (.94 m.)  
 Approx. Wt. 3875 lbs. (1760 kg.)  
 w/5.7 Gi Volvo Penta

Transom Deadrise 21°  
 Transom Width 98" (2.49 m.)  
 LOA on Trailer 25' 10" (7.87 m.)  
 Fuel Capacity 47 gal. (178 L.)  
 Maximum Load 1650 lbs. (748 kg.)  
 Max Persons 12 or 1650 lbs. (748 kg.)  
 NMMA Certified

Draft: A. Drive Unit Up 17½" (.44 m.)  
 B. Drive Unit Down 33" (.84 m.)

## Standard Features

AM/FM/CD/Sirius satellite stereo w/4 speakers  
 Automatic bilge pump  
 Carry-on cooler  
 Cockpit courtesy lights  
 Cockpit table  
 Depth sounder  
 Glove box  
 Hour meter  
 Integrated extended swim platform  
 Padded sunlounge w/port & starboard storage compartments  
 Rear sundeck power lift

Ski locker  
 Ski tow ring  
 Snap-in carpet  
 Stainless steel passenger grab handles  
 Suspension Aire wraparound bucket seats w/flip-up bolsters  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 U-shaped rear seating w/filler cushions  
 Walk-thru transom boarding gate

## Optional Features

Bow filler cushions  
 Captain's Call (electric) w/Corsa Quick & Quiet II  
 Docking lights  
 High altitude propeller  
 Low profile black windshield

SS Upgrade Package: stainless steel rubrail, docking lights, pull-up cleats, transom-mounted stereo remote & tilt/trim switch  
 Stereo remote for dash  
 Wakeboard tower

## Optional Canvas

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru curtain, side curtains, stern curtain  
 (All canvas choices except mooring cover are color-coordinated Sunbrella fabric)

Cockpit cover  
 Soft top & boot  
 Mooring cover

## Color Choices

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

## Engine Choices

5.0L MPI MerCruiser (260 hp)  
 5.0L MPI Bravo III MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Bravo I MerCruiser (300 hp)  
 350 Mag MPI Bravo III MerCruiser (300 hp)  
 MX 6.2 MPI Bravo I MerCruiser (320 hp)  
 MX 6.2 MPI Bravo III MerCruiser (320 hp)

5.0 GXi Volvo Penta (270 hp)  
 5.0 GXi DP Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 Gi DP Volvo Penta (280 hp)  
 5.7 GXi Volvo Penta (315 hp)  
 5.7 GXi DP Volvo Penta (315 hp)

## Performance

Engine: 5.0 GXi Volvo Penta, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE*
2000	9	4.0	96
3000	25	7.0	152
4000	38	12.5	129
WOT	50-52	—	—

Time to plane: 3.8 sec.

Engine: 5.7 Gi Volvo Penta, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE*
2000	9	3.5	109
3000	29	5.9	208
4000	42	10.7	166
WOT	51-53	—	—

Time to plane: 3.3 sec.

Engine: 350 Magnum MPI Bravo I MerCruiser, Prop: 13¼ x 21 Vengeance SS

RPM	MPH	GPH	RANGE*
2000	9	4.5	85
3000	29	7.8	157
4000	43	13.3	137
WOT	50-55	—	—

Time to plane: 3.5 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

- Length 25' (7.62 m.)
- Beam 102" (2.59 m.)
- Depth 57½" (1.46 m.)
- Maximum Depth 69½" (1.77 m.)
- Cockpit Depth 37" (.94 m.)
- Approx. Wt. 4675 lbs. (2120 kg.) w/5.7 Gi Volvo Penta
- Transom Deadrise 21°
- Transom Width 98" (2.49 m.)
- LOA on Trailer 26' 5" (8.05 m.)
- Fuel Capacity 56 gal. (212 L.)
- Maximum Load 2000 lbs. (907 kg.)
- Max Persons 12 or 1800 lbs. (816 kg.)
- NMMA Certified
- Draft: A. Drive Unit Up 18½" (.47 m.)
- B. Drive Unit Down 34" (.86 m.)

## Standard Features

- AM/FM/CD/Sirius satellite stereo w/4 speakers
- Automatic bilge pump
- Carry-on cooler
- Cockpit courtesy lights
- Cockpit table
- Depth sounder
- Enclosed head compartment w/porta-pottie
- Hour meter
- Integrated extended swim platform
- Padded sunlounge w/port & starboard storage compartments
- Rear sundeck power lift
- Ski locker
- Ski tow ring
- Snap-in carpet
- Stainless steel passenger grab handles
- Suspension Aire wraparound bucket seats w/flip-up bolsters
- Telescopic 3-step boarding ladders, fore & aft
- Tilt steering wheel
- Two-tone deck & hull
- Unitized fiberglass deck/floor
- U-shaped rear seating w/filler cushions
- Walk-thru transom boarding gate

## Optional Features

- w filler cushions
- ptain's Call (electric) w/Corsa
- Quick & Quiet II
- king lights
- altitude propeller
- SS Upgrade Package: stainless steel rubrail, docking lights, pull-up cleats, transom-mounted stereo remote & tilt/trim switch

## Optional Canvas

- i top & boot cover
- s Package: bow cover, walk-thru in, side curtains, stern curtain
- ts choices except mooring cover are color-coordinated Sunbrella fabric)
- Cockpit cover
- Soft top & boot
- Mooring cover

## Color Choices

- ack
- ie
- White/Red
- White/Yellow

## Engine Choices

- 5.7L Alpha MerCruiser (250 hp)
- 5.7L Bravo III MerCruiser (250 hp)
- 350 Mag MPI Bravo I MerCruiser (300 hp)
- 350 Mag MPI Bravo III MerCruiser (300 hp)
- MX 6.2 MPI Bravo I MerCruiser (320 hp)
- MX 6.2 MPI Bravo III MerCruiser (320 hp)
- 496 Mag MPI Bravo I MerCruiser (375 hp)
- 496 Mag MPI Bravo III MerCruiser (375 hp)
- 496 Mag HO Bravo III MerCruiser (425 hp)
- 5.0 GXi Volvo Penta (270 hp)
- 5.0 GXi DP Volvo Penta (270 hp)
- 5.7 Gi Volvo Penta (280 hp)
- 5.7 Gi DP Volvo Penta (280 hp)
- 5.7 GXi Volvo Penta (315 hp)
- 5.7 GXi DP Volvo Penta (315 hp)
- 5.7 OSXi DP (FWC) Volvo Penta (320 hp)
- 8.1 Gi DP Volvo Penta (375 hp)

## Performance

Engine: 5.7 Gi DP Volvo Penta, Prop: F4

RPM	MPH	GPH	RANGE*
2000	11	4.2	132
3000	26	7.1	185
4000	37	12.2	153
WOT	46-48	—	—

Time to plane: 2.8 sec.

Engine: 496 Magnum MPI Bravo I MerCruiser, Prop: 14¼ x 21 Mirage Plus

RPM	MPH	GPH	RANGE*
2000	11	5.9	94
3000	33	10.2	163
4000	46	19.2	121
WOT	57-59	—	—

Time to plane: 4.8 sec.

Engine: 496 Magnum MPI Bravo III MerCruiser, Prop: 28 uncupped

RPM	MPH	GPH	RANGE*
2000	15	6.2	122
3000	33	10.5	158
4000	47	18.0	132
WOT	57-59	—	—

Time to plane: 3.0 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.  
\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \_\_\_\_\_ \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

TOTAL PRICE \$ \_\_\_\_\_



**Specifications**

Length 18' (5.49 m.)  
 Beam 91" (2.31 m.)  
 Depth 43" (1.09 m.)  
 Maximum Depth 53" (1.35 m.)  
 Cockpit Depth 29½" (.75 m.)  
 Approx. Wt. 1720 lbs. (780 kg.)  
 w/o engine  
 Transom Width 86" (2.18 m.)  
 Draft: A. Drive Unit Up 16" (.41 m.)  
 B. Drive Unit Down 29" (.74 m.)

Transom Deadrise 21°  
 LOA on Trailer 22' 2" (6.76 m.)  
 Fuel Capacity 29 gal. (110 L.)  
 Maximum Load 1880 lbs. (853 kg.)  
 Max. Persons 8 or 1225 lbs. (556 kg.)  
 Max. Horsepower 150 (112 kw.)  
 NMMA Certified

**Standard Features**

Aerated livewell  
 AM/FM/CD stereo w/4 speakers  
 Bow instrument panel  
 with voltmeter, 12/24V trolling motor  
 receptacle, livewell/trim/battery  
 selector switches  
 Bilge pump  
 Built-in tackle trays  
 Carry-on cooler  
 Cockpit courtesy lights  
 Dual cable steering  
 Fishing rod holders  
 Glove box  
 Integrated swim platform  
 Rear bench seat

Removable padded sunlounge  
 Ski locker  
 Snap-in carpet  
 Stainless steel grab handles  
 SuspensionAire wraparound bucket  
 seats w/flip-up bolsters  
 Swivel fishing seats for casting  
 platforms (2)  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Trolling motor mount  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 VEC technology

**Optional Features**

Convenience Package: hour meter,  
 depth sounder, automatic  
 bilge pump  
 Fishing Package: trolling motor  
 & fish finder

Full side glass windshield  
 Sirius satellite radio  
 Ski tow pylon  
 Stereo remote for dash

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru  
 curtain, side curtains, stern curtain

Cockpit cover  
 Soft top & boot  
 Mooring cover

(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)

**Color Choices**

White/Black  
 White/Blue

White/Red  
 White/Yellow

**Engine Choices**

Evinrude 115 DSLSLSD  
 Evinrude 150 DSLSLSD

Yamaha 115 TLRD  
 Yamaha F 115 TLRD  
 Yamaha 150 TLRD  
 Yamaha F 150 TLRD

Mercury 90 ELPT Optimax  
 Mercury 115 ELPT Optimax  
 Mercury ELPT EFI FourStroke  
 Mercury 135 L Optimax  
 Mercury 150 L Optimax

**Performance**

Engine: Evinrude Freshwater E-TEC 150, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE*
2000	9	N/A	N/A
3000	24	N/A	N/A
4000	34	N/A	N/A
WOT	47-49	—	—

Time to plane: 3.4 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length** 18' (5.49 m.)  
**Beam** 91" (2.31 m.)  
**Depth** 43" (1.09 m.)  
**Maximum Depth** 53" (1.35 m.)  
**Cockpit Depth** 29½" (.75 m.)  
**Approx. Wt.** 2740 lbs. (1243 kg.)  
 w/4.3 GL Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** 86" (2.18 m.)  
**LOA on Trailer** 22' 4" (6.81 m.)  
**Fuel Capacity** 29 gal. (110 L.)  
**Maximum Load** 1200 lbs. (544 kg.)  
**Max. Persons** 8 or 1200 lbs. (544 kg.)  
 NIMMA Certified

**Draft: A. Drive Unit Up** 16" (.41 m.)  
**B. Drive Unit Down** 31" (.79 m.)

**Standard Features**

Aerated livewell  
 AM/FM/CD stereo w/4 speakers  
 Automatic bilge pump  
 Bow instrument panel with voltmeter,  
 12/24V trolling motor receptacle,  
 livewell/trim/battery selector  
 switches  
 Built-in tackle trays  
 Carry-on cooler  
 Cockpit courtesy lights  
 Fishing rod holders  
 Front & rear convertible casting decks  
 Glove box  
 Integrated swim platform  
 Rear bench seat

Removable padded sunlounge  
 Ski locker  
 Ski tow ring  
 Snap-in carpet  
 Stainless steel grab handles  
 SuspensionAire wraparound bucket  
 seats w/flip-up bolsters  
 Swivel fishing seats for casting  
 platforms (2)  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Trolling motor mount  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 VEC technology

**Optional Features**

Convenience Package: hour meter &  
 depth sounder  
 Extended swim platform  
 Fishing Package: trolling motor &  
 fish finder

Full side glass windshield  
 High altitude propeller  
 Sirius satellite radio  
 Stereo remote for dash

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru  
 curtain, side curtains, stern curtain  
 Cockpit cover

Soft top & boot  
 Mooring cover  
 Mooring cover w/extended  
 swim platform

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

**Engine Choices**

3.0L MerCruiser (135 hp)  
 4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)

3.0 GL Volvo Penta (135 hp)  
 4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)

**Performance**

**Engine: 3.0L MerCruiser, Prop: 14½ x 19**

RPM	MPH	GPH	RANGE*
2100	15	2.5	157
2900	25	3.5	186
3500	35	7.4	123
WOT	42-44	—	—

Time to plane: 3.4 sec.

**Engine: 3.0 GL Volvo Penta, Prop: 14½ x 19**

RPM	MPH	GPH	RANGE*
2000	10	2.1	124
3000	20	3.2	163
4000	35	7.6	120
WOT	41-43	—	—

Time to plane: 3.7 sec.

**Engine: 4.3 GL Volvo Penta, Prop: 14½ x 19**

RPM	MPH	GPH	RANGE*
2200	15	3.0	131
2900	25	4.0	163
3400	35	7.9	116
WOT	48-50	—	—

Time to plane: 3.2 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length** 19' 11" (6.07 m.)  
**Beam** 96" (2.44 m.)  
**Depth** 45 1/2" (1.16 m.)  
**Maximum Depth** 56 1/2" (1.44 m.)  
**Cockpit Depth** 32" (.81 m.)  
**Approx. Wt.** 3075 lbs. (1395 kg.)  
 w/5.0 GL Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** 92" (2.34 m.)  
**LOA on Trailer** 24' 9" (7.54 m.)  
**Fuel Capacity** 35 gal. (132 L.)  
**Maximum Load** 1475 lbs. (669 kg.)  
**Max. Persons** 10 or 1475 lbs. (669 kg.)  
 NMMA Certified

**Draft: A. Drive Unit Up** 16 1/2" (.42 m.)  
**B. Drive Unit Down** 31 1/2" (.80 m.)

**Standard Features**

Aerated livewell  
 AM/FM/CD stereo w/4 speakers  
 Automatic bilge pump  
 Bow instrument panel with voltmeter,  
 12/24V trolling motor receptacle,  
 livewell/trim/battery selector  
 switches  
 Built-in tackle trays  
 Carry-on cooler  
 Cockpit courtesy lights  
 Fishing rod holders  
 Front & rear convertible casting decks  
 Glove box  
 Integrated swim platform  
 Rear bench seat

Removable padded sunlounge  
 Ski locker  
 Ski tow ring  
 Snap-in carpet  
 Stainless steel grab handles  
 SuspensionAire wraparound bucket  
 seats w/flip-up bolsters  
 Swivel fishing seats for casting  
 platforms (2)  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Trolling motor mount  
 Two-tone deck & hull  
 Unitized fiberglass deck/floor  
 VEC technology

**Optional Features**

Convenience Package: hour meter &  
 depth sounder  
 Extended swim platform  
 Fishing Package: trolling motor &  
 fish finder

Full side glass windshield  
 High altitude propeller  
 Sirius satellite radio  
 Stereo remote for dash

**Optional Canvas**

Bimini top & boot  
 Bow cover  
 Canvas Package: bow cover, walk-thru  
 curtain, side curtains, stern curtain  
 Cockpit cover

Soft top & boot  
 Mooring cover  
 Mooring cover w/extended swim  
 platform

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

**Color Choices**

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

**Engine Choices**

4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)  
 4.3L MPI Bravo III MerCruiser (220 hp)  
 5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Alpha MerCruiser (300 hp)  
 350 Mag MPI Bravo I MerCruiser (300 hp)  
 350 Mag MPI Bravo III MerCruiser (300 hp)

4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)  
 4.3 GXi DP Volvo Penta (225 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)

**Performance**

**Engine: 5.0 GL Volvo Penta, Prop: 14 1/4 x 21**

RPM	MPH	GPH	RANGE*
2000	11	5.0	69
3000	32	7.9	127
3500	38	9.0	133
WOT	51-53	—	—

Time to plane: 3.0 sec.

**Engine: 5.7L MerCruiser, Prop: 14 1/4 x 21**

RPM	MPH	GPH	RANGE*
2200	15	3.3	143
2800	25	4.3	183
3500	38	9.2	130
WOT	52-54	—	—

Time to plane: 3.1 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

**Length** 20' 1" (6.12 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 50½" (1.28 m.)  
**Maximum Depth** 59" (1.50 m.)  
**Cockpit Depth** 35" (.89 m.)  
**Approx. Wt.** 2930 lbs. (1330 kg.)  
 w/4.3 GL Volvo Penta

**Transom Deadrise** 17°  
**Transom Width** 94" (2.39 m.)  
**LOA on Trailer** 25' 3" (7.70 m.)  
**Fuel Capacity** 50 gal. (189 L.)  
**Maximum Load** 1400 lbs. (635 kg.)  
**Max. Persons** 10 or 1400 lbs. (635 kg.)  
 NMMA Certified

## Standard Features

Aerated livewell  
 AM/FM/CD/Sirius satellite stereo w/2 speakers  
 Automatic bilge pump  
 Carry-on cooler  
 Cockpit courtesy lights  
 Color-coordinated Sunbrella Bimini top w/boot  
 Depth sounder  
 Fishing rod holders  
 Hour meter  
 Integrated fore & aft swim/fishing platforms  
 Removable padded sunlounge

Ski locker  
 Ski tow ring  
 Skid-resistant fiberglass floor  
 Snap-in carpet  
 Stainless steel boarding ladder  
 Stainless steel grab handles  
 Stowaway fishing seat  
 Suspension Aire wraparound bucket helm seat w/flip-up bolster  
 Tilt steering wheel  
 Transom & dockside boarding  
 Trolling motor plug  
 Two-tone hull  
 Wraparound bow seating w/storage

## Optional Features

Bow table w/floor mount  
 High altitude propeller  
 Second fishing seat & pedestal

## Optional Canvas

Cockpit cover

## Color Choices

White/Black  
 White/Blue  
 White/Red  
 White/Yellow

## Engine Choices

4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)  
 5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)

4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)

## Performance

Engine: 4.3 GL Volvo Penta, Prop: 14¼ x 21

RPM	MPH	GPH	RANGE*
2500	21	4.8	197
3500	35	8.2	192
4500	41	14.8	125
WOT	47-50	—	—

Time to plane: N/A

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_



**Specifications**

**Length** 20' 11" (6.38 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 57½" (1.46 m.)  
**Maximum Depth** N/A  
**Cockpit Depth** 28½" (.72 m.)  
**Approx. Wt.** 3670 lbs. (1665 kg.)  
 w/5.0 GXi Volvo Penta

**Transom Deadrise** 16°  
**Transom Width** 96" (2.44 m.)  
**LOA on Trailer** 23' 9" (7.24 m.)  
**Fuel Capacity** 56 gal. (212 L.)  
**Maximum Load** 1900 lbs. (862 kg.)  
**Max. Persons** 13 or 1800 lbs. (816 kg.)  
 NMMA Certified

**Draft: A. Drive Unit Up** 14" (.36 m.)  
**B. Drive Unit Down** 30" (.76 m.)

**Standard Features**

AM/FM/CD/Sirius satellite stereo  
 w/4 speakers  
 Automatic bilge pump  
 Bow anchor locker  
 Carry-on cooler  
 Cockpit courtesy lights  
 Color-coordinated Sunbrella Bimini  
 top w/boot  
 Concealed telescopic  
 3-step boarding ladders, fore & aft  
 Depth sounder  
 Head compartment  
 Hour meter  
 Integrated fore and aft swim platforms

Padded sunlounge  
 Refreshment console w/sink  
 Ski locker  
 Ski tow ring  
 Skid-resistant fiberglass floor  
 Snap-in carpet  
 Stainless steel grab handles  
 SuspensionAire wraparound bucket  
 helm seat w/flip-up bolster  
 Tilt steering wheel  
 Transom & dockside boarding  
 Two-tone hull  
 Wraparound bow seating w/storage

**Optional Features**

Bow filler cushions  
 Compass  
 Docking lights  
 Extended swim platform

Fishing Package: livewell with dash  
 switch, 2 bow fishing seats &  
 pedestals, bow trolling motor plug  
 High altitude propeller  
 Porta-pottie

**Optional Canvas**

Cockpit cover

**Color Choices**

White/Black  
 White/Blue

White/Red  
 White/Yellow

**Engine Choices**

4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)  
 4.3L MPI Bravo III MerCruiser (220 hp)  
 5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Alpha MerCruiser (300 hp)

4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)  
 4.3 GXi DP Volvo Penta (225 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)

**Performance**

**Engine: 5.0 GXi Volvo Penta, Prop: 14.5 x 19**

RPM	MPH	GPH	RANGE
2000	9	4.4	102
3000	27	7.2	189
4000	40	13.3	152
WOT	49-51	—	—

Time to plane: 4.2 sec.

**Engine: 5.0L MerCruiser, Prop: N/A**

RPM	MPH	GPH	RANGE
2000	9	4.1	111
3000	27	6.9	197
4000	38	12.6	152
WOT	44-46	—	—

Time to plane: 3.9 sec.

**Engine: 5.0L MPI MerCruiser, Prop: 14½ x 19 Aluminum**

RPM	MPH	GPH	RANGE
2000	9	3.8	119
3000	27	7.0	194
4000	39	11.4	172
WOT	47-49	—	—

Time to plane: 4.3 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

**Length** 20' 11" (6.38 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 57½" (1.46 m.)  
**Maximum Depth** 66½" (1.69 m.)  
**Cockpit Depth** 28½" (.72 m.)  
**Approx. Wt.** 3930 lbs (1783 kg)  
 w/5.0 GXi Volvo Penta

**Transom Deadrise** 16°  
**Transom Width** 98" (2.49 m.)  
**LOA on Trailer** 23' 9" (7.24 m.)  
**Fuel Capacity** 56 gal. (212 L.)  
**Maximum Load** 1800 lbs. (816 kg.)  
**Max. Persons** 10 or 1600 lbs. (726 kg.)  
 NMMA Certified

**Draft: A. Drive Unit Up** 14" (.36 m.)  
**B. Drive Unit Down** 30" (.76 m.)

## Standard Features

AM/FM/CD/Sirius satellite stereo	Ski locker
w/4 speakers	Ski tow ring
Automatic bilge pump	Snap-in carpet
Bow filler cushions	Stainless steel bow eye & stern eyes
Bow seating w/concealed storage	Stainless steel grab handles
Carry-on cooler	Stainless steel telescopic boarding ladders, fore & aft
Color-coordinated Sunbrella Bimini top w/boot	SuspensionAire adjustable bucket seats w/flip-up bolsters
Docking lights	Tilt steering wheel
Enclosed head compartment	Two-tone hull & deck graphics
Hour meter	Walk-thru curved windshield
Padded sunlounge	Walk-thru transom
Rear bench seat	

## Optional Features

Bow table	Pull-up cleats
Extended swim platform	Porta-pottie
High altitude propeller	

## Optional Canvas

Sunbrella Bimini Canvas Package: side curtains, aft curtain & clear connectors	Sunbrella bow cover
	Sunbrella cockpit cover

## Color Choices

White/Black	White/Red
White/Blue	White/Yellow

## Engine Choices

5.0L MerCruiser (220 hp)	5.0 GL Volvo Penta (220 hp)
5.0L MPI MerCruiser (260 hp)	5.0 GXi Volvo Penta (270 hp)
5.7L Alpha MerCruiser (250 hp)	5.7 Gi Volvo Penta (280 hp)
5.7L Bravo III MerCruiser (250 hp)	5.7 Gi DP Volvo Penta (280 hp)
350 Mag MPI Alpha MerCruiser (300 hp)	
350 Mag MPI Bravo III MerCruiser (300 hp)	

## Performance

Engine: 5.0 GXi Volvo Penta, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE*
2000	9	4.0	113
3000	26	7.2	182
4000	39	12.3	160
WOT	49-51	—	—

Time to plane: 3.6 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

**Specifications**

**Length** 22' 6" (6.86 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 60" (1.52 m.)  
**Maximum Depth** 69" (1.75 m.)  
**Cockpit Depth** 31" (.79 m.)  
**Approx. Wt.** 3980 lbs. (1805 kg.)  
 w/5.7 GL Volvo Penta

**Transom Deadrise** 15°  
**Transom Width** 94" (2.39 m.)  
**LOA on Trailer** 30' 6" (9.30 m.)  
**Fuel Capacity** 73 gal. (276 L.)  
**Maximum Load** 1950 lbs. (885 kg.)  
**Max. Persons** 13 or 1950 lbs. (885 kg.)  
 NMMA Certified

**Draft: A. Drive Unit Up** 18" (.46 m.)  
**B. Drive Unit Down** 32" (.81 m.)

**Standard Features**

AM/FM/CD/Sirius satellite stereo  
 w/4 speakers  
 Automatic bilge pump  
 Bow anchor locker  
 Carry-on cooler  
 Cockpit courtesy lights  
 Cockpit/bow table  
 Color-coordinated Sunbrella Bimini  
 top w/boot  
 Concealed telescopic  
 3-step boarding ladders, fore & aft  
 Depth sounder  
 Head compartment w/sink  
 Hour meter

Integrated fore & aft swim platforms  
 Ski locker  
 Ski tow ring  
 Skid-resistant fiberglass floor  
 Snap-in carpet  
 Stainless steel grab handles  
 Stowaway fishing seat  
 SuspensionAire wraparound bucket  
 helm seat w/flip-up bolster  
 Tilt steering wheel  
 Transom & dockside boarding  
 Two-tone hull  
 Wraparound bow seating w/storage

**Optional Features**

Bow filler cushions  
 Compass  
 Docking lights  
 Extended swim platform

Freshwater transom shower  
 High altitude propeller  
 Portable head w/pump-out  
 Porta-pottie

**Optional Canvas**

Bow cover  
 Cockpit cover

**Color Choices**

White/Black  
 White/Blue

White/Red  
 White/Yellow

**Engine Choices**

5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Alpha MerCruiser (300 hp)  
 350 Mag MPI Bravo I MerCruiser (300 hp)  
 350 Mag MPI Bravo III MerCruiser (300 hp)

5.0 GL Volvo Penta (220 hp)  
 5.0 GXI Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 Gi DP Volvo Penta (280 hp)  
 5.7 GXI DP Volvo Penta (315 hp)

**Performance**

**Engine: 5.0 GXI Volvo Penta, Prop: 14.5 x 19**

RPM	MPH	GPH	RANGE
2000	9	4.0	148
3000	26	7.5	228
4000	38	12.1	206
WOT	49-51	—	—

Time to plane: 4.0 sec.

**Engine: 350 Magnum MPI Alpha MerCruiser, Prop: 15 x 17**

RPM	MPH	GPH	RANGE
2000	9	4.5	131
3000	27	7.5	237
4000	37	11.9	204
WOT	48-50	—	—

Time to plane: 5.0 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

**Length** 20' 2" (6.15 m.)  
**Beam** 94 1/4" (2.39 m.)  
**Depth** 50" (1.27 m.)  
**Maximum Depth** 71" (1.80 m.)  
**Cockpit Depth** 35" (.89 m.)  
**Approx. Wt.** 2832 lbs. (1285 kg.)  
 w/5.0 GL Volvo Penta  
**Transom Deadrise** 21°  
**Transom Width** 90" (2.29 m.)  
**LOA on Trailer** 24' 8" (7.52 m.)  
**Fuel Capacity** 45 gal. (170 L.)  
**Maximum Load** 1450 lbs. (658 kg.)  
**Max. Persons** 8 or 1150 lbs. (522 kg.)  
**NMMA Certified**  
**Draft: A. Drive Unit Up** 18 1/2" (.47 m.)  
**B. Drive Unit Down** 33" (.84 m.)

## Standard Features

AM/FM/CD/Sirius satellite stereo  
 w/4 speakers  
 Automatic bilge pump  
 Bow access step  
 Bow anchor locker  
 Cabin courtesy lights  
 Color-coordinated Sunbrella  
 soft top w/boot  
 Deck hatch with screen  
 Depth sounder  
 Floor storage area  
 Hour meter  
 Integrated swim platform  
 Padded sunlounge  
 Ski tow ring  
 Stainless steel bow rails  
 Stainless steel grab handles  
 SuspensionAire adjustable bucket helm  
 seat w/flip-up bolster, fold-down  
 sleeper seat, aft jump seats  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Two-tone hull  
 Upholstered V-berth  
 Walk-thru curved full glass windshield

## Optional Features

Galley Package: dual helm seat,  
 alcohol stove, ice box, sink,  
 water system  
 High altitude propeller  
 Porta-pottie  
 SL Seating: twin SuspensionAire  
 bucket seats, aft bench seat,  
 sunlounge

## Optional Canvas

Camper Canvas Package: Canvas  
 Package less stern curtain, plus aft  
 camper top, aft camper side  
 curtains, aft camper stern curtain  
 Canvas Package: side curtains,  
 stern curtain  
 Cockpit cover  
 Mooring cover

*(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)*

## Color Choices

White/Blue w/Yellow Hull Stripe  
 White/Sand w/Black Hull Stripe

## Engine Choices

4.3L MerCruiser (190 hp)  
 4.3L MPI MerCruiser (220 hp)  
 4.3L MPI Bravo III MerCruiser (220 hp)  
 5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 4.3 GL Volvo Penta (190 hp)  
 4.3 GXi Volvo Penta (225 hp)  
 4.3 GXi DP Volvo Penta (225 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)

## Performance

**Engine: 4.3L MerCruiser, Prop: 14 1/4 x 21**

RPM	MPH	GPH	RANGE*
2400	15	4.2	145
3200	25	5.5	184
3700	35	8.6	165
WOT	44-46	—	—

Time to plane: 3.5 sec.

**Engine: 4.3 GL Volvo Penta, Prop: 14 1/4 x 21**

RPM	MPH	GPH	RANGE*
2000	15	4.0	152
3000	25	5.3	191
4000	35	9.0	158
WOT	43-45	—	—

Time to plane: 3.6 sec.

Note: All testing done with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

**Length** 21' 6" (6.55 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 62" (1.57 m.)  
**Maximum Depth** 72" (1.83 m.)  
**Cockpit Depth** 34" (.86 m.)  
**Approx. Wt.** 3580 lbs. (1624 kg.)  
 w/5.0 GXi Volvo Penta

**Transom Deadrise** 21°  
**Transom Width** 96" (2.44 m.)  
**LOA on Trailer** 26' 4" (8.03 m.)  
**Fuel Capacity** 56 gal. (212 L.)  
**Maximum Load** 1500 lbs. (680 kg.)  
**Max. Persons** 8 or 1150 lbs. (522 kg.)  
 NMMA Certified

**Draft:** A. Drive Unit Up 18" (.46 m.)  
 B. Drive Unit Down 36" (.91 m.)

## Standard Features

AM/FM/CD/Sirius satellite stereo w/4 speakers	Porta-pottie
Automatic bilge pump	Power plug (12V)
Battery switch	Ski tow ring
Bow anchor locker	Skid-resistant fiberglass floor
Cabin courtesy lights	Snap-in carpet
Carry-on cooler	Stainless steel bow rails
Color-coordinated Sunbrella Bimini top w/boot	Stereo remote for dash
Deck hatch with screen	SuspensionAire adjustable bucket helm seat w/flip-up bolster, fold-down sleeper seat, aft jump seats
Depth sounder	Telescopic 3-step boarding ladder
Fold-down sleeper seat	Tilt steering wheel
Hour meter	Upholstered V-berth
Integrated swim platform	Walk-thru curved full glass windshield
Padded sunlounge	

## Optional Features

Compass	SL Seating: twin SuspensionAire adjustable bucket seat, aft bench seat, sunlounge w/walk-thru transom gate
Galley Package: butane stove, sink, water system	
High altitude propeller	
Remote control spotlight	

## Optional Canvas

Camper Canvas Package: Canvas Package less stern curtain, plus aft camper top, aft camper side curtains, aft camper stern curtain	Canvas Package for Bimini top: side curtains, aft curtain & clear connector
	Cockpit cover
	Mooring cover

(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)

## Color Choices

White/Blue w/Yellow Hull Stripe      White/Sand w/Black Hull Stripe

## Engine Choices

4.3L MerCruiser (190 hp)	4.3 GL Volvo Penta (190 hp)
4.3L MPI MerCruiser (220 hp)	4.3 GXi Volvo Penta (225 hp)
5.0L MerCruiser (220 hp)	5.0 GL Volvo Penta (220 hp)
5.0L MPI MerCruiser (260 hp)	5.0 GXi Volvo Penta (270 hp)
5.7L Alpha MerCruiser (250 hp)	5.7 Gi Volvo Penta (280 hp)
5.7L Bravo III MerCruiser (250 hp)	5.7 Gi DP Volvo Penta (280 hp)
350 Mag MPI Alpha MerCruiser (300 hp)	
350 Mag MPI Bravo I MerCruiser (300 hp)	

## Performance

Engine: 5.0 GXi Volvo Penta, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE
2000	8	4.6	88
3000	27	7.7	178
4000	39	16.8	117
WOT	51-53	—	—

Time to plane: 4.6 sec.

Engine: 5.7 Gi Volvo Penta, Prop: 14.5 x 19

RPM	MPH	GPH	RANGE
2000	9	4.7	97
3000	29	7.7	190
4000	41	14.2	146
WOT	51-53	—	—

Time to plane: 3.6 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

## Specifications

**Length** 24' 10" (7.57 m.)  
**Beam** 102" (2.59 m.)  
**Depth** 84" (2.13 m.)  
**Maximum Depth** 91 1/4" (2.32 m.) w/o arch  
**Cockpit Depth** 36" (.91 m.)  
**Approx. Wt.** 5525 lbs. (2506 kg.) w/5.7 Gi Volvo Penta  
**Transom Deadrise** 20°  
**Transom Width** 98" (2.49 m.)  
**LOA on Trailer** N/A  
**Fuel Capacity** 56 gal. (212 L.)  
**Maximum Load** 2240 lbs. (1016 kg.)  
**Max. Persons** 10 or 2240 lbs. (1016 kg.)  
**NMMA Certified**  
**Draft: A. Drive Unit Up** 22" (.56 m.)  
**B. Drive Unit Down** 36" (.91 m.)

## Standard Features

Aft cabin  
 AM/FM/CD/Sirius satellite stereo w/4 speakers  
 Anchor roller  
 Automatic bilge pump  
 Cabin courtesy lights  
 Cabin throw pillows (3)  
 Carry-on cooler  
 Cockpit refreshment center w/sink  
 Color-coordinated Sunbrella Bimini top & w/boot  
 Compass  
 Deck hatch with screen  
 Depth sounder  
 Dinette/V-berth  
 Dockside power (110V)  
 Dual battery switch  
 Galley with microwave, refrigerator, alcohol/ electric stove, sink  
 Head compartment with fiberglass shower, sink, porta-pottie  
 High/low dual helm seat  
 Hot water system  
 Hour meter  
 Hydraulic trim tabs  
 Integrated swim platform w/walk-thru transom gate  
 Portside chaise lounge seat  
 Remote control spotlight  
 Removable stern bench seat  
 Ski tow ring  
 Skid-resistant fiberglass floor  
 Snap-in carpet  
 Stainless steel deck rails  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Transom shower  
 Vented cabin windows (3)  
 Water tank (18 gallons)

## Optional Features

China head, manual pump-out  
 China head, electric pump-out  
 Dash mounted stereo remote  
 Dockside air conditioner/reverse heat  
 Electric anchor windlass  
 Flat screen TV w/DVD player  
 Grey water system  
 High altitude propeller  
 Radar arch  
 Starboard windshield wiper  
 Stern filler cushion & table

## Optional Canvas

Camper Canvas Package: Canvas Package less stern curtain, plus aft camper top, aft camper side curtains, aft camper stern curtain  
 Canvas Package for Bimini top: side curtains, aft curtain, clear connector  
 Cockpit cover

(All canvas choices except mooring cover are color-coordinated Sunbrella fabric)

## Color Choices

White/Blue w/Yellow Hull Stripe  
 White/Sand w/Black Hull Stripe

## Engine Choices

5.0L MerCruiser (220 hp)  
 5.0L MPI MerCruiser (260 hp)  
 5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Bravo I MerCruiser (300 hp)  
 350 Mag MPI Bravo III MerCruiser (300 hp)  
 MX 6.2 MPI Bravo I MerCruiser (320 hp)  
 MX 6.2 MPI Bravo III MerCruiser (320 hp)  
 5.0 GL Volvo Penta (220 hp)  
 5.0 GL DP Volvo Penta (220 hp)  
 5.0 GXi Volvo Penta (270 hp)  
 5.0 GXi DP Volvo Penta (270 hp)  
 5.0 OSi DP Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 Gi DP Volvo Penta (280 hp)  
 5.7 OSi DP Volvo Penta (280 hp)  
 5.7 GXi Volvo Penta (315 hp)  
 5.7 GXi DP Volvo Penta (315 hp)  
 5.7 OSXi DP (FWC) Volvo Penta (320 hp)

## Performance

Engine: 5.0 GXi DP Volvo Penta, Prop: F3

RPM	MPH	GPH	RANGE*
2000	9	4.1	111
3000	23	7.8	149
4000	33	11.3	147
WOT	42-45	—	—

Time to plane: 4.8 sec

Engine: 350 Magnum MPI Bravo III MerCruiser,

Prop: 14 1/4 x 22 and 15 1/4 x 22

RPM	MPH	GPH	RANGE*
2000	9	4.3	106
3000	22	7.6	146
4000	33	12.0	139
WOT	46-48	—	—

Time to plane: 6.5 sec

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_

**Specifications**

Length 26' 11" (8.20 m.)  
 Beam 102" (2.59 m.)  
 Depth 86" (2.18 m.)  
 Maximum Depth 92" (2.34 m.)  
 Cockpit Depth 36" (.91 m.)  
 Approx. Wt. 5830 lbs. (2645 kg.)  
 Transom Deadrise 20°

Transom Width 97" (2.46 m.)  
 LOA on Trailer 30' (9.14 m.)  
 Fuel Capacity 72 gal. (273 L.)  
 Bridge Clearance 79" (2.01 m.)  
 Bridge Clearance w/Arch 106" (2.69 m.)  
 NMMA Certified

Draft: A. Drive Unit Up 19" (.49 m.)  
 B. Drive Unit Down 40" (1.02 m.)

**Standard Features**

- Aft cabin
- AM/FM/CD/Sirius satellite stereo w/4 speakers
- Anchor roller
- Automatic bilge pump
- Battery charger
- Cabin courtesy lights
- Cabin throw pillows (3)
- Cockpit refreshment center w/sink & ice box
- Color-coordinated Sunbrella Bimini top w/boot
- Compass
- Deck hatch w/screen
- Depth sounder
- Dinette/V-berth
- Dockside power (110V)
- Dual battery switch
- Dual helm seat w/flip-up bolster
- Galley with microwave, refrigerator, alcohol/ electric stove, sink
- Head compartment with fiberglass shower, sink, manual china head
- Hot water system
- Hour meter
- Hydraulic trim tabs
- Integrated swim platform w/walk-thru transom gate
- Remote control spotlight
- Ski tow ring
- Skid-resistant fiberglass floor
- Snap-in carpet
- Stainless steel bow rail
- Telescopic 3-step boarding ladder
- Tilt steering wheel
- Transom shower
- U-shaped cockpit seating
- Vented cabin windows (4)
- Water tank (18 gallons)

**Optional Features**

- China head, electric pump-out
- Dash mounted stereo remote
- Dockside air conditioner/reverse heat
- Electric anchor windlass
- Flat screen TV w/DVD player
- Fore deck sun pad
- Grey water system
- High altitude propeller
- Radar arch
- Starboard windshield wiper

**Optional Canvas**

Canvas Package for Bimini top: side curtains, aft curtain, clear connector

Cockpit cover

**Color Choices**

White/Blue w/Yellow Hull Stripe

White/Sand w/Black Hull Stripe

**Engine Choices**

- 5.7L Bravo III MerCruiser (250 hp)
- 350 Mag MPI Bravo I MerCruiser (300 hp)
- 350 Mag MPI Bravo III MerCruiser (300 hp)
- MX 6.2 MPI Bravo I MerCruiser (320 hp)
- MX 6.2 MPI Bravo III MerCruiser (320 hp)
- 5.0 GXi Volvo Penta (270 hp)
- 5.0 GXi DP Volvo Penta (270 hp)
- 5.0 OSI DP Volvo Penta (270 hp)
- 5.7 Gi Volvo Penta (280 hp)
- 5.7 Gi DP Volvo Penta (280 hp)
- 5.7 OSI DP Volvo Penta (280 hp)
- 5.7 GXi Volvo Penta (315 hp)
- 5.7 GXi DP Volvo Penta (315 hp)
- 5.7 OSXi DP (FWC) Volvo Penta (320 hp)

**Performance**

Engine: MX 6.2 MPI Bravo III MerCruiser,  
 Props: 14 1/4 x 22 and 15 1/4 x 22

RPM	MPH	GPH	RANGE*
2000	9	4.6	127
3000	20	9.3	139
4000	33	12.8	167
WOT	43-45	—	—

Time to plane: 6.4 sec

Engine: 5.7 Gi DP Volvo Penta, Prop: F3

RPM	MPH	GPH	RANGE*
2000	9	4.2	140
3000	20	8.3	156
4000	33	12.1	176
WOT	40-42	—	—

Time to plane: 4.9 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

**Sale Price**

Boat \$ \_\_\_\_\_

Motor \_\_\_\_\_ H.P. \_\_\_\_\_

Trailer \_\_\_\_\_

Accessories \_\_\_\_\_

T, T & L \_\_\_\_\_

TOTAL PRICE \$ \_\_\_\_\_

## Specifications

Length 27' 5" (8.36 m.)  
 Beam 102" (2.59 m.)  
 Depth 89" (2.26 m.)  
 Maximum Depth 97" (2.46 m.)  
 Cockpit Depth 36" (.91 m.)  
 Approx. Wt. 6180 lbs. (2803 kg.)  
 w/5.0 GL Volvo Penta  
 Transom Deadrise 20°

Transom Width 97" (2.46 m.)  
 LOA on Trailer 30' 6" (9.30 m.)  
 Fuel Capacity 72 gal. (273 L.)  
 Bridge Clearance 84" (2.13 m.)  
 Bridge Clearance w/Arch  
 106" (2.69 m.)  
 NMMA Certified

Draft: A. Drive Unit Up 19" (.49 m.)  
 B. Drive Unit Down 40" (1.02 m.)

## Standard Features

Aft cabin  
 AM/FM/CD/Sirius satellite stereo  
 w/4 speakers  
 Automatic bilge pump  
 Battery charger  
 Bow pulpit w/roller & rope locker  
 Cabin courtesy lights  
 Cabin throw pillows (3)  
 Cockpit refreshment center  
 w/sink & ice box  
 Color-coordinated Sunbrella  
 Bimini top w/boot  
 Compass  
 Deck hatch w/screen  
 Depth sounder  
 Dinette/V-berth  
 Dockside power (110V)  
 Dual battery switch  
 Galley with microwave, refrigerator,  
 alcohol/ electric stove, sink  
 Head compartment with fiberglass  
 shower, sink, manual china head

High/low dual helm seat  
 Hot water system  
 Hour meter  
 Hydraulic trim tabs  
 Integrated swim platform w/walk-  
 thru transom gate  
 Portside chaise lounge seat  
 Remote control spotlight  
 Removable stern bench seat  
 Ski tow ring  
 Skid-resistant fiberglass floor  
 Snap-in carpet  
 Stainless steel deck rails  
 Stainless steel grab handles  
 Starboard windshield wiper  
 Telescopic 3-step boarding ladder  
 Tilt steering wheel  
 Transom shower  
 Vented cabin windows (2)  
 Water tank (18 gallons)

## Optional Features

Additional vented cabin windows (2)  
 China head, electric pump-out  
 Dash mounted stereo remote  
 Dockside air conditioner/reverse heat  
 Electric anchor windlass  
 Extended swim platform  
 Flat screen TV w/DVD player

Grey water system  
 High altitude propeller  
 Radar arch  
 Stainless steel storage rack for  
 docking fenders  
 Stern filler cushion & table  
 Westerbeke 5KW generator

## Optional Canvas

Camper Canvas Package: Canvas  
 Package less stern curtain, plus aft  
 camper top, aft camper side  
 curtains, aft camper stern curtain

Canvas Package for Bimini top: side  
 curtains, aft curtain, clear connector  
 Cockpit cover

## Color Choices

White/Blue w/Yellow Hull Stripe  
 White/Sand w/Black Hull Stripe

## Engine Choices

5.7L Alpha MerCruiser (250 hp)  
 5.7L Bravo III MerCruiser (250 hp)  
 350 Mag MPI Bravo I MerCruiser (300 hp)  
 350 Mag MPI Bravo III MerCruiser (300 hp)  
 MX 6.2 MPI Bravo I MerCruiser (320 hp)  
 MX 6.2 MPI Bravo III MerCruiser (320 hp)

5.0 GXI Volvo Penta (270 hp)  
 5.0 GXI DP Volvo Penta (270 hp)  
 5.0 OSi DP Volvo Penta (270 hp)  
 5.7 Gi Volvo Penta (280 hp)  
 5.7 Gi DP Volvo Penta (280 hp)  
 5.7 OSi DP Volvo Penta (280 hp)  
 5.7 GXI Volvo Penta (315 hp)  
 5.7 GXI DP Volvo Penta (315 hp)  
 5.7 OSXi DP (FWC) Volvo Penta (320 hp)

## Performance

Engine: 5.0 OSXi DP Volvo Penta, Prop: F3		GPH	RANGE*
RPM	MPH		
2000	9	4.1	142
3000	20	9.0	144
4000	32	13.5	154
WOT	42-44	—	—

Time to plane: 4.1 sec.

Engine: 5.7 Gi DP Volvo Penta, Prop: F3		GPH	RANGE*
RPM	MPH		
2000	9	4.2	139
3000	20	8.1	160
4000	32	12.9	162
WOT	41-43	—	—

Time to plane: 3.8 sec.

Engine: 5.7 GXI DP Volvo Penta, Prop: F4 Duoprop		GPH	RANGE*
RPM	MPH		
2500	16	6.7	155
3500	30	10.9	178
WOT	43-46	—	—

Time to plane: 4.9 sec.

Note: All with two persons and full tank of fuel. Performance results will vary depending on load, altitude, and other conditions.

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

## Sale Price

Boat \_\_\_\_\_ \$ \_\_\_\_\_  
 Motor \_\_\_\_\_ H.P. \_\_\_\_\_  
 Trailer \_\_\_\_\_  
 Accessories \_\_\_\_\_  
 T, T & L \_\_\_\_\_  
**TOTAL PRICE \$** \_\_\_\_\_



## MerCruiser Sterndrive Engine Information

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### 3.0L MERCUISER

135 hp/101 kw.  
4  
181  
9.3:1  
4400-4800  
2.0:1  
Power  
Power  
29"  
26"  
21" (above crankshaft at CL)  
635 lbs. (pkg. weight)

### 4.3L MERCUISER

190 hp/142 kw.  
6  
262  
9.4:1  
4400-4800  
1.81:1  
Power  
Power  
28"  
30"  
21" (above crankshaft at CL)  
848 lbs. (pkg. weight)

### 4.3L MPI MERCUISER

220 hp/164 kw.  
6  
262  
9.4:1  
4400-4800  
1.62:1  
Power  
Power  
28"  
30"  
22" (above crankshaft at CL)  
865 lbs. (pkg. weight)

### 4.3L MPI BRAVO III MERCUISER

220 hp/164 kw.  
6  
262  
9.4:1  
4400-4800  
2.2:1  
Power  
Power  
28"  
30"  
22" (above crankshaft at CL)  
921 lbs. (pkg. weight)

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

### 5.0L MERCUISER

220 hp/164 kw.  
8  
305  
9.4:1  
4400-4800  
1.62:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
946 lbs. (pkg. weight)

### 5.0L MPI MERCUISER

260 hp/194 kw.  
8  
305  
9.4:1  
4600-5000  
1.62:1  
Power  
Power  
32"  
30"  
22" (above crankshaft CL)  
952 lbs. (pkg. weight)

### 5.0L MPI BRAVO III MERCUISER

260 hp/164 kw.  
8  
305  
9.4:1  
4600-5000  
2.20:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
1019 lbs. (pkg. weight)

### 5.7L MERCUISER

250 hp/186 kw.  
8  
350  
9.4:1  
4400-4800  
1.62:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
946 lbs. (pkg. weight)

# GLASTRON

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## 5.7L BRAVO III MERCUISER

250 hp/186 kw.  
8  
350  
9.4:1  
4400-4800  
2.2:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
1013 lbs. (pkg. weight)

## 350 MAGNUM MPI ALPHA MERCUISER

300 hp/224 kw.  
8  
350  
9.4:1  
4800-5200  
1.47:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
946 lbs. (pkg. weight)

## 350 MAGNUM MPI BRAVO I MERCUISER

300 hp/224 kw.  
8  
350  
9.4:1  
4800-5200  
1.50 to 1.65:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
987 lbs. (pkg. weight)

## 350 MAGNUM MPI BRAVO III MERCUISER

300 hp/224 kw.  
8  
350  
9.4:1  
4800-5200  
2.00 to 2.20:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
1013 lbs. (pkg. weight)

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MODEL:

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

## MX 6.2 MPI BRAVO I MERCUISER

320 hp/239 kw.  
8  
377  
9.0:1  
4800-5200  
1.50 to 1.65:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
993 lbs. (pkg. weight)

## MX 6.2 MPI BRAVO III MERCUISER

320 hp/239 kw.  
8  
377  
9.0:1  
4800-5200  
2.00 to 2.20:1  
Power  
Power  
32"  
30"  
22" (above crankshaft at CL)  
1019 lbs. (pkg. weight)

## 496 MAGNUM MPI BRAVO I MERCUISER

375 hp/280 kw.  
8  
496  
9.1:1  
4400-4800  
1.5:1  
Power  
Power  
35"  
33"  
24" (above crankshaft at CL)  
1199 lbs. (pkg. weight)

## 496 MAGNUM MPI BRAVO III MERCUISER

375 hp/280 kw.  
8  
496  
9.1:1  
4400-4800  
2.00:1  
Power  
Power  
35"  
33"  
24" (above crankshaft at CL)  
1224 lbs. (pkg. weight)

## 496 MAGNUM HO BRAVO III MERCUISER

425 hp/317 kw.  
8  
496  
9.1:1  
4600-5000  
2.00:1  
Power  
Power  
35"  
33"  
24" (above crankshaft at CL)  
1224 lbs. (pkg. weight)

## Volvo Penta Sterndrive Engine Information

**MODEL:**  
Horsepower at Prop Shaft 135 hp/100 kw.  
Cylinders 4  
Cubic Inches 181  
Compression Ratio 9.2:1  
Max. Recommended RPM 4600  
Lower Unit Gear Ratio 1.97:1  
Tilt Power  
Trim Power  
Length 32½"  
Width 26"  
Height 21" (above crankshaft at CL)  
Weight 709 lbs. (pkg. weight)

**3.0 GL SX VOLVO PENTA**  
135 hp/100 kw.  
4  
181  
9.2:1  
4600  
1.97:1  
Power  
Power  
32½"  
26"  
21" (above crankshaft at CL)  
709 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 190 hp/141 kw.  
Cylinders 6  
Cubic Inches 262  
Compression Ratio 9.4:1  
Max. Recommended RPM 4600  
Lower Unit Gear Ratio 1.79:1  
Tilt Power  
Trim Power  
Length 32½"  
Width 31"  
Height 20¾" (above crankshaft at CL)  
Weight 876 lbs. (pkg. weight)

**4.3 GL SX VOLVO PENTA**  
190 hp/141 kw.  
6  
262  
9.4:1  
4600  
1.79:1  
Power  
Power  
32½"  
31"  
20¾" (above crankshaft at CL)  
876 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 225 hp/168 kw.  
Cylinders 6  
Cubic Inches 262  
Compression Ratio 9.4:1  
Max. Recommended RPM 4800  
Lower Unit Gear Ratio 1.60 to 1.66:1  
Tilt Power  
Trim Power  
Length 32½"  
Width 31"  
Height 22" (above crankshaft at CL)  
Weight 896 lbs. (pkg. weight)

**4.3 GXI SX VOLVO PENTA**  
225 hp/168 kw.  
6  
262  
9.4:1  
4800  
1.60 to 1.66:1  
Power  
Power  
32½"  
31"  
22" (above crankshaft at CL)  
896 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 225 hp/167 kw.  
Cylinders 6  
Cubic Inches 262  
Compression Ratio 9.4:1  
Max. Recommended RPM 4800  
Lower Unit Gear Ratio 1.95:1  
Tilt Power  
Trim Power  
Length 32½"  
Width 31"  
Height 21" (above crankshaft at CL)  
Weight 916 lbs. (pkg. weight)

**4.3 GXI DP VOLVO PENTA**  
225 hp/167 kw.  
6  
262  
9.4:1  
4800  
1.95:1  
Power  
Power  
32½"  
31"  
21" (above crankshaft at CL)  
916 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 220 hp/164 kw.  
Cylinders 8  
Cubic Inches 305  
Compression Ratio 9.4:1  
Max. Recommended RPM 4800  
Lower Unit Gear Ratio 1.60:1  
Tilt Power  
Trim Power  
Length 36¾"  
Width 28¾"  
Height 22" (above crankshaft at CL)  
Weight 975 lbs. (pkg. weight)

**5.0 GL SX VOLVO PENTA**  
220 hp/164 kw.  
8  
305  
9.4:1  
4800  
1.60:1  
Power  
Power  
36¾"  
28¾"  
22" (above crankshaft at CL)  
975 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 220 hp/164 kw.  
Cylinders 8  
Cubic Inches 305  
Compression Ratio 9.4:1  
Max. Recommended RPM 1.78:1 to 1.94:1  
Lower Unit Gear Ratio Power  
Tilt Power  
Trim 37"  
Length 28¾"  
Width 22" (above crankshaft at CL)  
Height 962 lbs. (pkg. weight)  
Weight

**5.0 GL DP VOLVO PENTA**  
220 hp/164 kw.  
8  
305  
9.4:1  
4800  
1.78:1 to 1.94:1  
Power  
Power  
37"  
28¾"  
22" (above crankshaft at CL)  
962 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 270 hp/201 kw.  
Cylinders 8  
Cubic Inches 305  
Compression Ratio 9.4:1  
Max. Recommended RPM 5000  
Lower Unit Gear Ratio 1.60:1  
Tilt Power  
Trim Power  
Length 37"  
Width 28¾"  
Height 22" (above crankshaft at CL)  
Weight 1020 lbs. (pkg. weight)

**5.0 GXI SX VOLVO PENTA**  
270 hp/201 kw.  
8  
305  
9.4:1  
5000  
1.60:1  
Power  
Power  
37"  
28¾"  
22" (above crankshaft at CL)  
1020 lbs. (pkg. weight)

**MODEL:**  
Horsepower at Prop Shaft 270 hp/201 kw.  
Cylinders 8  
Cubic Inches 305  
Compression Ratio 9.4:1  
Max. Recommended RPM 5000  
Lower Unit Gear Ratio 1.95:1  
Tilt Power  
Trim Power  
Length 37"  
Width 28¾"  
Height 22" (above crankshaft at CL)  
Weight 1040 lbs. (pkg. weight)

**5.0 GXI DP VOLVO PENTA**  
270 hp/201 kw.  
8  
305  
9.4:1  
5000  
1.95:1  
Power  
Power  
37"  
28¾"  
22" (above crankshaft at CL)  
1040 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.0 OSi DP VOLVO PENTA**

270 hp/201 kw.  
8  
305  
9.4:1  
5000  
2.32:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
995 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 Gi SX VOLVO PENTA**

280 hp/209 kw.  
8  
350  
9.4:1  
5000  
1.51:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1020 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 Gi DP VOLVO PENTA**

280 hp/209 kw.  
8  
350  
9.4:1  
5000  
1.95:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1040 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 OSi DP VOLVO PENTA**

280 hp/209 kw.  
8  
350  
9.4:1  
5000  
1.78:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1000 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 GXi SX VOLVO PENTA**

320 hp/239 kw.  
8  
350  
9.4:1  
5200  
1.51:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1011 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 GXi DP VOLVO PENTA**

320 hp/239 kw.  
8  
350  
9.4:1  
5200  
1.95:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1040 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**5.7 OSXi DP VOLVO PENTA**

320 hp/239 kw.  
8  
350  
9.4:1  
5200  
1.78:1  
Power  
Power  
37"  
28 1/4"  
22" (above crankshaft at CL)  
1015 lbs. (pkg. weight)

**MODEL:**

Horsepower at Prop Shaft  
Cylinders  
Cubic Inches  
Compression Ratio  
Max. Recommended RPM  
Lower Unit Gear Ratio  
Tilt  
Trim  
Length  
Width  
Height  
Weight

**8.1 Gi DP VOLVO PENTA**

375 hp/280 kw.  
8  
496  
9.1:1  
4600  
1.68:1  
Power  
Power  
41"  
33"  
21.4" (above crankshaft at CL)  
1258 lbs. (pkg. weight)

**GLASTRON**



P.O. Box 460  
Little Falls, Minnesota 56345, USA  
Phone 320/632-8395

Visit our web site at [www.glastron.com](http://www.glastron.com)