

2015

Product Information Guide

**GLNSTRON**  


»  
**TABLE OF CONTENTS**

GT160 GTX160, GT160, GTS160	2-5
GT180 GT180, GTS180, GTSF180	6-9
GT185 GTX185, GT185, GTS185, GTSF185	10-15
GT187 GT187, GTS187	16-19
GT200 GT200, GTS200, GTSF200	20-23
GT205 GT205, GTS205, GTSF205	24-27
GT207 GT207, GTS207	28-31
GT 225 GT225, GTS225	32-35
GT229 GT229, GTS229	36-39
GT245 GT245, GTS245	40-43
GS259	44-45
GS289	46-47
TRAILERS	48-56
WARRANTY	57-64

INCLUDES GTX160, GT160, GTS160

SPECIFICATIONS	US	METRIC
LOA	16'6"	5.03 m
Beam	7'0"	2.13 m
Fuel Capacity	12 gal	45 L
Draft (drive up)	14"	36 cm
Draft (drive down)	30"	77 cm
Maximum Capacity	1590 lbs	720 kg
Persons Capacity	6	5
Approx. Boat & Engine Weight	1900 lbs	861 kg
Trailer Weight	754 lbs	342 kg
Deadrise	17°	17°
Storage Length on Trailer	19'6"	5.94 m
Bridge Clearance	3'2"	97 m
Total Height	4'3"	1.3 m
Total Height on Trailer	5'5"	1.65 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 160 LBS	Merc 115 ProXS	1200	375	72	80	754
GT 160 KG	Merc 115 ProXS	544	170	33	36	342

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 60 E-TEC/60 hp (45kw)	13 1/2 X 15	34 x 38	AL	29 - 31	47-50	50	81
EV 75 E-TEC/75 hp (56kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	50	81
EV 90 E-TEC/90 hp (67kw)	13 1/4 X 17	34 X 43	AL	40-43	64-69	50	81
EV 115 E-TEC/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	43-46	69-74	50	81
Merc 60 4S/60 hp (45kw)	13 3/4 x 15	35 x 38	AL	30-32	48-52	50	81
Merc 75 4S/75 hp (56kw)	13 X 19	33 X 48	AL	39-41	63-66	50	81
Merc 90 4S/90 hp (67kw)	13 X 19	33 X 48	AL	41-44	66-71	50	81
Merc 115 4S/115 hp (86kw)	13 X 19	33 X 48	AL	45-48	72-77	50	81
Yam T60LB/60 hp (45kw)	13 1/2 x 15	34 X 38	AL	29-31	47-50	50	81
Yam F75/75 hp (56kw)	13 X 19	33 X 48	AL	39-41	63-66	50	81
Yam F90/90 hp (67kw)	13 X 19	33 X 48	AL	41-44	66-71	50	81
Yam F115/115 hp (86kw)	13 X 19	33 X 48	AL	45-48	72-77	50	81

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Windshield, roadster style, exclusive design  
Walk-thru windshield

COCKPIT

AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

TRAILER

Glastron custom-matched trailer, single axle  
Drum brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Side windshield wings  
TOW SPORTS

COCKPIT

Ski tow pylon  
Snap-in carpet

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

Evinrude® outboard 60-75 hp  
Mercury® outboard 60-75 hp  
Yamaha® outboard 60-75 hp

TRAILER

Trailer delete

CANVAS

Color-coordinated Bimini top w/bout  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish

## HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
SSV gel scheme  
Swim platform mat(s)  
Ladder, retractable  
Side windshield wings

## TOW SPORTS

Ski tow pylon

## COCKPIT

Fixed fuel tank - 18 gallon  
Snap-in carpet

## HELM

Hydraulic tilt steering

## ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

## POWER

Evinrude® outboard	60 - 115 hp
Mercury® outboard	75 - 115 hp
Yamaha® outboard	75 - 115 hp

## TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete.

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

## XL Package:

Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
GTS cockpit interior  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish

## HELM

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

## TRAILER

Glastron custom-matched trailer, single axle  
Drum brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Ladder, retractable  
Side windshield wings

## TOW SPORTS

Ski tow pylon

## COCKPIT

Fixed fuel tank - 18 gallon  
Snap-in carpet

## HELM

Hydraulic tilt steering

## ENGINE / SYSTEMS / DRIVE

High altitude prop

## ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

## POWER

Evinrude® outboard	60 - 115 hp
Mercury® outboard	75 - 115 hp
Yamaha® outboard	75 - 115 hp

## TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

## XL Package:

Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GT180, GTS180, GTSF180

SPECIFICATIONS	US	METRIC
LOA	17'10"	5.44 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	14"	36 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	8	7
Approx. Boat & Engine Weight	2100 lbs	950 kg
Trailer Weight	639 lbs	290 kg
Deadrise	20°	20°
Storage Length on Trailer	21'5"	6.53 m
Bridge Clearance	3'10"	1.17 m
Bridge Clearance with arch/tower	6'9"	2.06 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 180 LBS	Merc 115 4S	1600	400	144	100	639
GT 180 KG	Merc 115 4S	726	181	65	45	290

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 90 E-TEC 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
EV 115 E-TEC 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
EV 135 E-TEC 90 hp							
EV 150 E-TEC 150 hp (112kw)	14.8 x 17	38 X 43	AL	45-48	72-77	110	180
Merc 90 Opti 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Merc 115 4S 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	120	190
Merc 150 4S 150 hp (112kw)	14 1/2 19	37 X 48	AL	47-50	76-81	120	190
Yam F90 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Yam F115 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
Yam F150 150 hp (112kw)	14 X 19	36 X 48	AL	47-50	76-81	120	190

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

### COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

### TRAILER

Glastron custom-matched trailer, single axle  
Drum brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
SSV gel scheme  
Swim platform mat(s)  
Side windshield wings

### TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

### HELM

Hydraulic tilt steering (std on 150 hp and up)  
Steering wheel, upgrade

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Fiberglass stringers  
 GTS gel scheme & graphics  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid black vinyl with chrome insert  
 SSV® hull  
 Swim platform mat(s)  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield

**COCKPIT**

AquaFlex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 GTS cockpit interior  
 Seating, comfortride bucket seats (2) port and starboard, adjustable  
 Ski locker, in-floor, molded fiberglass finish  
 Water intrusion management system

**HELM**

Emergency engine shut-off  
 Glastron custom GTS gauges, fog resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
 Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
 Disc brakes  
 Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
 Side windshield wings

**TOW SPORTS**

Ski tow pylon  
 Wakeboard tower, gas assist, hinging  
 Wakeboard tower Bimini top

**COCKPIT**

Bow filler cushion(s)  
 Flip-up bucket seat(s)  
 Snap-in carpet

**HELM**

Hydraulic tilt steering (outboard only, std on 150 hp and up)

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete

**CANVAS**

Care cover (black)  
 Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
 Hour meter & depth sounder  
 XL Package: (includes convenience package)  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Fiberglass stringers  
 Gel coat, premium, choice of colors, Glastron spear graphics  
 SSV gel scheme  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid white vinyl with chrome insert  
 SSV® hull  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Trolling motor, 12v  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield

**COCKPIT**

Aerated livewell  
 AquaFlex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow casting platform  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Casting seats  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
 Seating, comfortride bucket seats (2) port and starboard, adjustable  
 Rod holders & Rod Storage  
 Removeable Bow & Stern Cushions  
 Ski locker, in-floor, molded fiberglass finish  
 Water intrusion management system

**HELM**

Emergency engine shut-off  
 Glastron custom gauges, fog-resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
 Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 2

**TRAILER**

Disc brakes  
 Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
 Ski/Fish graphics  
 Swim platform mat(s)  
 Side windshield wings

**TOW SPORTS**

Ski tow pylon  
 Wakeboard tower, gas assist, Hinging  
 Wakeboard tower bimini top

**COCKPIT**

Bow filler cushion(s)  
 Flip-up bucket seat(s)  
 Snap-in carpet

**HELM**

Fish Finder  
 Hydraulic tilt steering (outboard only, std on 150 hp and up)  
 Steering wheel, upgrade

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete

**CANVAS**

Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
 Hour meter & depth sounder  
 XL Package: (includes convenience package)  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate

INCLUDES GTX185, GT185, GTS185, GTSF185

SPECIFICATIONS	US	METRIC
LOA	18'0"	5.49 m
LOA w/Extended Swim Platform	19'6"	5.95 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2400 lbs	1090 kg
Trailer Weight	861 lbs	390 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 185 LBS	MC 4.3MPI	1590	910	144	100	861
GT 185 KG	MC 4.3MPI	721	413	65	45	390

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 3.0MPI/A/135 hp (101kw)	14 1/4 X 21	36 X 53	AL	39-42	63-68	90	145
MC 4.3L/A/190 hp (142kw)	14 1/4 X 23	36 X 58	AL	48-51	77-82	90	145
MC 4.3MPI/A/220 hp (164kw)	14 1/4 X 21	36 X 53	AL	49-52	79-84	95	155
MC 4.5 L/A/250 hp (186kw)	14 1/2 x 19	37 x 48	AL	51-54	84 - 89	95	155
VP V6-200/SX/200 hp (149kw)	14 1/4 X 23	36 X 58	AL	47-50	76-81	95	155
VP V6-225/SX/225 hp (168kw)	14 1/4 X 23	36 X 58	AL	49-52	79-84	95	155

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Aquaflex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 Seating, comforthride bucket seats (2) port and starboard, adjustable  
 Ski locker, in-floor, molded fiberglass finish  
 Water intrusion management system

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 Seating, comforthride bucket seats (2) port and starboard, adjustable  
 Ski locker, in-floor, molded fiberglass finish  
 Water intrusion management system

HELM

Emergency engine shut-off  
 Glastron custom gauges, fog-resistant  
 Steering wheel, non-directional  
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
 Power steering  
 Power trim and tilt

TRAILER

Glastron custom-matched trailer, single axle  
 Drum brakes  
 Tongue, swing-away

OPTIONS

HULL AND DECK

Side windshield wings

COCKPIT

Flip-up bucket seat(s)  
 Snap-in carpet

HELM

Tilt steering

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

MerCruiser® sterndrive 135 hp

TRAILER

Trailer delete

CANVAS

Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Engine vents, transom-mounted  
 Fiberglass stringers  
 Gel coat, premium, choice of colors, Glastron spear graphics  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid white vinyl with chrome insert  
 SSV® hull  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Aquaflex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
 Seating, comfortable bucket seats (2) port and starboard, adjustable  
 Ski locker, in-floor, molded fiberglass finish  
 Sundeck, aft converts to chaise lounge  
 Water intrusion management system

**HELM**

Emergency engine shut-off  
 Glastron custom gauges, fog-resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
 Power steering  
 Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
 Disc brakes  
 Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
 SSV gel scheme  
 Swim platform mat(s)  
 Swim platform extended, mat  
 Swim platform, extended low-profile  
 Side windshield wings

**TOW SPORTS**

Wakeboard tower, gas assist, hinging  
 Wakeboard tower Bimini top

**COCKPIT**

Bow filler cushion(s)  
 Flip-up bucket seat(s)  
 Flooring, Dune Grass, soft-weave mat  
 Snap-in carpet

**HELM**

Steering wheel, upgrade

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Volvo Penta® sterndrive	200 - 225 hp
Mercuriser® sterndrive	135 - 250 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete

**CANVAS**

Care cover (black)  
 Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
 Hour meter & depth sounder  
 XL Package: (includes convenience package)  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Engine vents, transom-mounted  
 Fiberglass stringers  
 GTS gel scheme & graphics  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid black vinyl with chrome insert  
 SSV® hull  
 Swim platform mat(s)  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Aquaflex™ vinyl  
 Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Full-width bench seat, storage beneath  
 Glove box  
 GTS cockpit interior  
 Seating, comfortable bucket seats (2) port and starboard, adjustable  
 Ski locker, in-floor, molded fiberglass finish  
 Sundeck, aft converts to chaise lounge  
 Water intrusion management system

**HELM**

Emergency engine shut-off  
 Glastron custom GTS gauges, fog resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
 Power steering  
 Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
 Disc brakes  
 Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
 Swim platform, extended low-profile  
 Side windshield wings

**TOW SPORTS**

Wakeboard tower, gas assist, hinging  
 Wakeboard tower Bimini top

**COCKPIT**

Bow filler cushion(s)  
 Flip-up bucket seat(s)  
 Snap-in carpet

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Volvo Penta® sterndrive	200 - 225 hp
Mercuriser® sterndrive	135 - 250 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete

**CANVAS**

Care cover (black)  
 Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
 Hour meter & depth sounder  
 XL Package: (includes convenience package)  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate





INCLUDES GT187, GTS187

SPECIFICATIONS	US	METRIC
LOA	19'6"	5.94 m
Beam	7'5"	2.26 m
Fuel Capacity	27 gal	102 L
Draft	14"	36 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2300 lbs	1040 kg
Trailer Weight	731 lbs	323 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT187 LBS	Rotax 200HP	1,700	430	162	80	731
GT187 KG	Rotax 149KV	771	195	73	36	323

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 150/112 1.5L INJECTED	6.1	155	SST	33-36	53-58	85	137
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	39-42	63-68	85	137
ROTAX 250/187 1.5L SUPERCHARGED	6.34	161	SST	43-46	69-74	85	137

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Swim platform, extended low-profile  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Swim platform lounge seat(s)  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

### ENTERTAINMENT

SStereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

### TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
SSV gel scheme  
Swim platform mat(s)  
Side windshield wings

### TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Rotax® jet drive 150-250 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

#### XL Package:

Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



INCLUDES GT200, GTS200, GTSF200

SPECIFICATIONS	US	METRIC
LOA	20'4"	6.20 m
Beam	8'0"	2.24 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	2200 lbs	998 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2420 lbs	1100 kg
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	22'3"	6.78 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Total Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Total Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 200 LBS	Merc 150 4S	1930	460	192	150	971
GT 200 KG	Merc 150 4S	875	209	87	68	440

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 115 E-TEC/115 hp (86kw)	14 7/8 X 17	38 X 43	AL	39-42	63-68	105	170
EV 135 E-TEC HO/135 hp (101kw)	14 7/8 X 17	38 X 43	AL	42-45	68-72	105	170
EV 150 E-TEC/150 hp (112kw)	14 7/8 X 17	38 X 43	AL	43-46	69-74	105	170
EV 200 E-TEC/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Merc 115 4S/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	110	180
Merc 150 ProXS/150 hp (112kw)	15 X 17	38 X 43	AL	43-46	69-74	110	180
Merc 150 4S/150 hp (112kw)	15 X 17	38 X 43	AL	43-46	69-74	105	170
Merc 200 Opti/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Merc 200 Verado/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	110	180
Yam F115/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	105	170
Yam F150/150 hp (112kw)	14 1/4 X 17	36 X 43	AL	43-46	69-74	105	170
Yam F200 XBJ/200 hp (149kw)	14 1/2 X 17	37 X 43	AL	47-50	76-80	105	170

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Undewater lighting  
Side windshield wings  
Delete side windshield wings

TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

HELM

Hydraulic tilt steering (outboard only, std on 150 hp and up)  
Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 115 - 200 hp  
Mercury® outboard 115 - 200 hp  
Yamaha® outboard 115 - 200 hp

TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)  
Color-coordinated bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## COCKPIT

AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
GTS cockpit interior  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Water intrusion management system

## HELM

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Docking lights  
Underwater lighting  
Side windshield wings  
Delete side windshield wings

## TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

## COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

## HELM

Hydraulic tilt steering (outboard only, std on 150 hp and up)

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Evinrude® outboard	115 - 200 hp
Mercury® outboard	115 - 200 hp
Yamaha® outboard	115 - 200 hp

## TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron  
spear graphics  
SSV gel scheme  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Trolling motor, 12v  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## COCKPIT

Aerated livewell  
AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow casting platform  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Casting seats  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Rod holders & Rod Storage  
Ski locker, in-floor, molded fiberglass finish  
Water intrusion management system

## HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

## ENTERTAINMENT

Bilge pump, automatic  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Ski/Fish graphics  
Swim platform mat(s)  
Underwater lighting  
Side windshield wings  
Trolling motor, 24v  
Delete side windshield wings

## TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

## COCKPIT

Flip-up bucket seat(s)  
Snap-in carpet

## HELM

Hydraulic tilt steering (std on 150 hp and up)  
Fish Finder

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Evinrude® outboard	115 - 200 hp
Mercury® outboard	115 - 200 hp
Yamaha® outboard	115 - 200 hp

## TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

## CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GT205, GTS205, GTSF205

SPECIFICATIONS	US	METRIC
LOA	20'6"	6.25 m
LOA w/Extended Swim Platform	23'0"	7.01 m
Beam	8'0"	2.44 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2770 lbs	1260 kg
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on trailer	23'0"	7.01 m
Storage Length on trailer w/ extended swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trall Wt.
GT 205 LBS	VP V8-270/SX	1770	1010	192	150	1155
GT 205 KG	VP V8-270/SX	803	458	87	68	524

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3L/A 190 hp (142kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	90	145
MC 4.3M P/A 220 hp (164kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	95	155
MC 5.0 M/P/A 260 hp (194kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	95	155
MC 350 M/P/A 300 hp (224kw)	14 1/4 X 21	36 X 53	AL	54-57	87-92	95	155
VP V6-200/SX 200 hp (149kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	95	155
VP V6-225/SX 225 hp (168kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
VP V8-225/SX 225 hp (168kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
VP V8-270/SX 270 hp (201kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	95	155
VP V8-300/SX 300 hp (224kw)	14 1/4 X 21	36 X 53	AL	54-57	87-92	95	155

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Water intrusion management system  
Walk-thru transom

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Underwater lighting  
Delete Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 300 hp  
MerCruiser® sterndrive 190 - 300 hp

TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package:  
(Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

## TOW SPORTS

Ski tow, stainless steel

## COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
GTS cockpit interior  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Water intrusion management system  
Walk-thru transom

## HELM

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Docking lights  
Swim platform, extended low-profile  
Underwater lighting  
Delete Side windshield wings

## TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

## COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

## ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Volvo Penta® sterndrive	200 - 300 hp
MerCruiser® sterndrive	190 - 300 hp

## TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/bout  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
SSV gel scheme  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Trolling motor, 12v  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

## TOW SPORTS

Ski tow, stainless steel

## COCKPIT

Aerated livewell  
Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow casting platform  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Casting seats  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Full-width bench seat, storage beneath  
Glove box  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Rod holders & Rod Storage  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft, converts to casting platform  
Water intrusion management system  
Walk-thru transom

## HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

## TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Docking lights  
Ski/Fish graphics  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Trolling motor, 24v  
Underwater lighting  
Delete Side windshield wings

## TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

## COCKPIT

Flip-up bucket seat(s)  
Snap-in carpet

## HELM

Fish Finder

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Volvo Penta® sterndrive	200 - 300 hp
MerCruiser® sterndrive	190 - 300 hp

## TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

## CANVAS

Color-coordinated Bimini top w/bout  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GT207, GTS207

SPECIFICATIONS	US	METRIC
LOA <i>20' 7"</i>	<del>21'10"</del>	6.55 m
Beam	8'0"	2.44 m
Fuel Capacity	49 gal	185 L
Draft	14"	36 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2700 lbs	1225 kg
Trailer Weight	910 lbs	413 kg
Deadrise	21°	21°
Storage Length on trailer	23'0"	7.01 m
Storage Length on trailer w/ extended swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
LBS	ROTAX 250HP	1,990	430	186	80	834
KG	ROTAX 187KV	902	195	84	36	378

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	38-41	61-66	85	130
ROTAX 250/187 1.5L SUPERCHARGED HO	6.34	161	SST	41-44	66-71	85	130

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron  
  spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and  
  USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated,  
  skid-resistant surface  
Swim platform, extended low-profile  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, choice of Saddle, Cashmere, Black &  
  White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and  
  starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Swim platform lounge seat(s)  
Walk-thru transom  
U-shaped bench seat, storage beneath  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and  
  Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Delete Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Rotax® Jet drive 200 - 250 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boat  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate





INCLUDES GT225, GTS225

SPECIFICATIONS	US	METRIC
LOA	22'0"	6.71 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	11	9
Approx. Boat & Engine Weight	3300 lbs	1500 kg
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on trailer	23'1"	7.04 m
Bridge Clearance	4'3"	1.3 m
Bridge Clearance with arch/tower	6'3"	1.9 m
Total Height	5'4"	1.63 m
Total Height on Trailer	6'10"	2.08 m
Height on Trailer w/Wakeboard tower Dn	7'6"	2.29 m
Height on Trailer w/Wakeboard tower Up	9'7"	2.92 m
Portable water	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail.Wt.
GT 225 LBS	VP V8-300/SX	2300	1010	240	150	1095
GT 225 KG	VP V8-300/SX	1040	458	109	68	497

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3 MPI/A/220 hp (164kw)	14 1/2 X 19	37 X 48	AL	44-47	71-76	130	210
MC 4.5 L/A/250 hp (186kw)	14 1/2 x 19	37 x 48	AL	41-44	66-71	125	201
MC 5.0 MPI/A/260 hp (194kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210
MC 350 MPI/BI/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210
MC 350 MPI/BI/300 hp (224kw)	26P	66	SST	51-54	82-87	130	210
MC 377 MPI/BI/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210
MC 377 MPI/BI/320 hp (239kw)	28P	71	SST	53-56	85-90	130	210
VP V6-225/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-225C/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-270/SX/270 hp (201kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210
VP V8-300/SX/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210
VP V8-300/DP/300 hp (224kw)	FH5	FH5	SST	51-54	82-87	130	210
VP V8-320/SX/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210
VP V8-320/DP/320 hp (239kw)	FH6	FH6	SST	53-56	85-90	130	210

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
U-shaped bench seat, storage beneath  
Walk-thru transom  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower bimini top

COCKPIT

Bow filler cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Table w/mount  
Snap-in carpet

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 225 - 320 hp  
MerCruiser® sterndrive 220 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



INCLUDES GT229, GTS229

SPECIFICATIONS	US	METRIC
LOA	22'0"	6.71 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	9	8
Approx. Boat & Engine Weight	3300 lbs	1500 kg
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.04 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Arch/Tower	6'6"	1.98 m
Total Height	5'7"	1.70 m
Total Height on Trailer	7'1"	2.16 m
Total Height on Trailer w/Wakeboard Tower Dn	7'10"	2.39 m
Total Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 229 LBS	VP V8-300/SX	2300	1010	240	150	1095
GT 229 KG	VP V8-300/SX	1040	458	109	68	497

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3 MPI/A/220 hp (164kw)	14 1/2 X 19	37 X 48	AL	44-47	71-76	130	210
MC 4.5 L/A/250 hp (186kw)	14 1/2 X 19	37 X 48	AL	41-44	66-71	125	201
MC 5.0 MPI/A/260 hp (194kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210
MC 350 MPI/B1/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210
MC 350 MPI/B3/300 hp (224kw)	26P	66	SST	51-54	82-87	130	210
MC 377 MPI/B1/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210
MC 377 MPI/B3/320 hp (239kw)	28P	71	SST	53-56	85-90	130	210
VP V6-225/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-225C/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-270/SX/270 hp (201kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210
VP V8-300/SX/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210
VP V8-300/DP/300 hp (224kw)	FH5	FH5	SST	51-54	82-87	130	210
VP V8-320/SX/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210
VP V8-320/DP/320 hp (239kw)	FH6	FH6	SST	53-56	85-90	130	210

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Bow rails, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron®  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
U-shaped bench seat, storage beneath  
Walk-thru transom  
Water intrusion management system

CABIN

Berth

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow anchor roller  
Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting  
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower bimini top

COCKPIT

Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Table w/mount  
Snap-in carpet

CABIN

Porta potti  
Pump out, Porta potti

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 225 - 320 hp  
Mercuriser® sterndrive 220 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated cockpit cover  
Color-coordinated camper canvas

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



INCLUDES GT245, GTS245

SPECIFICATIONS	US	METRIC
LOA	24'0"	7.32 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1950 lbs	884 kg
Persons Capacity	13	11
Approx. Boat & Engine Weight	4200 lbs	1900 kg
Trailer Weight	1505 lbs	683 kg
Deadrise	20°	20°
Storage Length on Trailer	25'3"	7.70 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Tower	7'4"	2.24 m
Total Height	5'10"	1.78 m
Total Height on Trailer	7'7"	2.31 m
Total Height on Trailer w/Wakeboard Tower Dn	8'3"	2.51 m
Total Height on Trailer w/Wakeboard Tower Up	10'5"	3.18 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT245 LBS	VP V8-300/S	3050	1050	310	150	1505
GT245 KG	VP V8-300/S	1380	476	141	68	683

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 5.0MPI/A/260hp (194kw)	15 X 17	38 X 43	AL	41-44	66-71	145	235
MC 350MPI/B1/300hp (224kw)	14 1/2 X 19	37 X 48	AL	46-49	74-79	145	235
MC 350MPI/B3/300hp (224kw)	26P	26P	SST	46-51	77-82	150	240
MC 377MPI/B1/300hp (224kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	145	235
MC 377MPI/B3/300hp (224kw)	26P	26P	SST	49-52	79-84	150	240
MC 8.2MPI/B3/380hp (283kw)	26P	26P	SST	53-56	85-90	145	235
VP V8-270/SX/270hp (201kw)	15 X 17	38 X 43	AL	41-44	66-71	145	235
VP V8-300/SX/300hp (224kw)	14 1/2 X 19	37 X 48	AL	46-49	74-79	145	235
VP V8-300/DP/300hp (224kw)	FH5	FH5	SST	48-51	77-82	150	240
VP V8-320/SX/320hp (239kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	145	235
VP V8-300/DP/300hp (224kw)	FH5	FH5	SST	49-52	79-84	150	240
VP V8-350/DP/300hp (224kw)	FH5	FH5	SST	51-54	82-87	160	255
VP V8-380/DP/380hp (283kw)	FH5	FH5	SST	53-56	85-90	160	255

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors,  
Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Changing room/Head compartment, enclosed  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Ski locker, in-floor, molded fiberglass finish  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
U-shaped bench seat, storage beneath  
Walk-thru transom  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, hinging  
Wakeboard tower Bimini top

COCKPIT

Bow filler cushion(s)  
Sink, pressure water, porta potti & port lite  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Table w/mount  
Snap-in carpet

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 270 - 380 hp  
Mercruiser® sterndrive 260 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package: (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



SPECIFICATIONS	US	METRIC
LOA	24'10"	7.57 m
Beam	8'6"	2.59 m
Fuel Capacity	56 gal	212 L
Draft (drive up)	22"	56 cm
Draft (drive down)	36"	91 cm
Maximum Capacity	2240 lbs	1016 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	5450 lbs	2472 kg
Deadrise	20°	20°
Total Height	7'0"	2.13 m

**PERFORMANCE**

Engine: V8-270 Volvo Penta (270), Prop: 17 pitch

rpm	mph	gph	range*
2000	8	3.7	109
3000	20	7.4	136
4000	35	13.0	135
WOT	43-45	-	-

Time to plane: 5.2 seconds

Acceleration 0-20 MPH: 8.6 seconds

Engine: V8-300 Volvo Penta (300), Props: F4

rpm	mph	gph	range*
2000	9	4.4	101
3000	22	9.0	123
4000	34	12.3	137
5000	43	20.7	105
WOT	44	22.3	101

Time to plane: 6.0 seconds

Acceleration 0-20 MPH: 8.3 seconds

Engine: 350 Magnum MPI Bravo III MerCruiser, Props: 22 1/2 pitch

rpm	mph	gph	range*
2000	8	4.7	92
3000	23	8.6	133
4000	35	12.7	138
5000	45	21.4	106
WOT	46-48	23.3	101

Time to plane: 5.8 seconds

Acceleration 0-20 MPH: 8.0 seconds

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
 Bow rails, high profile  
 Bow roller & bow rope locker  
 Chrome vents  
 Cleats, stainless steel  
 Engine compartment ventilators  
 Gel coat, Premium: choice of colors  
 Gel scheme: two tone w/Glastron spear graphic  
 Horn, concealed  
 Hydraulic trim tabs  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigation lights  
 Port lites, opening w/screens  
 Remote control spotlight  
 Rub rail, rigid white vinyl w/flexible chrome insert  
 Skid-resistant swim platform, foredeck, cockpit floor  
 Stainless steel bow rail  
 Swim platform, integrated, skid-resistant surface  
 Stainless steel boarding ladder  
 Translucent deck hatch w/screen  
 Transom shower  
 Walk-thru transom w/gate  
 Walk-thru curved full glass windshield

**COCKPIT**

Aquaflex™ vinyl  
 Beverage holders, stainless steel  
 Cooler  
 Helm seat, flip-up bucket seat, adjustable  
 Port lounge seat  
 Engine compartment, insulated  
 Fiberglass floor w/drain(s)  
 Snap-in carpet  
 Stainless steel assist handles  
 Stainless steel beverage holders  
 Stainless steel courtesy lights  
 Refreshment center w/ sink  
 Countertop, solid surface

**CABIN**

Cabin entry, centered  
 Cabin door, acrylic  
 CO (carbon monoxide) monitor (s)  
 Dinette, converts to berth  
 Under seat storage  
 Lighting, overhead  
 Table, wood

**MID CABIN**

Over head lights  
 Berth

**GALLEY**

Countertop, solid surface, with sink  
 Cabinetry, woodgrain  
 Storage  
 Stove, electric  
 Microwave  
 Refrigerator

**HEAD AND SHOWER**

Fiberglass enclosed stand-up head and shower  
 Door, woodgrain, locking

Manual china head w/pump-out  
 Port lite, opening w/screen  
 Storage

**HELM**

Custom non-directional woodgrain steering wheel  
 Instrumentation, Faria, fog-resistant w/polished raised bezels  
 Compass  
 Depth sounder  
 Hour meter  
 Woodgrain accent trim  
 Tilt steering

**ENGINE / SYSTEMS / DRIVE**

18-gallon water tank  
 Battery charger  
 Battery management system  
 Bilge pump, automatic  
 Dockside power  
 Dual battery switch  
 Power trim and tilt  
 Water heater

**ENTERTAINMENT**

Stainless steel speaker covers  
 Stereo remote at helm  
 Stereo, AM/FM/CD player, MP3 port

**CANVAS**

Color-coordinated Bimini top w/boot

**OPTIONS**

**HULL AND DECK**

Electric anchor windlass  
 Radar arch  
 Windshield wiper, starboard

**COCKPIT**

Stern filler cushion and table

**CABIN**

Dockside air conditioner/reverse heat  
 Decor package

**HEAD & SHOWER**

Electric china head  
 Grey battery system

**ENTERTAINMENT**

Flat screen TV w/DVD player

**POWER**

Volvo Penta® sterndrive 270 - 300 hp  
 MerCruiser® sterndrive 260 - 300 hp

**CANVAS**

Color-coordinated camper canvas  
 Color-coordinated cockpit cover  
 Color-coordinated Bimini canvas pkg.



SPECIFICATIONS	US	METRIC
LOA	28'10"	8.79 m
Beam	8'9"	2.77 m
Fuel Capacity	84 gal	318 L
Draft (drive up)	28"	71 cm
Draft (drive down)	41"	1.04 cm
Maximum Capacity	Yacht	Yacht
Approx. Boat & Engine Weight	6500 lbs	2948 kg
Deadrise	20°	20°
Total Height	8'5"	2.57 m

  

PERFORMANCE			
Engine: V8-300 Volvo Penta (300), Props: F4			
rpm	mph	gph	range*
2000	9	3.8	178
3000	16	8.9	141
4000	31	12.7	185
5000	41	21.4	144
WOT	40-42	23.1	136
Time to plane: 5.6 seconds			
Acceleration 0-20 MPH: 6.6 seconds			
Engine: V8-380 Volvo Penta (380), Props: F4			
rpm	mph	gph	range*
2000	10	6.4	119
3000	26	11.7	147
4000	38	17.4	164
WOT	44-46	26.4	116
Time to plane: 5.3 seconds			
Acceleration 0-20 MPH: 6.2 seconds			

\*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 12000 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
 Bow rails, high profile  
 Bow roller & bow rope locker  
 Chrome vents  
 Cleats, stainless steel  
 Engine compartment ventilators  
 Gel coat, Premium: choice of colors  
 Gel scheme: two tone w/Glastron  
 spear graphic  
 Horn, concealed  
 Hydraulic trim tabs  
 Meets applicable ABYC, Canadian, ISO and  
 USCG Standards, NMMA and CE certified  
 Navigation lights  
 Port lites, opening w/screens  
 Remote control spotlight  
 Rub rail, rigid white vinyl w/flexible  
 chrome insert  
 Skid-resistant swim platform, foredeck,  
 cockpit floor  
 Stainless steel bow rail  
 Swim platform, integrated,  
 skid-resistant surface  
 Stainless steel boarding ladder  
 Translucent deck hatch w/screen  
 Transom shower  
 Transom storage locker  
 Walk-thru transom w/gate  
 Walk-thru curved full glass windshield  
 Windshield wiper, starboard

COCKPIT

Aquaflex™ vinyl  
 Beverage holders, stainless steel  
 Cooler  
 Helm seat, double wide, flip-up bucket seat  
 Port lounge seat  
 Removable stern seat  
 Engine compartment, insulated  
 Fiberglass floor w/drain(s)  
 Snap-in carpet  
 Stainless steel assist handles  
 Stainless steel beverage holders  
 Stainless steel courtesy lights  
 Refreshment center w/ sink  
 Countertop, solid surface  
 Refrigerator  
 Removable stern seat

CABIN

Cabin entry, centered  
 Cabin door, sliding with built-in steps  
 CO (carbon monoxide) monitor (s)  
 Dinette, converts to berth  
 Under seat storage  
 Lighting, overhead  
 Table, wood

MID CABIN

Over head lights  
 Berth  
 Curtain

GALLEY

Countertop, solid surface, with sink  
 Cabinetry, woodgrain  
 Storage  
 Stove, electric  
 Microwave  
 Refrigerator

HEAD AND SHOWER

Fiberglass enclosed stand-up head and shower  
 Door, woodgrain, locking

Electric china head  
 Port lite, opening w/screen  
 Storage

HELM

Custom non-directional woodgrain steering  
 wheel  
 Instrumentation, Faria, fog-resistant  
 w/polished raised bezels  
 Compass  
 Depth sounder  
 Hour meter  
 Woodgrain accent trim  
 Tilt steering

ENGINE / SYSTEMS / DRIVE

18-gallon water tank  
 Battery charger  
 Battery management system  
 Bilge pump, automatic  
 Dockside power  
 Dual battery switch  
 Power trim and tilt  
 Water heater

ENTERTAINMENT

Stainless steel speaker covers  
 Stereo remote at helm  
 Stereo, AM/FM/CD player, MP3 port  
 MP3 remote jack at dash

CANVAS

Color-coordinated Bimini top w/boot

OPTIONS

HULL AND DECK

Foredeck sun pad  
 Electric anchor windlass  
 Radar arch  
 Swim platform, extended

COCKPIT

Stern filler cushion and table

CABIN

Dockside air conditioner/reverse heat  
 Decor Package

HEAD & SHOWER

Grey water system

HELM

Electronics Package for Radar Arch  
 VHF ship-to-shore radio w/antenna

ENGINE / SYSTEMS / DRIVE

Generator

ENTERTAINMENT

Flat screen TV w/DVD player

POWER

Volvo Penta® sterndrive 300 - 380 hp  
 Mercruiser® sterndrive 300 - 380 hp

CANVAS

Color-coordinated Camper Canvas Arch  
 Color-coordinated Camper Canvas No Arch  
 Color-coordinated cockpit cover

## TRAILER SPECIFICATIONS

### GT160, GTS160 Single Axle Trailer

	US	METRIC
Trailer length	19' 5"	5.918 m
Trailer length w/ Tongue Folded	17' 3"	5.258 m
Boat & trailer length w/ tongue	22' 6"	6.883 m
Boat & trailer length w/ Tongue Folded	20' 6"	6.248 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	754 LBS	342 kg
Carrying Capacity	2,196 LBS	996 kg
GVWR (Gross Vehical Weight Rating)	2,950 LBS	1,338 kg
GAWR (Gross Axle Weight Rating)	2,950 LBS	1,338 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	2,950 LBS	1338 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 kg
Winch	1,400 LBS	635 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

### GT180, GTS180 Single Axle Trailer

	US	METRIC
Trailer length	20' 1"	6.121 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	23' 3"	7.188 m
Boat & trailer length w/ Tongue Folded	18'	5.486 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	639 LBS	290 kg
Carrying Capacity	2,861 LBS	1,298 kg
GVWR (Gross Vehical Weight Rating)	3,500 LBS	1,588 kg
GAWR (Gross Axle Weight Rating)	3,500 LBS	1,588 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3,500 LBS	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 LBS	544 kg
Winch	1,800 LBS	818 kg
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

## TRAILER SPECIFICATIONS

GTSF180, GT185, GTS185,  
GTSF185  
Single Axle Trailer

	US	METRIC
Trailer length	20' 1"	6.096 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	23' 2"	7.188 m
Boat & trailer length w/ Tongue Folded	21' 1"	6.426 m
Width	8' 4"	2.554 m
Trailer Empty weight w/ spare	861 lbs	390 kg
Carrying Capacity	3,539 lbs	1,606 kg
GVWR (Gross Vehical Weight Rating)	4,400 lbs	1,996 kg
GAWR (Gross Axle Weight Rating)	4,400 lbs	1,996 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4,400 lbs	1996 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GT187, GTS187  
Single Axle Trailer

	US	METRIC
Trailer length	20' 2"	6.147 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	21' 11"	6.68 m
Boat & trailer length w/ Tongue Folded	19' 8"	5.994 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	861 LBS	390 kg
Carrying Capacity	3,539 LBS	1,606 kg
GVWR (Gross Vehical Weight Rating)	4,400 LBS	1,996 kg
GAWR (Gross Axle Weight Rating)	4,400LBS	1,996 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3,500 LBS	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 LBS	544 kg
Winch	1,800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	22.5"	57 cm

## TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200, GT 205, GTS 205  
Single Axle Trailer

	US	METRIC
Trailer length	21' 9"	6.629 m
Trailer length w/ Tongue Folded	19' 7"	5.969 m
Boat & trailer length w/ tongue	25'	7.62 m
Boat & trailer length w/ Tongue Folded	22' 10"	6.96 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	971 lbs	440 kg
Carrying Capacity	4,029 lbs	1,828 kg
GVWR (Gross Vehical Weight Rating)	5,000 lbs	2,268 kg
GAWR (Gross Axle Weight Rating)	5,000 lbs	2,268 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 lbs	2,268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	5,44 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200, GT 205, GTS 205, GTSF 205  
Tandem Axle Trailer

	US	METRIC
Trailer length	21' 9"	6.629 m
Trailer length w/ Tongue Folded	19' 7"	5.969 m
Boat & trailer length w/ tongue	25'	7.62 m
Boat & trailer length w/ Tongue Folded	22' 10"	6.96 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,155 lbs	524 kg
Carrying Capacity	5,845 lbs	2,651 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

## TRAILER SPECIFICATIONS

GT 225, GTS 225  
Tandem Axle Trailer

	US	METRIC
Trailer length	22' 8"	6.909 m
Trailer length w/ Tongue Folded	20' 6"	6.248 m
Boat & trailer length w/ tongue	25' 10"	7.874 m
Boat & trailer length w/ Tongue Folded	23' 8"	7.214 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,095 lbs	497 kg
Carrying Capacity	5,905 lbs	2,678 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

## TRAILER SPECIFICATIONS

GT 229, GTS 229  
Tandem Axle Trailer

	US	METRIC
Trailer length	22' 8"	6.909 m
Trailer length w/ Tongue Folded	20' 6"	6.248 m
Boat & trailer length w/ tongue	25' 10"	7.874 m
Boat & trailer length w/ Tongue Folded	23' 8"	7.214 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,095 lbs	497 kg
Carrying Capacity	5,905 lbs	2,678 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

## TRAILER SPECIFICATIONS

GT 245, GTS 245  
Tandem Axle Trailer

	US	METRIC
Trailer length	26' 5"	8.052 m
Trailer length w/ Tongue Folded	21' 10"	6.655 m
Boat & trailer length	29' 1"	8.865 m
Boat & trailer length w/ Tongue Folded	25' 3"	7.696 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,505 lbs	683 kg
Carrying Capacity	8,295 lbs	3,763 kg
GVWR (Gross Vehical Weight Rating)	9,800 lbs	4,445 kg
GAWR (Gross Axle Weight Rating)	10,000 lbs	4,535 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 lbs	2,268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,600 lbs	726 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2 5/16"	6 cm
Ball Towing Height	24.5"	62.23 cm

## 2015 Glastron Fiberglass Boats and Trailers Limited Warranty / North America

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2015 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2015 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

### COVERAGE UNDER THIS LIMITED WARRANTY

**Trailer Limited Warranty:** The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's non-structural parts and components, except as noted below.

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

**Structural Hull Or Deck Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

**THIS LIMITED WARRANTY DOES NOT COVER:**

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or a trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.

7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat and/or trailer.
20. Trailer tires, paint or Gatorhde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

**PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via

the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

**OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

Glastron  
925 Frisbie Street  
Cadillac, MI 49601  
(231) 775-1351

## 2015 Glastron Fiberglass Boats

### Limited Warranty / International

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2015 model year Glastron boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2015 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

**COVERAGE UNDER THIS LIMITED WARRANTY**

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%



**Structural Hull Or Deck Component Limited Warranty:** The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchaser, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

**THIS LIMITED WARRANTY DOES NOT COVER:**

1. A boat purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.

8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installment of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY.** Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

**PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt

to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

**OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats trailers without obligation to modify any boat trailer previously manufactured.

Glastron  
925 Frisbie Street  
Cadillac, MI 49601  
(231) 775-1351



925 FRISBIE STREET • CADILLAC, MI 49601  
231-775-1351

[www.glatron.com](http://www.glatron.com)

PART # 090-3069-15