

### GLASTRON 2018



















#GLASTRONSUMMER



# GLASTRON SUMMER

### #GLASTRONSUMMER

It's time to get out on the water and make it a Glastron Summer. For over 60 years families and friends have been making memories on the most iconic boat on the water. Share with us and the rest of the boating community by tagging your memories with **#GLASTRONSUMMER**.

### // KEY ADVANTAGES

### QUALITY CONSTRUCTION

State of the art technology combined with tried and true methods ensure

// WARRANTY



### **COMPONENTS**

The exclusive factory warranty covers material, labor, and most boat components for three years; exceptions apply. Our customer service experts use state of the art technology for claim processing; a direct link to the craftsmen/ professionals that manufacture your boat. (Trailer warranty limited to one year)



### OSMOSIS

A prorated warranty covers osmotic hull blistering for five years. Our engineered Vinyl Esther barrier coat has the best track record in the industry for minimizing hull blistering—a process of construction that gives you peace of mind.

HULL STRUCTURE WINNING EDGE FACTORY WARRAN INGTR

lifetime

### HULL STRUCTURE

Lifetime structural hull or deck warranty applies to the first retail owner. A testimony of hull design and structural engineering makes the warranty transferable to the second owner; limitations apply.

Not all of the Winning Edge limited warranty is transferable. Ask your dealer for all limited warranty details. Warranty applicable to North America Only. For all other locations please contact your servicing dealer.



creates a stronger trailer with less flex

### SSV HULL

The legendary SSV (Super Stable Vee®) hull design is the biggest reason Glastron boats perform so well. It's quick to plane, with minimal bowrise, and tracks tight in the turns.

### **DRIVERS WANTED**

### **GLASTRON IS ALL ABOUT PERFORMANCE**

Glastron has always had performance to back up it's striking looks... some things never change. Outboard, sterndrive, or jet we have an engine package suited for every boater. Turn up the excitement and leave the shore behind. Pick your power!



and a standard and a state



| MODELS  |       |           |       |  |
|---------|-------|-----------|-------|--|
| GT 180  | PG 8  | GTSF 180  | PG 32 |  |
| GT 200  | PG 10 | GTSF 200  | PG 34 |  |
| GT 240  | PG 14 | GTD 200   | PG 38 |  |
| GTS 180 | PG 20 | GTD 220   | PG 40 |  |
| GTS 200 | PG 22 | GTDX 200  | PG 44 |  |
| GTS 240 | PG 26 | GS 259 OB | PG 48 |  |
|         |       |           |       |  |

**EVINRUDE**. **MERCURY ()** YAMAHA<sup>\*</sup>



| GT 185  | PG 9  | GTS 225  | PG 24 | GTX 185  | PG 43 |
|---------|-------|----------|-------|----------|-------|
| GT 205  | PG 11 | GTS 229  | PG 25 | GTDX 205 | PG 45 |
| GT 225  | PG 12 | GTS 245  | PG 27 | GS 259   | PG 47 |
| GT 229  | PG 13 | GTSF 185 | PG 33 |          |       |
| GT 245  | PG 15 | GTSF 205 | PG 35 |          |       |
| GTS 185 | PG 21 | GTD 205  | PG 39 |          |       |
| GTS 205 | PG 23 | GTD 225  | PG 41 |          |       |
|         |       |          |       |          |       |

MERCURY

VOLVO PENTA



**JET DRIVE** 

 GT 187
 PG 16
 GTS 187
 PG 28

 GT 207
 PG 17
 GTS 207
 PG 29

MODELS -----







## **GT SERIES**

Every GT model welcomes multiple color combinations, versatile seating, and substantial storage space. Respected for much more than a fair price, the GT series is the go-to package for exceptional summer adventure.

### GT FEATURES

- / Unique Roadster Style Windshield
- / Glastron Custom Gauges
- / Versatile Seating
- / Generous Finished Storage
- / Choice of Cockpit Interior Colors
- / Included Glastron Custom Trailer



EXTERIOR COLORS //







CRIMSON RED

DENIM BLUE

JET BLACK

FLOORING //



### SELECT YOUR COLOR









| OA                           | 17'10"   | 5.44 m |
|------------------------------|----------|--------|
| 3EAM                         | 7'5"     | 2.26 m |
| FUEL CAPACITY                | 24 gal   | 91 l   |
| DRAFT-DRIVE DOWN             | 30"      | 76 cm  |
| MAXIMUM CAPACITY             | 1800 lbs | 816 kg |
| APPROX. BOAT & ENGINE WEIGHT | 2010 lbs | 912 kg |
| RAILER WEIGHT                | 639 lbs  | 290 kg |
| DEADRISE                     | 20°      | 20°    |
|                              |          |        |





| LOA                          | 18'0"    | 5.49 m  |
|------------------------------|----------|---------|
| BEAM                         | 7'5"     | 2.26 m  |
| FUEL CAPACITY                | 24 gal   | 91 l    |
| DRAFT-DRIVE DOWN             | 33"      | 84 cm   |
| MAXIMUM CAPACITY             | 1200 lbs | 544 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2470 lbs | 1120 kg |
| TRAILER WEIGHT               | 861 lbs  | 390 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |









| _OA                          | 20'4"    | 6.20 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.24 m  |
| FUEL CAPACITY                | 32 gal   | 121 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 2200 lbs | 998 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2450 lbs | 1110 kg |
| FRAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                     | 21°      | 21°     |
|                              |          |         |





| LOA                          | 20'6"    | 6.25 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.44 m  |
| FUEL CAPACITY                | 32 gal   | 121 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 1500 lbs | 680 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 3010 lbs | 1370 kg |
| TRAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                     | 21°      | 21°     |







### // STERNDRIVE



| _OA                          | 22'0"    | 6.71 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'4"     | 2.54 m  |
| FUEL CAPACITY                | 40 gal   | 151 l   |
| DRAFT-DRIVE DOWN             | 34"      | 86 cm   |
| MAXIMUM CAPACITY             | 1800 lbs | 816 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 3360 lbs | 1520 kg |
| FRAILER WEIGHT               | 1095 lbs | 497 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |







| LOA                          | 22'0"    | 6.7 |
|------------------------------|----------|-----|
| BEAM                         | 8'4"     | 2.5 |
| FUEL CAPACITY                | 40 gal   | 151 |
| DRAFT-DRIVE DOWN             | 34"      | 86  |
| MAXIMUM CAPACITY             | 1600 lbs | 726 |
| APPROX. BOAT & ENGINE WEIGHT | 3650 lbs | 156 |
| TRAILER WEIGHT               | 1095 lbs | 497 |
| DEADRISE                     | 20°      | 20° |
|                              |          |     |












| .OA                          | 24'      | 7.32 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'4"     | 2.54 m  |
| FUEL CAPACITY                | 52 gal   | 197 l   |
| DRAFT-DRIVE DOWN             | 31"      | 79 cm   |
| AXIMUM CAPACITY              | 3000 lbs | 1360 kg |
| APPROX. BOAT & ENGINE WEIGHT | 3520 lbs | 1597 kg |
| RAILER WEIGHT                | 1420 lbs | 644 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |









| LOA                          | 24'0"    | 7.32 r |
|------------------------------|----------|--------|
| BEAM                         | 8'4"     | 2.54   |
| FUEL CAPACITY                | 52 gal   | 197 l  |
| DRAFT-DRIVE DOWN             | 34"      | 86 cm  |
| MAXIMUM CAPACITY             | 2250 lbs | 1020   |
| APPROX. BOAT & ENGINE WEIGHT | 3980 lbs | 1800   |
| TRAILER WEIGHT               | 1420 lbs | 644 k  |
| DEADRISE                     | 20°      | 20°    |
|                              |          |        |









// JET



| .OA                         | 19'6"    | 5.94 m |  |
|-----------------------------|----------|--------|--|
| BEAM                        | 7'5"     | 2.26 m |  |
| UEL CAPACITY                | 27 gal   | 102 l  |  |
| DRAFT                       | 14"      | 36 cm  |  |
| IAXIMUM CAPACITY            | 1200 lbs | 544 kg |  |
| PPROX. BOAT & ENGINE WEIGHT | 2040 lbs | 925 kg |  |
| RAILER WEIGHT               | 731 lbs  | 323 kg |  |
| DEADRISE                    | 20°      | 20°    |  |
|                             |          |        |  |





| LOA                          | 21'10"   | 6.55 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.44 m  |
| FUEL CAPACITY                | 49 gal   | 185 l   |
| DRAFT                        | 14"      | 36 cm   |
| MAXIMUM CAPACITY             | 1500 lbs | 680 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2520 lbs | 1140 kg |
| TRAILER WEIGHT               | 910 lbs  | 413 kg  |
| DEADRISE                     | 21°      | 21°     |



JET //



## **GTS SERIES**

Defined by unadulterated excitement, the GTS series makes a statement on the water. Striking colors, sporty graphics and color-matched interiors-it's our most aggressive series. With the GTS we've turned it up a notch.

#### GTS FEATURES

- / Unique Roadster Style Windshield
- / Bold Colors and GTS Graphics
- / Color-Matched Interior
- / Versatile Stern Seating
- / Generous Finished Storage
- / Included Glastron Custom Trailer









JET BLACK / CRIMSON RED

DENIM BLUE

PHANTOM GREY / VIVID GREEN

FLOORING //

**REED ASH** 



COLOR-MATCHED INTERIOR









| LOA                          | 17'10"   | 5.44 m |
|------------------------------|----------|--------|
| BEAM                         | 7'5"     | 2.26 m |
| FUEL CAPACITY                | 24 gal   | 91 l   |
| DRAFT-DRIVE DOWN             | 30"      | 76 cm  |
| MAXIMUM CAPACITY             | 1800 lbs | 816 kg |
| APPROX. BOAT & ENGINE WEIGHT | 2010 lbs | 912 kg |
| TRAILER WEIGHT               | 639 lbs  | 290 kg |
| DEADRISE                     | 20°      | 20°    |
|                              |          |        |





| LOA                          | 18'0"    | 5.49 |
|------------------------------|----------|------|
| BEAM                         | 7'5"     | 2.26 |
| FUEL CAPACITY                | 24 gal   | 91 l |
| DRAFT-DRIVE DOWN             | 33"      | 84 c |
| MAXIMUM CAPACITY             | 1200 lbs | 544  |
| APPROX. BOAT & ENGINE WEIGHT | 2470 lbs | 1120 |
| TRAILER WEIGHT               | 861 lbs  | 390  |
| DEADRISE                     | 20°      | 20°  |
|                              |          |      |

| )"    | 5.49 m  |
|-------|---------|
| I     | 2.26 m  |
| gal   | 91 l    |
|       | 84 cm   |
| 0 lbs | 544 kg  |
| 0 lbs | 1120 kg |
| lbs   | 390 kg  |
|       | 20°     |
|       |         |









| LOA                          | 20'4"    | 6.20 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.24 m  |
| FUEL CAPACITY                | 32 gal   | 121 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 2200 lbs | 998 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2450 lbs | 1110 kg |
| TRAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                     | 21°      | 21°     |
|                              |          |         |



| LOA                          | 20'6"    | 6.25 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.44 m  |
| FUEL CAPACITY                | 32 gal   | 121 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 1500 lbs | 680 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 3010 lbs | 1370 kg |
| TRAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                     | 21°      | 21°     |









### // STERNDRIVE



| LOA                          | 22'0"    | 6.71 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'4"     | 2.54 m  |
| FUEL CAPACITY                | 40 gal   | 151 l   |
| DRAFT-DRIVE DOWN             | 34"      | 86 cm   |
| MAXIMUM CAPACITY             | 1800 lbs | 816 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 3360 lbs | 1520 kg |
| TRAILER WEIGHT               | 1095 lbs | 497 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |





| LOA                          | 22'0"    | 6.71  |
|------------------------------|----------|-------|
| BEAM                         | 8'4"     | 2.54  |
| FUEL CAPACITY                | 40 gal   | 151 l |
| DRAFT-DRIVE DOWN             | 34"      | 86 c  |
| MAXIMUM CAPACITY             | 1600 lbs | 726   |
| APPROX. BOAT & ENGINE WEIGHT | 3650 lbs | 1560  |
| TRAILER WEIGHT               | 1095 lbs | 497   |
| DEADRISE                     | 20°      | 20°   |
|                              |          |       |

| 0"     | 6.71 m  |
|--------|---------|
| н      | 2.54 m  |
| gal    | 151 เ   |
| ı      | 86 cm   |
| 0 lbs  | 726 kg  |
| 50 lbs | 1560 kg |
| 95 lbs | 497 kg  |
| ,<br>, | 20°     |
|        |         |









| _OA                          | 24'      | 7.32 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'4"     | 2.54 m  |
| FUEL CAPACITY                | 52 gal   | 197 l   |
| DRAFT-DRIVE DOWN             | 31"      | 79 cm   |
| MAXIMUM CAPACITY             | 3000 lbs | 1360 kg |
| APPROX. BOAT & ENGINE WEIGHT | 3520 lbs | 1597 kg |
| FRAILER WEIGHT               | 1420 lbs | 644 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |





| LOA                          | 24'0"    | 7.32  |
|------------------------------|----------|-------|
| BEAM                         | 8'4"     | 2.54  |
| FUEL CAPACITY                | 52 gal   | 197 l |
| DRAFT-DRIVE DOWN             | 34"      | 86 cr |
| MAXIMUM CAPACITY             | 2250 lbs | 1020  |
| APPROX. BOAT & ENGINE WEIGHT | 3980 lbs | 1800  |
| TRAILER WEIGHT               | 1420 lbs | 644   |
| DEADRISE                     | 20°      | 20°   |

| )     | 7.32 m  |
|-------|---------|
|       | 2.54 m  |
| jal   | 197 l   |
|       | 86 cm   |
| 0 lbs | 1020 kg |
| 0 lbs | 1800 kg |
| Olbs  | 644 kg  |
|       | 20°     |
|       |         |











| OA                          | 19'6"    | 5.94 m |
|-----------------------------|----------|--------|
| EAM                         | 7'5"     | 2.26 m |
| UEL CAPACITY                | 27 gal   | 102 l  |
| RAFT                        | 14"      | 36 cm  |
| 1AXIMUM CAPACITY            | 1200 lbs | 544 kg |
| PPROX. BOAT & ENGINE WEIGHT | 2040 lbs | 925 kg |
| RAILER WEIGHT               | 731 lbs  | 323 kg |
| EADRISE                     | 20°      | 20°    |
|                             |          |        |





| LOA                          | 21'10"   | 6.55 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.44 m  |
| FUEL CAPACITY                | 49 gal   | 185 l   |
| DRAFT                        | 14"      | 36 cm   |
| MAXIMUM CAPACITY             | 1500 lbs | 680 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2520 lbs | 1140 kg |
| TRAILER WEIGHT               | 910 lbs  | 413 kg  |
| DEADRISE                     | 21°      | 21°     |

| 10"    | 6.55 m  |
|--------|---------|
| )"     | 2.44 m  |
| gal    | 185 l   |
| I      | 36 cm   |
| 00 lbs | 680 kg  |
| 20 lbs | 1140 kg |
| 0 lbs  | 413 kg  |
| c      | 21°     |
|        |         |



## **GTSF SERIES**

It only takes minutes to transform a GTSF sport boat into a genuine fishing machine. From spacious platforms, ski tows and towers to trolling motors, fishing seats and aerated live wells there's something for everyone with GTSF series. Versatility is an understatement.

### GTSF FEATURES

- / Trolling Motor
- / Aerated Livewell
- / Bow & Stern Casting Platforms
- / Two Casting Seats
- / Ample Rod Storage
- / Included Glastron Custom Trailer















CRIMSON RED

DENIM BLUE

JET BLACK

### **SELECT YOUR COLOR**








CRIMSON RED W/ OPTIONAL SKI FISH GRAPHIC

DENIM BLUE W/ OPTIONAL SKI FISH GRAPHIC

JET BLACK W/ OPTIONAL SKI FISH GRAPHIC











| .OA                         | 17'10"   | 5.44 m |
|-----------------------------|----------|--------|
| BEAM                        | 7'5"     | 2.26 m |
| UEL CAPACITY                | 24 gal   | 91 l   |
| RAFT-DRIVE DOWN             | 30"      | 76 cm  |
| IAXIMUM CAPACITY            | 1800 lbs | 816 kg |
| PPROX. BOAT & ENGINE WEIGHT | 2010 lbs | 912 kg |
| RAILER WEIGHT               | 639 lbs  | 290 kg |
| DEADRISE                    | 20°      | 20°    |
|                             |          |        |





| LOA                          | 18'0"    | 5.49 m  |
|------------------------------|----------|---------|
| BEAM                         | 7'5"     | 2.26 m  |
| FUEL CAPACITY                | 24 gal   | 91 l    |
| DRAFT-DRIVE DOWN             | 33"      | 84 cm   |
| MAXIMUM CAPACITY             | 1200 lbs | 544 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2470 lbs | 1120 kg |
| TRAILER WEIGHT               | 861 lbs  | 390 kg  |
| DEADRISE                     | 20°      | 20°     |
|                              |          |         |









| .OA                         | 20'4"    | 6.20 m  |
|-----------------------------|----------|---------|
| BEAM                        | 8'0"     | 2.24 m  |
| UEL CAPACITY                | 32 gal   | 121 l   |
| RAFT-DRIVE DOWN             | 35"      | 89 cm   |
| IAXIMUM CAPACITY            | 2200 lbs | 998 kg  |
| PPROX. BOAT & ENGINE WEIGHT | 2450 lbs | 1110 kg |
| RAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                    | 21°      | 21°     |
|                             |          |         |







| LOA                          | 20'6"    | 6.25 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'0"     | 2.44 m  |
| FUEL CAPACITY                | 32 gal   | 121 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 1500 lbs | 680 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 3010 lbs | 1370 kg |
| TRAILER WEIGHT               | 971 lbs  | 440 kg  |
| DEADRISE                     | 21°      | 21°     |




## GTD SERIES

Redesigned with out-of-the-box thinking, the Glastron deck boat line is reborn. Completely customizable with a range of cockpit and windshield configurations, these boats are an evolution to the industry. Glastron re-writes history...again.

### GTD FEATURES

- / Multiple Cockpit Configurations
- / Multiple Windshield Configurations
- / Hinged Door w/ Mid-Ship Step
- / Versatile Stern Seating
- / Included Glastron Custom Trailer



EXTERIOR COLORS //







CRIMSON RED

DENIM BLUE

JET BLACK

FLOORING OPTIONS //



### SELECT YOUR COLOR









| _OA                          | 20'3"    | 6.20 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'6"     | 2.54 m  |
| FUEL CAPACITY                | 40 gal   | 151 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 2400 lbs | 1088 kg |
| APPROX. BOAT & ENGINE WEIGHT | 3250 lbs | 1474 kg |
| FRAILER WEIGHT               | 1020 lbs | 463 kg  |
| DEADRISE                     | 17°      | 17°     |
|                              |          |         |





| Α.                         | 20'4"    | 6.20 m |
|----------------------------|----------|--------|
| AM                         | 8'6"     | 2.54 n |
| ELCAPACITY                 | 40 gal   | 151 l  |
| AFT-DRIVE DOWN             | 35"      | 89 cm  |
| XIMUM CAPACITY             | 1650 lbs | 748 kg |
| PROX. BOAT & ENGINE WEIGHT | 3800 lbs | 1724 k |
| AILER WEIGHT               | 1020 lbs | 463 kg |
| ADRISE                     | 17°      | 17°    |

0





// PRELIMINARY RENDERINGS



// OUTBOARD



#### PRELIMINARY SPECS

| LOA                          | 22'3"    | 6.71 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'6"     | 2.54 m  |
| FUEL CAPACITY                | 52 gal   | 196 l   |
| DRAFT-DRIVE DOWN             | 34"      | 86 cm   |
| MAXIMUM CAPACITY             | 2700 lbs | 1225 kg |
| APPROX. BOAT & ENGINE WEIGHT | 3600 lbs | 1633 kg |
| TRAILER WEIGHT               | 1095 lbs | 497 kg  |
| DEADRISE                     | 17°      | 17°     |






// PRELIMINARY RENDERINGS



#### PRELIMINARY SPECS

| LOA                          | 22'4"    | 6.71 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'6"     | 2.54 m  |
| FUEL CAPACITY                | 52 gal   | 196 l   |
| DRAFT-DRIVE DOWN             | 34 "     | 86 cm   |
| MAXIMUM CAPACITY             | 1800 lbs | 816 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 4250 lbs | 1520 kg |
| TRAILER WEIGHT               | 1095 lbs | 497 kg  |
| DEADRISE                     | 17°      | 17°     |



## **SERIES**

Glastron has always been about getting
families out on the water. Introducing
the X Series, a line of boats, in our most
popular lengths, built with the essential
features you need and the quality you'd
expect from Glastron. Get started.

### X FEATURES

- / Seats, Flip-up Bolsters
- / Unique Roadster Style Windshield
- / Custom Gauges and Switches
- / Versatile Stern Seating
- / Included Glastron Custom Trailer







| LOA                          | 18'0"    | 5.49 m  |
|------------------------------|----------|---------|
| BEAM                         | 7'5"     | 2.26 m  |
| FUEL CAPACITY                | 24 gal   | 91 l    |
| DRAFT-DRIVE DOWN             | 33"      | 84 cm   |
| MAXIMUM CAPACITY             | 1200 lbs | 544 kg  |
| APPROX. BOAT & ENGINE WEIGHT | 2470 lbs | 1120 kg |
| TRAILER WEIGHT               | 861 lbs  | 390 kg  |
| DEADRISE                     | 20°      | 20°     |



43







| LOA                          | 20'3"    | 6.20 m  |
|------------------------------|----------|---------|
| BEAM                         | 8'6"     | 2.54 m  |
| FUEL CAPACITY                | 40 gal   | 151 l   |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm   |
| MAXIMUM CAPACITY             | 2400 lbs | 1088 kg |
| APPROX. BOAT & ENGINE WEIGHT | 3250 lbs | 1474 kg |
| TRAILER WEIGHT               | 1020 lbs | 463 kg  |
| DEADRISE                     | 17°      | 17°     |
|                              |          |         |



| LOA                          | 20'4"    | 6.20 r       |
|------------------------------|----------|--------------|
| BEAM                         | 8'6"     | 2.54 r       |
| FUEL CAPACITY                | 40 gal   | 151 l        |
| DRAFT-DRIVE DOWN             | 35"      | 89 cm        |
| MAXIMUM CAPACITY             | 1650 lbs | 748 kg       |
| APPROX. BOAT & ENGINE WEIGHT | 3800 lbs | 1724 k       |
| TRAILER WEIGHT               | 1020 lbs | 463 k        |
| DEADRISE                     | 17°      | $17^{\circ}$ |
|                              |          |              |




## **GS SERIES**

The Glastron GS series is dedicated for all day venture and unforgettable, starry nights. Generous cabin size and flexible cockpit seating bring a whole new level of comfort and versatility. Sporty power options and styling cues let you know it's all Glastron.

### **GS FEATURES**

- / Large Hull Windows
- / Versatile Cockpit Seating
- / Cockpit Galley
- / Cabin Breakfast Center
- / Queen Sized Mid-Cabin Berth
- / Spacious Forward V-Berth
- / Enclosed Stand-Up Head
- / Available in Sterndrive or Outboard Power



#### INTERIOR COLORS

WHITE / SAVANNAH SAND



| LOA                          | 25'2"    | 7.67 m |
|------------------------------|----------|--------|
| BEAM                         | 8'5"     | 2.54 m |
| FUEL CAPACITY                | 70 gal   | 265 l  |
| DRAFT-DRIVE DOWN             | 36"      | 91 cm  |
| MAXIMUM CAPACITY             | 2100 lbs | 953 kg |
| APPROX. BOAT & ENGINE WEIGHT | 6400 lbs | 2900 k |
| TRAILER WEIGHT               | 1600 lbs | 735 kg |
| DEADRISE                     | 17°      | 17°    |
|                              |          |        |









| _OA                          | 26'7"    | 8.10 m  |  |
|------------------------------|----------|---------|--|
| BEAM                         | 8'5"     | 2.54 m  |  |
| FUEL CAPACITY                | 70 gal   | 265 l   |  |
| DRAFT-DRIVE DOWN             | 39"      | 99 cm   |  |
| MAXIMUM CAPACITY             | 2900 lbs | 1315 kg |  |
| APPROX. BOAT & ENGINE WEIGHT | 6350 lbs | 2880 kg |  |
| FRAILER WEIGHT               | 1600 lbs | 735 kg  |  |
| DEADRISE                     | 17°      | 17°     |  |
|                              |          |         |  |



## GEAR UP

Get the gear that goes with your Glastron. Shade and protect your investment with canvas options. Compliment your boat with a wide range of accessories. And don't forget Glastron logo wear to show your pride.


For additional gear visit Glastron.com.



### // STAY CONNECTED

### BUILD YOUR BOAT ONLINE

Go to **Glastron.com** and design your ultimate summer escape. Select between bow riders, deck boats, ski fish and cruiser models or refine your search based on power. Select your favorite boat and make it your own. Print, share and contact your local Glastron dealer. Your summer fun begins here!



#### JOIN THE GLASTRON CREW

Get the latest Glastron info, share stories and connect with a family of boaters proud to call Glastron home.



Facebook.com/GlastronBoats



Youtube.com/GlastronVideos



CAMPER CANVAS


BIMINI TOP FOR WAKEBOARD TOWER

**BIMINI TOP** 

BOW AND COCKPIT COVER

### **POPULAR OPTIONS**

CUSTOMIZATION //



### OPTIONS

Wakeboard Tower Swim Platform Mat Stereo, Upgrade Extended Swim Platform Steering Wheel, Upgrade Ski Tow Pylon Cockpit Table Underwater Lights, LED GLASTRON.COM / FACEBOOK.COM/GLASTRONBOATS / 925 FRISBIE STREET, CADILLAC, MI 49601 / 231.775.1351





©2017,RecBoatHoldings,LLC.®/TM signifiestrademarksofGlastron,LLC, its affiliates or suppliers. Models are shown with non-Glastron options and accessories. Some models are shown with optional equipment. While Glastron makes every effort to ensure that the information contained in this brochure is correct, unending product refinement and design changes may result in revisions to current models that may not be shown in this brochure. The company reserves the right to make changes in specifications, models, features and colors at any time. Representations made in this brochure do not constitute a warranty of the products shown. All limited warranties are outlined in the Glastron limited warranty that accompanies each boat. Please see your authorized Glastron dealer for additional information, available options and specific limited warranty details.