



2021 PRODUCT INFORMATION GUIDE

The Glastron Legacy
Glastron Performance

SSV Hull
Pick Your Power

GX 190
GX 190, GX 190 Sport

GX 195
GX 195, GX 195 Sport

GX 210
GX 210, GX 210 Sport

GX 215
GX 215, GX 215 Sport

GT 180
GT 180, GTS 180, GTSF 180

GT 185
GT 185, GTS 185, GTSF 185

GT 200
GT 200, GTS 200, GTSF 200

GT 205
GT 205, GTS 205, GTSF 205

GT 225
GT 225, GTS 225, GTSF 225

GT 245
GT 245, GTS 245, GTSF 245

GTD 180
GTD 180

GTD 200
GTD 200

GTD 205
GTD 205, GTD 205 Surf

GTD 220
GTD 220

GTD 225
GTD 225, GTD 225 Surf

GTD 240
GTD 240

GTD 245
GTD 245, GTD 245 Surf

TRAILERS

WARRANTY



#GLASTRON SUMMER



OVER 60 YEARS OF LEADERSHIP

A PROMINENT PAST

Glastron has been building boats for over 60 years—a milestone only a few companies have achieved. During that time, they have built nearly half a million fiberglass boats.

ADVANCED ENGINEERING

More than any other manufacturer, Glastron has a legacy of unprecedented product innovations and technological breakthroughs. Amongst them:

THE DEEP-VEE HULL

THE TRI-HULL

TWO-TONE GRAPHICS

STERNDRIVE-POWERED BOATS

THE SSV HULL FIBERGLASS STRINGER SYSTEMS

SUPERSTARS OF THE WATER

More than a few well-known people have owned Glastron boats over the years, from President Lyndon Johnson to England's Royal Family, to Elvis Presley. Glastron boats also appeared in numerous movies and TV shows. Glastron was even James Bond's boat of choice in *Live and Let Die*, and *Moonraker*.

THE LEGENDARY SWEEP SPEAR

The Glastron "Sweep Spear" is the most well-known icon in boating. It's the marine industries equivalent to the Nike® "Swoosh"

OUTPERFORMING THE COMPETITION

Throughout the company's 60+ years, its focus has been on designing and building boats that provide a great overall family boating experience. The company has always managed to stay ahead of other manufacturers in building boats that possess three distinct Glastron qualities:

ADVANCED TECHNOLOGY

HIGHLY FUNCTIONAL, FAMILY-FRIENDLY DESIGNS

OUTSTANDING PERFORMANCE



EVERY GLASTRON MODEL DELIVERS PERFORMANCE ATTRIBUTES THAT EVERY FAMILY BOATER CAN APPRECIATE:

QUICK PLANING TIMES

MINIMAL BOWRISE

IMPRESSIVE TOP SPEEDS

LOW MINIMUM PLANING SPEEDS (crucial for wake sports)

AGILE HANDLING

EXCELLENT FUEL ECONOMY

SSV HULL DESIGN



YEARS OF UNSATURATED DOMINANCE

The legendary SSV (Super Stable Vee®) hull design is the biggest reason why Glastron boats perform so well. It's quick to plane (with minimal bowrise), stable at high speeds, and tracks tight in the turns.

The SSV hull's lightweight and hydrodynamic efficiency results in another big advantage—excellent fuel economy.

The SSV hull features tuned strakes molded longitudinally into the hull. They form a series of horizontal planing surfaces that create lift by deflecting spray down and away from the hull—a key reason why Glastron boats get on plane so quickly.



Under power, the SSV hull's wide reverse chines create a "bank" of water for added lift and precise, stable turning. Boats without them have a flatter running surface that results in a more jarring ride with a tendency to slide in turns. On most boat hulls, the chines diminish in the forward half of the hull. In comparison, the SSV hull's wide chines extend far forward. These extended chines reduce rocking from side-to-side and front-to-back by acting as sponsons when the boat is at rest.

Glastron's SSV hull is patented; only Glastron has it. So, no matter what other manufacturers tell you, they don't have an SSV hull.

PICK YOUR POWER

POWER COMES WITH CHOICE

Glastron continues to offer preferred engine choices for our customers. Unlike other boat manufacturers that offer just one brand of engine, Glastron offers a wide range of power offerings to ensure our customers purchase the engine that best suits their needs.

OUTBOARD BRAND OFFERINGS FROM:



STERNDRIVE BRAND OFFERINGS FROM:



**VOLVO
PENTA**

FORWARD DRIVE BRAND OFFERINGS FROM:



**VOLVO
PENTA**

GX 190

INCLUDES GX 190, GX 190 Sport

SPECIFICATIONS	US	Metric
LOA	19'0"	5.80 m
Beam	8'2"	2.50 m
Fuel Capacity	32 gal	121 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	2150 lbs	975 kg
Persons Capacity	9	8 CE
Approx. Boat Weight	2500 lbs	1135 kg
Approx. Boat & Engine Weight	3000 lbs	1361 kg
Maximum Horsepower	150 hp	112 kW
Trailer Weight (single)	910 lbs	413 kg
Deadrise	20°	20°
Storage Length on Trailer	21'	6.40 m
Bridge Clearance	3'7"	1.10 m
Bridge Clearance with Arch/Tower	6'4"	1.90 m
Keel to Top of Tower Dn	5'4"	1.60 m
Keel to Top of Tower Up	7'10"	2.40 m
Keel to Top of Windshield	5'1"	1.50 m
Keel to Top of Ski Tow Bar	5'8"	1.70 m
Total Height	5'1"	1.50 m
Total Height on Trailer	6'7"	2.00 m
Total Height on Trailer w/ Ski Tow Bar	7'2"	2.20 m
Height on Trailer w/ Tower Dn	6'10"	2.10 m
Height on Trailer w/ Tower Up	9'4"	2.70 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 115EXLPT CT FourStroke	115	86	2,850	1,295
Mercury 150XL FourStroke	150	112	3,000	1,360
Yamaha F115XB	115	86	2,900	1,315
Yamaha F150XB	150	112	3,000	1,360

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Mercury 150XL FourStroke					
LBS	2,500	455	202	150	910
KG	1,134	206	92	68	413

**PERFORMANCE**

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 115EXLPT CT FourStroke	14 R 17	36 R 43	AL	37 - 40	59 - 64	160	255
Mercury 150XL FourStroke	14.5 R 17	37 R 43	SST	43 - 47	69 - 75	150	240
Yamaha F115XB	13.5 R 15	34 R 38	AL	37 - 40	59 - 64	160	255
Yamaha F150XB	14.25 R 17	36 R 43	SST	43 - 47	69 - 75	125	200

MERCURY 115EXLPT CT FOUR STROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.0	4
2000 RPM	6	10	1.7	7
2500 RPM	9	14	2.7	10
3000 RPM	16	26	3.2	12
3500 RPM	22	35	4.0	15
4000 RPM	27	43	5.2	20
4500 RPM	31	49	6.4	24
5000 RPM	34	54	7.6	29
5500 RPM	38	60	9.6	36
WOT	39	63	10.7	41

MERCURY 150XL FOUR STROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.3	5
2000 RPM	7	12	2.2	8
2500 RPM	10	16	3.4	13
3000 RPM	19	31	4.0	15
3500 RPM	26	41	5.1	19
4000 RPM	32	51	6.6	25
4500 RPM	36	59	8.1	31
5000 RPM	40	64	9.6	36
5500 RPM	44	72	12.1	46
WOT	47	75	13.5	51

YAMAHA F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	10	1.2	5
2500 RPM	7	12	1.9	7
3000 RPM	8	14	2.8	11
3500 RPM	12	19	3.5	13
4000 RPM	20	32	3.9	15
4500 RPM	24	38	4.4	17
5000 RPM	28	45	5.2	20
5500 RPM	32	51	6.8	26
6000 RPM	36	57	8.4	32
WOT	37	60	10.5	40

**YAMAHA F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	1.8	7
2000 RPM	8	14	2.9	11
2500 RPM	10	16	4.2	16
3000 RPM	13	21	5.3	20
3500 RPM	23	36	5.9	22
4000 RPM	27	44	6.6	25
4500 RPM	32	52	7.8	30
5000 RPM	37	59	10.2	39
5500 RPM	41	66	12.6	48
WOT	43	69	15.8	60

GX 195

INCLUDES GX 195, GX 195 Sport

SPECIFICATIONS	US	Metric
LOA	19'0"	5.80 m
LOA w/ Extended Swim Platform	20'9"	6.30 m
Beam	8'2"	2.50 m
Fuel Capacity	32 gal	121 L
Approx. Draft (drive up)	19"	48 cm
Approx. Draft (drive down)	36"	91 cm
Maximum Capacity	1450 lbs	657 kg
Persons Capacity	8	8 (CE)
Approx. Boat Weight	2400 lbs	1180 kg
Approx. Boat & Engine Weight	3400 lbs	1542 kg
Maximum Horsepower	250 hp	186 kW
Trailer Weight (Single)	910 lbs	413 kg
Deadrise	20°	20°
Storage Length on Trailer	21'0"	6.40 m
Bridge Clearance	3'6"	1.10 m
Bridge Clearance with Arch/Tower	6'5"	2.00 m
Keel to Top of Tower Dn	5'4"	1.60 m
Keel to Top of Tower Up	7'10"	2.40 m
Keel to Top of Windshield	5'1"	1.50 m
Total Height	5'1"	1.50 m
Total Height on Trailer	6'7"	2.00 m
Height on Trailer w/Tower Dn	6'10"	2.10 m
Height on Trailer w/ Tower Up	9'4"	2.70 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3,435	1,560
MC 4.5L 250/A	250	186	3,435	1,560
VP V6-200/SX	200	149	3,300	1,495
VP V6-250/SX	250	186	3,300	1,495

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-250/SX					
LBS	2,400	899	202	150	910
KG	1,089	408	92	68	413

**PERFORMANCE**

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	15.25 x 19	39 x 48	SS	43 - 46	69 - 74	135	215
MC 4.5L 250/A	14.625 x 17	37 x 43	SS	47 - 50	75 - 80	130	210
VP V6-200/SX	14.75 x 17	37 x 43	AL	43 - 46	69 - 74	110	180
VP V6-250/SX	14.5 x 19	37 x 48	AL	47 - 50	75 - 80	120	195

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
500 RPM	5	8	1.1	4
1000 RPM	6	10	2.4	9
1500 RPM	8	13	3.6	14
2000 RPM	18	30	4.0	15
2500 RPM	25	40	5.2	20
3000 RPM	30	49	7.0	26
3500 RPM	35	56	9.8	37
4000 RPM	40	64	13.8	52
4500 RPM	44	71	15.9	60
WOT	45	72	16.7	63

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.3	5
1500 RPM	7	11	2.8	11
2000 RPM	9	14	4.1	16
2500 RPM	20	33	4.6	17
3000 RPM	27	44	6.0	23
3500 RPM	33	53	8.0	30
4000 RPM	38	61	11.2	42
4500 RPM	44	70	15.8	60
5000 RPM	48	77	19.0	72
WOT	49	79	19.1	72

VP V6-200/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	9	1.5	6
2000 RPM	6	10	2.5	10
2500 RPM	9	14	4.1	15
3000 RPM	18	30	5.4	20
3500 RPM	24	38	6.7	25
4000 RPM	29	47	8.5	32
4500 RPM	34	56	10.8	41
5000 RPM	38	62	13.7	52
5500 RPM	43	69	16.6	63
WOT	44	72	18.5	70

**VP V6-250/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5
2000 RPM	7	11	2.3	9
2500 RPM	10	15	3.7	14
3000 RPM	20	32	4.9	19
3500 RPM	26	41	6.1	23
4000 RPM	32	51	7.7	29
4500 RPM	37	60	9.8	37
5000 RPM	41	67	12.4	47
5500 RPM	46	74	15.1	57
WOT	48	77	16.8	64

GX 210

INCLUDES GX 210, GX 210 Sport

SPECIFICATIONS	US	Metric
LOA	21'0"	6.40 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Approx. Draft (drive up)	17"	43 cm
Approx. Draft (drive down)	34"	86 cm
Maximum Capacity	2450 lbs	1112 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2600 lbs	1180 kg
Approx. Boat & Engine Weight	3200 lbs	1452 kg
Maximum Horsepower	250 hp	186 kW
Trailer Weight (Single)	1019 lbs	462 kg
Trailer Weight (Trandem)	1172 lbs	532 kg
Deadrise	18°	18°
Storage Length on Trailer	21'2"	6.50 m
Bridge Clearance	3'10"	1.20 m
Bridge Clearance with Arch/Tower	6'8"	2.00 m
Keel to Top of Tower Dn	6'2"	1.90 m
Keel to Top of Tower Up	8'1"	2.50 m
Keel to Top of Windshield	5'3"	1.60 m
Total Height	5'3"	1.60 m
Total Height on Trailer	6'9"	2.10 m
Total Height on Trailer w / Ski Tow Bar	7'2"	2.20 m
Height on Trailer w/Tower Dn	7'8"	2.30 m
Height on Trailer w/Tower Up	9'7"	2.90 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 150XL FourStroke	150	112	3,055	1,385
Mercury 200XL FourStroke	200	149	3,085	1,400
Mercury 225XL Pro XS	225	168	3,210	1,455
Mercury 250XL FourStroke	250	186	3,210	1,455
Yamaha F150XB	150	112	3,090	1,400
Yamaha F200XB	200	149	3,090	1,400
Yamaha F250XB	250	186	3,175	1,440

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Yamaha F200XB					
LBS	2,450	489	252	150	1019
KG	1,111	222	114	68	462

**PERFORMANCE**

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 150XL FourStroke	15.75 x 15	40 x 38	SST	39 - 42	63 - 68	175	280
Mercury 200XL FourStroke	15.5 x 17	39 x 43	SST	44 - 47	71 - 76	140	225
Mercury 225XL Pro XS	16 x 17	41 x 43	SST	46 - 49	74 - 79	140	225
Mercury 250XL FourStroke	16 x 17	41 x 43	SST	48 - 51	77 - 82	130	210
Yamaha F150XB	14.5 x 15	37 x 38	SST	39 - 42	63 - 68	155	250
Yamaha F200XB	14.25 x 17	36 x 43	SST	44 - 47	71 - 76	140	225
Yamaha F250XB	15.5 x 17	39 x 43	SST	48 - 51	77 - 82	120	195

MERCURY 150XL FOUR STROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.3	5
2000 RPM	7	11	2.1	8
2500 RPM	10	17	2.7	10
3000 RPM	17	27	3.5	13
3500 RPM	21	35	4.4	16
4000 RPM	26	41	5.6	21
4500 RPM	30	48	7.0	26
5000 RPM	34	55	8.4	32
5500 RPM	37	60	10.8	41
WOT	41	67	13.8	52

MERCURY 200XL FOUR STROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.8	7
2000 RPM	7	12	3.0	11
2500 RPM	12	19	3.8	15
3000 RPM	19	30	4.9	18
3500 RPM	24	39	6.2	23
4000 RPM	29	46	7.9	30
4500 RPM	34	54	9.8	37
5000 RPM	38	61	11.8	45
5500 RPM	42	68	15.2	58
WOT	47	75	19.5	74

**MERCURY 225XL PRO XS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	1.9	7
2500 RPM	8	13	3.2	12
3000 RPM	12	20	4.1	16
3500 RPM	20	32	5.3	20
4000 RPM	26	41	6.6	25
4500 RPM	30	49	8.5	32
5000 RPM	36	58	10.6	40
5500 RPM	41	65	12.7	48
6000 RPM	45	72	16.4	62
WOT	50	80	21.0	79

MERCURY 250XL FOUR STROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.1	8
2000 RPM	8	13	3.5	13
2500 RPM	13	20	4.5	17
3000 RPM	21	33	5.7	22
3500 RPM	26	42	7.2	27
4000 RPM	31	50	9.2	35
4500 RPM	37	59	11.5	44
5000 RPM	42	67	13.8	52
5500 RPM	46	74	17.8	67
WOT	51	82	22.8	86

YAMAHA F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.5	6
2000 RPM	7	11	2.4	9
2500 RPM	10	17	3.1	12
3000 RPM	17	27	4.0	15
3500 RPM	21	35	5.0	19
4000 RPM	26	41	6.4	24
4500 RPM	30	48	8.0	30
5000 RPM	34	55	9.6	36
5500 RPM	37	60	12.3	47
WOT	41	67	15.8	60

**YAMAHA F200XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.8	7
2000 RPM	7	12	3.0	11
2500 RPM	12	19	3.8	15
3000 RPM	19	30	4.9	18
3500 RPM	24	39	6.2	23
4000 RPM	29	46	7.9	30
4500 RPM	34	54	9.8	37
5000 RPM	38	61	11.8	45
5500 RPM	42	68	15.2	58
WOT	47	75	19.5	74

YAMAHA F250XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.2	8
2000 RPM	8	13	3.7	14
2500 RPM	13	20	4.8	18
3000 RPM	21	33	6.1	23
3500 RPM	26	42	7.7	29
4000 RPM	31	50	9.8	37
4500 RPM	37	59	12.3	46
5000 RPM	42	67	14.7	56
5500 RPM	46	74	19.0	72
WOT	51	82	24.3	92

GX 215

INCLUDES GX 215, GX 215 Sport

SPECIFICATIONS	US	Metric
LOA	21'0"	6.40 m
LOA w/ Extended Swim Platform	23'0"	7.00 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	10	9 CE
Approx. Boat Weight	2900 lbs	1315 kg
Approx. Boat & Engine Weight	3900 lbs	1769 kg
Maximum Horsepower	300 hp	224 kW
Trailer Weight (Single)	1019 lbs	462 kg
Trailer Weight (Trandem)	1172 lbs	532 kg
Deadrise	20°	20°
Storage Length on Trailer	23'3"	7.10 m
Bridge Clearance	3'9"	1.10 m
Bridge Clearance with Arch/Tower	6'7"	2.00 m
Keel to Top of Tower Dn	6'2"	1.90 m
Keel to Top of Tower Up	8'1"	2.50 m
Keel to Top of Windshield	5'3"	1.60 m
Total Height	5'3"	1.60 m
Total Height on Trailer	6'9"	2.10 m
Height on Trailer w/Tower Dn	7'8"	2.30 m
Height on Trailer w/Tower Up	9'7"	2.90 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3,850	1,750
MC 4.5L 250/A	250	186	3,850	1,750
MC 4.5L 250/B3 DTS	250	186	3,850	1,750
MC 6.2L 300/B1 DTS	300	224	3,950	1,790
MC 6.2L 300/B3 DTS	300	224	3,950	1,790
VP V6-200/SX	200	149	3,700	1,680
VP V6-250/SX	250	186	3,700	1,680
VP V6-280/SX	280	209	3,700	1,680
VP V6-280/DP	280	209	3,700	1,680
VP V8-300/SX	300	224	3,800	1,725
VP V8-300/DP	300	224	3,800	1,725

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-280/DP					
LBS	2,900	910	250	150	1172
KG	1,315	413	113	68	532

**PERFORMANCE**

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	15 x 17	38 x 43	AL	42 - 45	67 - 72	150	240
MC 4.5L 250/A	14.5 x 19	37 x 48	AL	45 - 48	72 - 77	140	225
MC 4.5L 250/B3 DTS	26 P	66 P	SS	46 - 49	74 - 79	140	225
MC 6.2L 300/B1 DTS	15.25 x 19	39 x 48	SS	50 - 53	80 - 85	125	200
MC 6.2L 300/B3 DTS	26 P	66 P	SS	51 - 54	82 - 87	125	200
VP V6-200/SX	14.8 x 17	38 x 43	AL	42 - 45	67 - 72	160	255
VP V6-250/SX	14.5 x 19	37 x 48	AL	45 - 48	72 - 77	160	255
VP V6-280/SX	14.3 x 21	36 x 53	AL	47 - 50	75 - 80	150	240
VP V6-280/DP	FH5	FH5	SS	49 - 52	79 - 84	155	250
VP V8-300/SX	14.3 x 21	36 x 53	AL	50 - 53	80 - 85	140	225
VP V8-300/DP	FH6	FH6	SS	51 - 54	82 - 87	145	235

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	7	1.3	5
1500 RPM	7	10	2.2	8
2000 RPM	7	12	3.8	15
2500 RPM	16	25	4.7	18
3000 RPM	24	39	5.8	22
3500 RPM	30	48	7.5	28
4000 RPM	35	57	10.1	38
4500 RPM	39	63	13.7	52
WOT	43	70	16.7	63

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.4	5
1500 RPM	7	11	2.5	9
2000 RPM	8	12	4.3	16
2500 RPM	17	27	5.3	20
3000 RPM	26	42	6.5	25
3500 RPM	32	52	8.4	32
4000 RPM	38	61	11.3	43
4500 RPM	42	68	15.3	58
WOT	46	75	18.7	71

**MC 4.5L 250/B3 DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.5	6
1500 RPM	7	11	2.6	10
2000 RPM	8	13	4.5	17
2500 RPM	17	28	5.5	21
3000 RPM	26	43	6.8	26
3500 RPM	33	53	8.8	33
4000 RPM	39	63	11.8	45
4500 RPM	43	69	16.0	60
WOT	47	76	19.5	74

MC 6.2L 300/B1 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	1.7	6
1500 RPM	7	11	3.0	11
2000 RPM	8	13	5.1	19
2500 RPM	17	28	6.3	24
3000 RPM	26	42	7.7	29
3500 RPM	33	53	10.0	38
4000 RPM	39	62	13.4	51
4500 RPM	43	69	18.2	69
5000 RPM	47	76	22.2	84
WOT	51	82	24.0	91

MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.7	6
1500 RPM	7	12	3.0	11
2000 RPM	8	13	5.1	19
2500 RPM	18	28	6.3	24
3000 RPM	27	43	7.7	29
3500 RPM	33	54	10.0	38
4000 RPM	39	63	13.4	51
4500 RPM	44	70	18.2	69
5000 RPM	48	77	22.2	84
WOT	52	83	24.0	91

**VP V6-200/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	4	7	1.1	4
1500 RPM	6	10	1.9	7
2000 RPM	8	13	3.1	12
2500 RPM	14	23	4.1	15
3000 RPM	22	35	5.0	19
3500 RPM	26	42	6.4	24
4000 RPM	30	49	8.6	33
4500 RPM	35	56	11.4	43
5000 RPM	39	62	14.3	54
WOT	44	71	18.5	70

VP V6-250/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	4	7	1.1	4
1500 RPM	6	10	2.0	8
2000 RPM	9	14	3.3	13
2500 RPM	16	25	4.3	16
3000 RPM	23	38	5.2	20
3500 RPM	28	45	6.8	26
4000 RPM	33	53	9.1	34
4500 RPM	37	60	12.0	45
5000 RPM	41	67	15.1	57
WOT	47	76	19.5	74

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.3	5
1500 RPM	7	11	2.3	9
2000 RPM	9	15	3.8	14
2500 RPM	16	27	4.9	18
3000 RPM	25	40	6.0	23
3500 RPM	30	48	7.7	29
4000 RPM	35	56	10.4	39
4500 RPM	40	64	13.7	52
5000 RPM	44	71	17.2	65
WOT	50	81	22.3	84

**VP V6-280/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.3	5
1500 RPM	7	11	2.3	9
2000 RPM	9	15	3.8	14
2500 RPM	17	27	4.9	18
3000 RPM	25	41	6.0	23
3500 RPM	30	49	7.7	29
4000 RPM	35	57	10.4	39
4500 RPM	41	65	13.7	52
5000 RPM	45	72	17.2	65
WOT	51	83	22.3	84

VP V8-300/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.4	5
1500 RPM	7	11	2.5	9
2000 RPM	9	15	4.1	16
2500 RPM	17	27	5.3	20
3000 RPM	26	41	6.5	25
3500 RPM	31	49	8.4	32
4000 RPM	36	57	11.3	43
4500 RPM	41	66	14.9	56
5000 RPM	45	73	18.7	71
WOT	52	83	24.2	92

VP V8-300/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.4	5
1500 RPM	7	11	2.5	9
2000 RPM	10	15	4.1	16
2500 RPM	17	28	5.3	20
3000 RPM	26	42	6.5	25
3500 RPM	31	50	8.4	32
4000 RPM	36	59	11.3	43
4500 RPM	42	67	14.9	56
5000 RPM	46	75	18.7	71
WOT	53	85	24.2	92

GT 180

INCLUDES GT 180, GTS 180, GTSF 180

SPECIFICATIONS	US	Metric
LOA	17'10"	5.40 m
Beam	7'5"	2.30 m
Fuel Capacity	24 gal	91 L
Approx. Draft (drive up)	14"	36 cm
Approx. Draft (drive down)	30"	76 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	8	7 CE
Approx. Boat Weight	1600 lbs	726 kg
Approx. Boat & Engine Weight	2010 lbs	912 kg
Maximum Horsepower	150 hp	112 kW
Trailer Weight	639 lbs	290 kg
Deadrise	20°	20°
Storage Length on Trailer	21'5"	6.50 m
Bridge Clearance	3'10"	1.20 m
Bridge Clearance with Arch/Tower	6'9"	2.10 m
Keel to Top of Tower Dn	5'7"	1.70 m
Keel to Top of Windshield	4'10"	1.50 m
Total Height	4'10"	1.50 m
Total Height on Trailer	6'4"	1.90 m
Height on Trailer w/Wakeboard Tower Dn	7'1"	2.20 m
Height on Trailer w/Wakeboard Tower Up	9'4"	2.80 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 90ELPT FourStroke	90	67	2010	912
Mercury 115ELPT FourStroke	115	86	2010	912
Mercury 150XL FourStroke	150	112	2105	955
Yamaha F90LB	90	67	2005	909
Yamaha F115LB	115	86	2030	921
Yamaha F150LB	150	112	2130	966

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Mercury 115ELPT					
LBS	1600	400	144	100	639
KG	726	181	65	45	290



PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 90ELPT FourStroke	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Mercury 115ELPT FourStroke	13 1/4 X 17	34 X 43	AL	41-44	66-71	120	190
Mercury 150XL FourStroke	14 1/2 19	37 X 48	AL	47-50	76-81	120	190
Yamaha F90LB	13 x 19	33 x 48	AL	38-41	61-66	110	180
Yamaha F115LB	13 x 19	33 x 48	AL	41-44	66-71	110	180
Yamaha F150LB	14 X 19	36 X 48	AL	47-50	76-81	120	190

MERCURY 90ELPT FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.1	4
2000 RPM	6	10	1.7	7
2500 RPM	9	14	2.6	10
3000 RPM	18	29	3.2	12
3500 RPM	23	37	4.0	15
4000 RPM	26	42	5.0	19
4500 RPM	30	49	6.2	24
5000 RPM	33	54	7.5	28
5500 RPM	36	58	8.9	34
WOT	40	64	10.8	41

MERCURY 115ELPT FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.1	4
2000 RPM	7	11	1.7	7
2500 RPM	10	16	2.6	10
3000 RPM	20	32	3.2	12
3500 RPM	25	41	4.0	15
4000 RPM	29	47	5.0	19
4500 RPM	33	53	6.2	24
5000 RPM	37	59	7.5	28
5500 RPM	40	64	8.9	34
WOT	44	70	10.8	41

MERCURY 150XL FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.4	5
2000 RPM	8	12	2.3	9
2500 RPM	11	18	3.4	13
3000 RPM	22	36	4.2	16
3500 RPM	28	45	5.3	20
4000 RPM	32	52	6.6	25
4500 RPM	37	60	8.3	31
5000 RPM	41	66	10.0	38
5500 RPM	45	72	11.9	45
WOT	49	78	14.4	55

**YAMAHA F90LB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.1	4
2000 RPM	6	10	1.7	7
2500 RPM	9	14	2.6	10
3000 RPM	18	29	3.2	12
3500 RPM	23	37	4.0	15
4000 RPM	26	42	5.0	19
4500 RPM	30	49	6.2	24
5000 RPM	33	54	7.5	28
5500 RPM	36	58	8.9	34
WOT	40	64	10.8	41

YAMAHA F115LB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	9	1.1	4
2500 RPM	7	11	1.7	7
3000 RPM	10	16	2.6	10
3500 RPM	20	32	3.2	12
4000 RPM	25	41	4.0	15
4500 RPM	29	47	5.0	19
5000 RPM	33	53	6.2	24
5500 RPM	37	59	7.5	28
6000 RPM	40	64	8.9	34
WOT	44	70	10.8	41

YAMAHA F150LB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.4	5
2000 RPM	8	12	2.3	9
2500 RPM	11	18	3.4	13
3000 RPM	22	36	4.2	16
3500 RPM	28	45	5.3	20
4000 RPM	32	52	6.6	25
4500 RPM	37	60	8.3	31
5000 RPM	41	66	10.0	38
5500 RPM	45	72	11.9	45
WOT	49	78	14.4	55

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT 185

INCLUDES GT 185, GTS 185, GTSF 185

SPECIFICATIONS	US	Metric
LOA	18'0"	5.50 m
LOA w/Extended Swim Platform	19'6"	5.90 m
Beam	7'5"	2.30 m
Fuel Capacity	24 gal	91 L
Approx. Draft (drive up)	16"	41 cm
Approx. Draft (drive down)	33"	84 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6 CE
Approx. Boat Weight	1600 lbs	726 kg
Approx. Boat & Engine Weight	2470 lbs	1120 kg
Maximum Horsepower	250 hp	186 kW
Trailer Weight	861 lbs	391 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	6.30 m
Storage Length on Trailer w/Extended Swim	20'9"	6.30 m
Bridge Clearance	3'9"	1.10 m
Bridge Clearance with Arch/Tower	6'8"	2.00 m
Keel to Top of Tower Dn	5'7"	1.70 m
Keel to Top of Windshield	4'10"	1.50 m
Total Height	4'10"	1.50 m
Total Height on Trailer	6'4"	1.90 m
Height on Trailer w/Wakeboard Tower Dn	7'1"	2.20 m
Height on Trailer w/Wakeboard Tower Up	9'4"	2.80 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	2605	1182
MC 4.5L 250/A	250	187	2605	1182
VP V6-200/SX	200	149	2470	1120
VP V6-250/SX	250	187	2470	1120

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-250/SX					
LBS	1590	910	144	100	861
KG	721	413	65	45	390



PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	14 1/2 x 19	37 x 48	AL	48-51	77-82	95	155
MC 4.5L 250/A	14 1/2 x 19	37 x 48	AL	51-54	84-89	95	155
VP V6-200/SX	14 1/4 X 23	36 X 58	AL	48-51	77-82	105	161
VP V6-250/SX	14 1/4 X 23	36 X 58	AL	51-54	84-89	100	161

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	3.1	11.6
2000 RPM	11	17	4.4	16.7
2500 RPM	26	42	5.3	20.1
3000 RPM	32	51	6.7	25.5
3500 RPM	37	60	8.6	32.4
4000 RPM	42	67	11.6	44.0
4500 RPM	47	75	14.9	56.4
WOT	49	79	16.7	63.2

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	10	2.3	8.7
2000 RPM	8	12	3.5	13.2
2500 RPM	11	18	5.1	19.3
3000 RPM	27	44	5.9	22.3
3500 RPM	34	54	7.7	29.1
4000 RPM	39	63	9.8	37.1
4500 RPM	44	71	13.3	50.3
5000 RPM	50	80	17.5	66.2
WOT	52	84	19.1	72.3

VP V6-200/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	4	6	1.3	4.8
2000 RPM	6	9	2.2	8.3
2500 RPM	7	11	3.2	12.1
3000 RPM	11	18	4.4	16.7
3500 RPM	27	43	6.1	23.2
4000 RPM	35	56	8.0	30.1
4500 RPM	41	66	10.5	39.7
5000 RPM	46	74	13.6	51.4
5500 RPM	49	78	16.3	61.7
WOT	50	80	17.5	66.2

**VP V6-250/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	4	7	1.4	5.4
2000 RPM	6	10	2.4	8.9
2500 RPM	8	12	3.7	14.2
3000 RPM	12	20	5.0	18.7
3500 RPM	29	47	6.8	25.9
4000 RPM	37	60	8.9	33.6
4500 RPM	44	70	11.7	44.2
5000 RPM	49	78	15.1	57.3
5500 RPM	52	84	18.4	69.6
WOT	53	86	19.5	73.8

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT 200

INCLUDES GT 200, GTS 200, GTSF 200

SPECIFICATIONS	US	Metric
LOA	20'4"	6.20 m
Beam	8'0"	2.40 m
Fuel Capacity	32 gal	121 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	2200 lbs	998 kg
Persons Capacity	9	7 CE
Approx. Boat Weight	1950 lbs	885 kg
Approx. Boat & Engine Weight	2450 lbs	1111 kg
Maximum Horsepower	200 hp	149 kW
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	22'3"	6.80 m
Bridge Clearance	4'0"	1.20 m
Bridge Clearance with Arch/Tower	6'11"	2.10 m
Keel to Top of Tower Dn	6'0"	1.83 m
Keel to Top of Windshield	5'3"	1.60 m
Total Height	5'3"	1.60 m
Total Height on Trailer	6'6"	2.00 m
Height on Trailer w/Wakeboard Tower Dn	7'3"	2.20 m
Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 150XL FourStroke	150	112	2405	1091
Mercury 200XL FourStroke DTS	200	149	2435	1105
Yamaha F150XB	150	112	2440	1107
Yamaha F200XB	200	149	2440	1107

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Merc 150XL FourStroke					
LBS	1930	460	192	150	971
KG	875	209	87	68	440

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 150XL FourStroke	15 X 17	38 X 43	AL	43-46	69-74	110	180
Mercury 200XL FourStroke DTS	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Yamaha F150XB	14 1/5 X 17	37 X 43	AL	43-46	69-74	105	170
Yamaha F200XB	14 1/2 X 17	37 X 43	AL	47-50	76-80	105	170

**150 HP ENGINES**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.6	6
2000 RPM	8	12	2.6	10
2500 RPM	11	17	3.4	13
3000 RPM	21	33	4.2	16
3500 RPM	26	41	5.1	19
4000 RPM	30	48	6.4	24
4500 RPM	34	55	7.5	29
5000 RPM	39	62	9.0	34
5500 RPM	42	67	10.9	41
WOT	44	70	14.5	55

200 HP ENGINES

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	12	1.9	7
2000 RPM	8	14	3.1	12
2500 RPM	12	19	4.1	16
3000 RPM	23	37	5.1	19
3500 RPM	29	47	6.1	23
4000 RPM	34	54	7.7	29
4500 RPM	38	62	9.1	34
5000 RPM	43	70	10.9	41
5500 RPM	47	76	13.2	50
WOT	49	79	17.5	66

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT 205

INCLUDES GT 205, GTS 205, GTSF 205

SPECIFICATIONS	US	Metric
LOA	20'6"	6.20 m
LOA w/Extended Swim Platform	23'0"	7.00 m
Beam	8'0"	2.40 m
Fuel Capacity	32 gal	121 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7 CE
Approx. Boat Weight	2000 lbs	907 kg
Approx. Boat & Engine Weight	3010 lbs	1365 kg
Maximum Horsepower	300 hp	224 kW
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	23'0"	7.00 m
Storage Length on Trailer w/Extended Swim	23'0"	7.00 m
Bridge Clearance	4'0"	1.20 m
Bridge Clearance with Arch/Tower	6'11"	2.10 m
Keel to Top of Tower Dn	6'0"	1.80 m
Keel to Top of Windshield	5'3"	1.60 m
Total Height	5'3"	1.60 m
Total Height on Trailer	6'6"	2.00 m
Height on Trailer w/Wakeboard Tower Dn	7'3"	2.20 m
Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	2000	907
MC 4.5L 250/A	250	187	2000	907
MC 6.2L 300/B1	300	224	3295	1495
VP V6-200/SX	200	149	2900	1315
VP V6-250/SX	250	187	2900	1315
VP V6-280/SX	280	209	2900	1315
VP V8-300/SX	300	224	2995	1359

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-280/SX					
LBS	2100	910	192	150	1155
KG	952	413	87	68	524



PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	14 1/2 X 19	37 X 48	AL	45-48	72-77	125	201
MC 4.5L 250/A	14 1/2 X 19	37 X 48	AL	49-52	79-84	120	193
MC 6.2L 300/B1	14 X 19	36 x 48	SST	54-57	87-92	105	169
VP V6-200/SX	14 1/4 X 21	36 X 53	AL	45-48	72-77	115	185
VP V6-250/SX	14 1/4 X 21	36 X 53	AL	48-51	77-82	115	185
VP V6-280/SX	14 1/4 X 21	36 X 53	AL	52-55	84-89	115	185
VP V8-300/SX	14 1/4 X 19	36 X 48	AL	54-57	87-92	95	153

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	10	2.0	8
1500 RPM	8	12	3.2	12
2000 RPM	12	19	4.6	17
2500 RPM	24	39	5.6	21
3000 RPM	30	49	7.0	26
3500 RPM	36	58	9.3	35
4000 RPM	40	65	11.8	45
4500 RPM	44	71	14.7	56
WOT	46	74	16.7	63

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.3	5
1500 RPM	7	11	2.4	9
2000 RPM	8	14	3.8	14
2500 RPM	13	20	5.4	20
3000 RPM	27	43	6.6	25
3500 RPM	33	53	8.3	31
4000 RPM	39	63	11.0	42
4500 RPM	44	71	14.0	53
5000 RPM	49	78	17.4	66
WOT	50	81	19.8	75

MC 6.2L 300/B1 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.6	6
1500 RPM	8	12	2.9	11
2000 RPM	9	15	4.6	17
2500 RPM	14	22	6.5	25
3000 RPM	29	47	8.0	30
3500 RPM	36	59	10.1	38
4000 RPM	43	69	13.3	50
4500 RPM	48	78	17.0	64
5000 RPM	53	86	21.1	80
WOT	55	89	24.0	91

**VP V6-200/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5
2000 RPM	7	11	2.3	9
2500 RPM	9	15	3.8	14
3000 RPM	17	27	4.7	18
3500 RPM	24	38	5.8	22
4000 RPM	29	46	7.2	27
4500 RPM	33	53	9.1	35
5000 RPM	37	60	11.4	43
5500 RPM	41	66	14.1	53
WOT	45	72	17.5	66

VP V6-250/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.5	6
2000 RPM	8	12	2.5	10
2500 RPM	10	16	4.1	16
3000 RPM	18	29	5.1	19
3500 RPM	25	41	6.3	24
4000 RPM	31	50	7.9	30
4500 RPM	35	57	9.9	38
5000 RPM	40	64	12.5	47
5500 RPM	44	71	15.4	58
WOT	48	77	19.1	72

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.7	6
2000 RPM	8	13	2.8	11
2500 RPM	11	17	4.6	18
3000 RPM	20	32	5.8	22
3500 RPM	28	45	7.1	27
4000 RPM	34	55	8.9	34
4500 RPM	39	63	11.2	42
5000 RPM	44	71	14.0	53
5500 RPM	49	79	17.4	66
WOT	53	86	21.5	81

**VP V8-300/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.0	8
2000 RPM	9	14	3.4	13
2500 RPM	11	18	5.1	19
3000 RPM	21	33	7.0	26
3500 RPM	29	47	8.6	32
4000 RPM	35	57	10.7	41
4500 RPM	41	65	13.5	51
5000 RPM	46	74	17.0	64
5500 RPM	51	82	21.0	79
WOT	55	89	26.0	98

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT 225

INCLUDES GT 225, GTS 225

SPECIFICATIONS	US	Metric
LOA	22'0"	6.70 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Approx. Draft (drive up)	17"	43 cm
Approx. Draft (drive down)	34"	86 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2350 lbs	1066 kg
Approx. Boat & Engine Weight	3360 lbs	1524 kg
Maximum Horsepower	300 hp	224 kW
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.00 m
Bridge Clearance	4'3"	1.30 m
Bridge Clearance with Arch/Tower	6'3"	1.90 m
Keel to Top of Tower Dn	6'0"	1.80 m
Keel to Top of Windshield	5'4"	1.60 m
Total Height	5'4"	1.60 m
Total Height on Trailer	6'10"	2.10 m
Height on Trailer w/Wakeboard Tower Dn	7'6"	2.30 m
Height on Trailer w/Wakeboard Tower Up	9'7"	2.90 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/A	250	187	3385	1535
MC 4.5L 250/B3 DTS	250	187	3455	1567
MC 6.2L 300/B1 DTS	300	224	3645	1653
MC 6.2L 300/B3 DTS	300	224	3670	1665
VP V6-250/SX	250	187	3250	1474
VP V6-280/SX	280	209	3250	1474
VP V6-280/DP	280	209	3250	1474
VP V8-300/SX	300	224	3345	1517
VP V8-300/DP	300	224	3345	1517

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-300/DP					
LBS	2300	1010	240	150	1095
KG	1040	458	109	68	497



PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/A	15 x 17	38 x 43	AL	47-50	76-81	145	233
MC 4.5L 250/B3 DTS	24P	61P	SST	48-51	77-82	145	233
MC 6.2L 300/B1 DTS	15 1/2 X 17	39 X 43	SST	50-53	81-85	125	201
MC 6.2L 300/B3 DTS	24P	61P	SST	51-54	82-87	130	210
VP V6-250/SX	14 1/2 X 19	37 X 48	AL	46-49	74-79	130	210
VP V6-280/SX	14 1/4 X 21	36 X 53	AL	48-51	77-82	120	193
VP V6-280/DP	FH4	FH4	SST	49-52	79-84	120	193
VP V8-300/SX	14 3/4 X 17	37 X 43	AL	50-53	81-85	100	161
VP V8-300/DP	FH5	FH5	SST	51-54	82-87	100	161

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.5	6
1500 RPM	7	11	2.5	9
2000 RPM	11	17	3.8	14
2500 RPM	20	33	5.0	19
3000 RPM	26	42	6.6	25
3500 RPM	31	50	8.6	33
4000 RPM	37	59	11.5	44
4500 RPM	42	68	14.9	56
5000 RPM	48	76	17.9	68
WOT	49	79	19.5	74

MC 4.5L 250/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.5	6
1500 RPM	7	11	2.5	9
2000 RPM	11	17	3.8	14
2500 RPM	21	33	5.0	19
3000 RPM	27	43	6.6	25
3500 RPM	32	51	8.6	33
4000 RPM	37	60	11.5	44
4500 RPM	43	69	14.9	56
5000 RPM	48	78	17.9	68
WOT	50	81	19.5	74

MC 6.2L 300/B1 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	1.8	7
1500 RPM	7	11	3.1	12
2000 RPM	11	18	4.7	18
2500 RPM	22	35	6.1	23
3000 RPM	28	45	8.1	31
3500 RPM	33	54	10.6	40



4000 RPM	39	62	14.2	54
4500 RPM	45	73	18.4	69
5000 RPM	51	81	22.1	84
WOT	53	85	24.0	91

MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	1.8	7
1500 RPM	7	11	3.1	12
2000 RPM	11	18	4.7	18
2500 RPM	22	35	6.1	23
3000 RPM	28	45	8.1	31
3500 RPM	33	54	10.6	40
4000 RPM	39	62	14.2	54
4500 RPM	45	73	18.4	69
5000 RPM	51	81	22.1	84
WOT	53	85	24.0	91

VP V6-250/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.4	5
2000 RPM	6	9	1.7	6
2500 RPM	7	11	2.6	10
3000 RPM	10	15	3.8	14
3500 RPM	15	25	5.1	19
4000 RPM	24	39	6.6	25
4500 RPM	31	50	8.6	33
5000 RPM	36	58	11.1	42
5500 RPM	42	68	15.6	59
WOT	48	76	19.5	74

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.5	6
2000 RPM	6	9	1.8	7
2500 RPM	7	12	2.6	10
3000 RPM	10	16	4.1	16
3500 RPM	16	26	5.5	21
4000 RPM	24	39	7.2	27
4500 RPM	31	50	9.4	36
5000 RPM	38	60	12.1	46
5500 RPM	44	70	17.0	64
WOT	50	80	21.2	80

VP V6-280/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.5	6
2000 RPM	6	9	1.8	7
2500 RPM	8	12	2.6	10
3000 RPM	10	16	4.1	16
3500 RPM	16	26	5.5	21
4000 RPM	24	39	7.2	27
4500 RPM	31	50	9.4	36
5000 RPM	39	62	12.1	46
5500 RPM	44	70	17.0	64
WOT	51	82	21.2	80

VP V8-300/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.8	7
2000 RPM	6	9	2.3	9
2500 RPM	8	12	3.0	11
3000 RPM	10	17	5.0	19
3500 RPM	17	27	7.1	27
4000 RPM	24	39	9.1	34
4500 RPM	31	50	11.4	43
5000 RPM	39	62	14.7	56
5500 RPM	45	72	20.7	78
WOT	51	82	25.8	98

VP V8-300/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.8	7
2000 RPM	6	10	2.3	9
2500 RPM	8	13	3.0	11
3000 RPM	11	17	5.0	19
3500 RPM	17	27	7.1	27
4000 RPM	24	39	9.1	34
4500 RPM	31	50	11.4	43
5000 RPM	39	63	14.7	56
5500 RPM	46	74	20.7	78
WOT	53	84	25.8	98

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT 245

INCLUDES GT 245, GTS 245

SPECIFICATIONS	US	Metric
LOA	24'0"	7.30 m
LOA w/Extended Swim Platform	25'11"	2.90 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	197 L
Approx. Draft (drive up)	17"	43 cm
Approx. Draft (drive down)	34"	86 cm
Maximum Capacity	2250 lbs	1020 kg
Persons Capacity	13	11 CE
Approx. Boat Weight	2980 lbs	1352 kg
Approx. Boat & Engine Weight	3980 lbs	1800 kg
Maximum Horsepower	380 hp	283 kW
Trailer Weight	1420 lbs	644 kg
Deadrise	20°	20°
Storage Length on Trailer	25'3"	7.70 m
Bridge Clearance	4'6"	1.40 m
Bridge Clearance with Arch/Tower	7'4"	2.20 m
Keel to Top of Tower Dn	6'6"	2.00 m
Keel to Top of Windshield	5'10"	1.80 m
Total Height	5'10"	1.80 m
Total Height on Trailer	7'7"	2.30 m
Height on Trailer w/Wakeboard Tower Dn	8'3"	2.50 m
Height on Trailer w/Wakeboard Tower Up	10'5"	3.20 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5 L 250/A	250	187	4015	1821
MC 6.2L 300/B3 DTS	300	224	4300	1950
MC 6.2L 350/B3 DTS	350	261	4300	1950
VP V6-250/SX	250	187	3880	1760
VP V6-280/SX	280	209	3880	1760
VP V6-280/DP	280	209	3880	1760
VP V8-300/DP	300	224	3975	1805
VP V8-350/DP	350	261	3975	1805
VP V8-380/DP	380	284	3975	1805

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-350/DP					
LBS	2980	1000	310	150	1505
KG	1350	454	141	68	683

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5 L 250/A	15 1/4 X 15	39 X 38	AL	38-41	61-66	145	233
MC 6.2L 300/B3 DTS	26P	26P	SST	48-51	77-82	145	233
MC 6.2L 350/B3 DTS	26P	26P	SST	51-54	82-87	125	201
VP V6-250/SX	14 3/4 X 17	37 X 43	AL	40-43	64-69	185	298
VP V6-280/SX	14 1/2 X 19	37 X 48	AL	43-46	69-77	185	298
VP V6-280/DP	FH5	FH5	SST	44-47	71-76	185	298
VP V8-300/DP	FH5	FH5	SST	48-51	77-82	160	257
VP V8-350/DP	FH5	FH5	SST	51-54	82-87	160	257
VP V8-380/DP	FH5	FH5	SST	53-56	85-90	160	257

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.5	9
2000 RPM	8	13	3.8	14
2500 RPM	11	18	6.0	23
3000 RPM	22	36	7.0	26
3500 RPM	29	46	9.6	36
4000 RPM	33	53	12.8	48
4500 RPM	37	59	16.2	61
5000 RPM	40	64	18.7	71
WOT	41	65	19.0	72

MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	13	3.1	12
2000 RPM	10	16	4.8	18
2500 RPM	14	23	7.5	28
3000 RPM	27	44	8.8	33
3500 RPM	35	57	12.2	46
4000 RPM	41	66	16.1	61
4500 RPM	45	73	20.8	79
5000 RPM	49	79	23.8	90
WOT	50	81	24.0	91

MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	9	14	3.7	14
2000 RPM	11	17	5.7	21
2500 RPM	15	24	8.9	34
3000 RPM	29	46	10.5	40
3500 RPM	37	60	14.5	55
4000 RPM	43	69	19.1	72
4500 RPM	48	77	24.7	93
5000 RPM	51	82	28.2	107
WOT	53	85	28.5	108

**VP V6-250/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.6	6
2000 RPM	7	11	2.7	10
2500 RPM	10	17	3.9	15
3000 RPM	18	29	4.5	17
3500 RPM	23	37	5.9	22
4000 RPM	27	43	7.6	29
4500 RPM	31	50	10.0	38
5000 RPM	35	56	13.5	51
5500 RPM	39	63	17.6	67
WOT	42	68	19.5	74

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.7	6
2000 RPM	7	12	2.9	11
2500 RPM	11	18	4.2	16
3000 RPM	19	31	4.8	18
3500 RPM	24	39	6.4	24
4000 RPM	29	46	8.2	31
4500 RPM	33	53	10.8	41
5000 RPM	38	60	14.5	55
5500 RPM	42	68	18.9	72
WOT	46	75	21.0	79

VP V6-280/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.7	6
2000 RPM	8	12	2.9	11
2500 RPM	11	18	4.2	16
3000 RPM	19	31	4.8	18
3500 RPM	25	40	6.4	24
4000 RPM	29	47	8.2	31
4500 RPM	33	54	10.8	41
5000 RPM	38	60	14.5	55
5500 RPM	42	68	18.9	72
WOT	46	75	21.0	79

VP V8-300/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.1	8
2000 RPM	8	13	3.6	14
2500 RPM	12	19	5.2	20
3000 RPM	21	34	6.0	23
3500 RPM	27	43	7.9	30
4000 RPM	31	50	10.2	39
4500 RPM	36	58	13.3	50
5000 RPM	40	65	18.0	68
5500 RPM	45	73	23.4	89
WOT	49	79	26.0	98

VP V8-350/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.2	8
2000 RPM	9	14	3.8	14
2500 RPM	13	21	5.5	21
3000 RPM	22	36	6.3	24
3500 RPM	28	45	8.4	32
4000 RPM	33	53	10.8	41
4500 RPM	38	61	14.1	53
5000 RPM	43	69	19.1	72
5500 RPM	48	77	25.3	96
WOT	52	84	27.5	104

VP V8-380/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2.3	9
2000 RPM	9	14	3.9	15
2500 RPM	13	21	5.7	22
3000 RPM	23	37	6.5	25
3500 RPM	29	47	8.6	33
4000 RPM	34	55	11.1	42
4500 RPM	39	63	14.5	55
5000 RPM	44	70	19.6	74
5500 RPM	49	79	25.5	97
WOT	54	87	28.3	107

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 180

INCLUDES GTD 180

SPECIFICATIONS	US	Metric
LOA	18'0"	5.50 m
Beam	8'0"	2.40 m
Fuel Capacity	32 gal	121 L
Approx. Draft (drive up)	16"	41 cm
Approx. Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	10	8 CE
Approx. Boat Weight	2100 lbs	953 kg
Approx. Boat & Engine Weight	2475 lbs	1123 kg
Maximum Horsepower	150 hp	112 kW
Trailer Weight	839 lbs	381 kg
Deadrise	18°	18°
Storage Length on Trailer	19'4"	5.90 m
Bridge Clearance	2'10"	0.90 m
Bridge Clearance with Arch/Tower	6'6"	2.00 m
Keel to Top of Tower Dn	4'11"	1.50 m
Keel to Top of Windshield	4'4"	1.30 m
Total Height	4'4"	1.30 m
Total Height on Trailer	5'9"	1.80 m
Height on Trailer w/Wakeboard Tower Dn	6'4"	1.90 m
Height on Trailer w/Wakeboard Tower Up	9'5"	2.90 m
Potable Water (standard or optional)	N / A	N / A

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 90EXLPT CT FourStroke	90	67	2465	1120
Mercury 115EXLPT CT FourStroke	115	86	2465	1120
Mercury 150XL FourStroke	150	112	2560	1160
Yamaha F90XB	90	67	2465	1120
Yamaha F115XB	115	86	2490	1130
Yamaha F150XB	150	112	2590	1175

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Mercury 115EXLPT CT 4S					
LBS	2,100	365	201	150	839
KG	953	166	91	68	381

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 90EXLPT CT FourStroke	14 x 14	36 x 36	AL	30-33	48-53	125	200
Mercury 115EXLPT CT FourStroke	14.625 x 15	37 x 38	SS	33-36	53-58	110	175
Mercury 150XL FourStroke	14.7 x 16	37 x 41	SS	37-40	59-64	100	160
Yamaha F90XB	13.625 x 14	35 x 36	AL	30-33	48-53	115	185
Yamaha F115XB	13.625 x 14	35 x 36	AL	33-36	53-58	115	185
Yamaha F150XB	14.5 x 15	37 x 38	SS	37-40	59-64	85	135

MERCURY 90EXLPT CT FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.0	4
2000 RPM	6	9	1.2	5
2500 RPM	7	11	1.6	6
3000 RPM	8	12	2.6	10
3500 RPM	10	16	3.5	13
4000 RPM	17	27	4.2	16
4500 RPM	22	35	4.9	19
5000 RPM	25	40	6.0	23
5500 RPM	28	45	7.5	28
WOT	32	51	8.4	32

MERCURY 115EXLPT CT FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.3	5
2000 RPM	6	10	1.5	6
2500 RPM	8	12	2.0	8
3000 RPM	9	14	3.3	13
3500 RPM	11	18	4.5	17
4000 RPM	18	30	5.4	20
4500 RPM	24	38	6.2	24
5000 RPM	28	44	7.6	29
5500 RPM	31	49	9.6	36
WOT	35	56	10.7	41

MERCURY 150XL FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.6	6
2000 RPM	7	11	2.0	7
2500 RPM	9	14	2.6	10
3000 RPM	9	15	4.3	16
3500 RPM	12	20	5.8	22
4000 RPM	21	33	6.9	26
4500 RPM	27	43	8.1	30
5000 RPM	31	49	9.9	37
5500 RPM	34	55	12.3	47
WOT	39	63	13.8	52

YAMAHA F90XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.1	4
2000 RPM	6	9	1.3	5
2500 RPM	7	11	1.8	7
3000 RPM	8	12	2.9	11
3500 RPM	10	16	3.9	15
4000 RPM	17	27	4.7	18
4500 RPM	22	35	5.5	21
5000 RPM	25	40	6.7	25
5500 RPM	28	45	8.4	32
WOT	32	51	9.4	36

YAMAHA F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	5	8	1.2	5
2500 RPM	6	10	1.5	6
3000 RPM	8	12	2.0	7
3500 RPM	9	14	3.2	12
4000 RPM	11	18	4.3	16
4500 RPM	18	30	5.2	20
5000 RPM	24	38	6.1	23
5500 RPM	28	44	7.4	28
6000 RPM	31	49	9.3	35
WOT	35	56	10.4	39

YAMAHA F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	9	1.9	7
2500 RPM	7	11	2.3	9
3000 RPM	9	14	3.0	11
3500 RPM	9	15	4.9	19
4000 RPM	12	20	6.6	25
4500 RPM	21	33	7.9	30
5000 RPM	27	43	9.2	35
5500 RPM	31	49	11.3	43
6000 RPM	34	55	14.1	53
WOT	39	63	15.8	60

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 200

INCLUDES GTD 200

SPECIFICATIONS	US	Metric
LOA	20'3"	6.2 m
Beam	8'6"	2.54 m
Fuel Capacity	40 gal	151 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	2400 lbs	1089 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2800 lbs	1270 kg
Approx. Boat & Engine Weight	3250 lbs	1474 kg
Maximum Horsepower	200 hp	149 kW
Trailer Weight	1020 lbs	463 kg
Deadrise	17°	17°
Storage Length on Trailer	21'2"	6.50 m
Bridge Clearance	3'11"	1.20 m
Bridge Clearance with Arch/Tower	6'9"	2.10 m
Keel to Top of Tower Dn	5'2"	1.60 m
Keel to Top of Windshield	5'2"	1.60 m
Total Height	5'2"	1.60 m
Total Height on Trailer	6'8"	2.00 m
Height on Trailer w/Wakeboard Tower Dn	6'8"	2.00 m
Height on Trailer w/Wakeboard Tower Up	9'9"	3.00 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 115 EXLPT CT FourStroke	115	86	2830	1284
Mercury 150XL FourStroke	150	112	2920	1324
Mercury 200XL FourStroke DTS	200	149	2975	1349
Yamaha F115XB	115	86	2860	1297
Yamaha F150XB	150	112	2960	1343
Yamaha F200XB	200	149	2970	1347

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Mercury 150XL FourStroke					
LBS	2410	470	252	150	1020
KG	1093	213	114	68	463

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 115 EXLPT CT FourStroke	14.5 x 19	37 x 48	AL	37-40	59-64	161	259
Mercury 150XL FourStroke	14.5 x 17	37 x 43	SS	42-45	68-72	141	227
Mercury 200XL FourStroke DTS	15.25 x 19	39 x 48	SS	47-50	76-80	115	185
Yamaha F115XB	13.5 x 15	34 x 38	AL	35-38	56-61	160	257
Yamaha F150XB	14.25 x 17	36 x 43	SS	41-44	66-71	113	182
Yamaha F200XB	14.25 x 18	36 X 46	SS	46-49	74-79	116	187

MERCURY 115 EXLPT CT FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	4
2000 RPM	7	11	1.5	6
2500 RPM	8	13	2.3	9
3000 RPM	11	17	3.2	12
3500 RPM	18	29	4.1	16
4000 RPM	23	37	5.2	20
4500 RPM	28	45	6.7	25
5000 RPM	32	51	8.1	31
5500 RPM	37	59	9.7	37
WOT	41	66	11.2	42

MERCURY 150XL FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.3	5
2000 RPM	7	12	1.9	7
2500 RPM	9	14	2.9	11
3000 RPM	12	19	4.0	15
3500 RPM	20	32	5.1	19
4000 RPM	26	41	6.5	25
4500 RPM	31	49	8.4	32
5000 RPM	35	56	10.1	38
5500 RPM	40	65	12.1	46
WOT	45	72	14.0	53

MERCURY 200XL FOURSTROKE DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	10	1.7	7
2500 RPM	8	13	2.6	10
3000 RPM	10	15	4.0	15
3500 RPM	13	21	5.5	21
4000 RPM	22	35	7.1	27
4500 RPM	29	46	9.0	34
5000 RPM	34	55	11.5	44
5500 RPM	39	63	14.0	53
6000 RPM	45	72	16.7	63
WOT	50	81	19.3	73

YAMAHA F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	5	8	0.8	3
2500 RPM	6	10	1.3	5
3000 RPM	7	12	1.9	7
3500 RPM	8	13	2.9	11
4000 RPM	11	18	3.8	14
4500 RPM	18	29	4.5	17
5000 RPM	23	36	5.1	19
5500 RPM	27	43	6.1	23
6000 RPM	31	50	7.8	30
WOT	36	57	10.1	38

YAMAHA F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	9	1.3	5
2500 RPM	7	12	2.1	8
3000 RPM	9	14	3.1	12
3500 RPM	9	15	4.7	18
4000 RPM	13	21	6.1	23
4500 RPM	20	33	7.3	27
5000 RPM	26	42	8.2	31
5500 RPM	31	50	9.8	37
6000 RPM	36	57	12.6	48
WOT	41	65	16.3	62

YAMAHA F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	1.4	5
2500 RPM	8	13	2.3	9
3000 RPM	10	15	3.4	13
3500 RPM	11	17	5.2	20
4000 RPM	15	23	6.8	26
4500 RPM	23	37	8.0	30
5000 RPM	29	47	9.1	34
5500 RPM	35	56	10.9	41
6000 RPM	40	65	13.9	53
WOT	46	74	18.0	68

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 205

INCLUDES GTD 205, GTD 205 Surf

SPECIFICATIONS	US	Metric
LOA	20'4"	6.20 m
LOA w/Extended Swim Platform	22'2"	6.80 m
Beam	8'6"	2.54 m
Fuel Capacity	40 gal	151 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft Forward Drive (drive up)	31"	79 cm
Approx. Draft (drive down)	35"	89 cm
Approx. Draft Forward Drive (forward drive down)	36"	91 cm
Maximum Capacity	1650 lbs	748 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2800 lbs	1270 kg
Approx. Boat & Engine Weight	3800 lbs	1724 kg
Maximum Horsepower	280 hp	209 kW
Trailer Weight	1020 lbs	463 lbs
Deadrise	17°	17°
Storage Length on Trailer	21'3"	6.50 m
Storage Length on Trailer w/Extended Swim	23'1"	7.00 m
Bridge Clearance	3'11"	1.20 m
Bridge Clearance with Arch/Tower	6'9"	2.10 m
Keel to Top of Tower Dn	5'2"	1.57 m
Keel to Top of Windshield	5'2"	1.57 m
Total Height	5'2"	1.57 m
Total Height on Trailer	6'8"	2.00 m
Height on Trailer w/Wakeboard Tower Dn	6'8"	2.00 m
Height on Trailer w/Wakeboard Tower Up	9'9"	3.00 m
Potable Water (standard or optional)	12 gal	45 L
Ballast Capacity	875 lbs	397 kg

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3,835	1,740
MC 4.5L 250/A	250	187	3,835	1,740
MC 4.5L 250/B4S DTS	250	187	3,835	1,740
VP V6-200/SX	200	149	3,700	1,678
VP V6-200/FWD	200	149	3,700	1,678
VP V6-250/SX	250	187	3,700	1,678
VP V6-250/FWD	250	187	3,700	1,678
VP V6-280/SX	280	209	3,700	1,678
VP V6-280/FWD	280	209	3,700	1,678

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-250/SX					
LBS	2800	910	252	150	1020
KG	1270	413	114	68	463

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	14 x 17	36 x 43	AL	38 - 41	61 - 66	115	185
MC 4.5L 250/A	14 x 17	36 x 43	AL	41 - 44	66 - 71	130	209
MC 4.5L 250/B4S DTS	21 P	53 P	SST				
VP V6-200/SX	14.5 x 19	37 x 48	AL	38 - 41	61 - 66	125	201
VP V6-200/FWD	K2	K2	SST	35 - 38	56 - 61	105	169
VP V6-250/SX	14.5 x 19	37 x 48	AL	41 - 44	66 - 71	100	161
VP V6-250/FWD	K3	K3	SST	38 - 41	61 - 66	100	161
VP V6-280/SX	14.5 x 19	37 x 48	AL	47 - 50	75 - 80	95	153
VP V6-280/FWD	K4	K4	SST	44 - 47	71 - 76	95	153

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	9	2.1	8
1500 RPM	7	11	3.2	12
2000 RPM	9	15	4.9	19
2500 RPM	19	30	6.2	23
3000 RPM	25	41	7.8	30
3500 RPM	29	47	10.4	39
4000 RPM	33	53	14.2	54
4500 RPM	37	59	17.6	67
WOT	38	61	19.5	74

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	7	1.3	5
1500 RPM	6	10	2.0	8
2000 RPM	8	12	3.1	12
2500 RPM	10	16	4.7	18
3000 RPM	20	33	5.9	22
3500 RPM	28	44	7.5	28
4000 RPM	32	51	10	38
4500 RPM	36	58	13.6	51
5000 RPM	40	65	16.9	64
WOT	42	67	18.7	71

VP V6-200/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5
2000 RPM	7	11	2.0	8
2500 RPM	8	13	3.3	13
3000 RPM	9	15	4.9	19
3500 RPM	12	20	6.3	24
4000 RPM	26	41	7.3	28
4500 RPM	31	50	8.9	34
5000 RPM	35	57	11.1	42
5500 RPM	39	63	13.9	53
WOT	41	66	14.8	56

VP V6-200/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.7	7
2000 RPM	7	11	2.5	10
2500 RPM	8	13	4.2	16
3000 RPM	9	14	6.1	23
3500 RPM	12	19	7.9	30
4000 RPM	25	40	9.2	35
4500 RPM	30	48	11.1	42
5000 RPM	34	55	13.9	53
5500 RPM	38	61	17.4	66
WOT	40	64	18.5	70

VP V6-250/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.8	7
2000 RPM	8	12	2.7	10
2500 RPM	9	14	4.4	17
3000 RPM	10	16	6.5	24
3500 RPM	13	21	8.3	31
4000 RPM	28	44	9.6	37
4500 RPM	33	53	11.7	44
5000 RPM	38	61	14.6	55
5500 RPM	42	67	18.3	69
WOT	44	70	19.5	74

VP V6-250/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.8	7
2000 RPM	7	12	2.7	10
2500 RPM	9	14	4.4	17
3000 RPM	10	15	6.5	24
3500 RPM	13	21	8.3	31
4000 RPM	27	43	9.6	37
4500 RPM	32	52	11.7	44
5000 RPM	37	59	14.6	55
5500 RPM	41	66	18.3	69
WOT	43	69	19.5	74

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.1	8
2000 RPM	8	13	3.1	12
2500 RPM	9	15	5.0	19
3000 RPM	10	17	7.4	28
3500 RPM	14	22	9.5	36
4000 RPM	29	47	11.0	42
4500 RPM	35	57	13.4	51
5000 RPM	40	65	16.7	63
5500 RPM	45	72	20.9	79
WOT	47	75	22.3	84

VP V6-280/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	10	2.1	8
2000 RPM	8	13	3.1	12
2500 RPM	9	15	5.0	19
3000 RPM	10	16	7.4	28
3500 RPM	14	22	9.5	36
4000 RPM	29	46	11.0	42
4500 RPM	34	55	13.4	51
5000 RPM	39	63	16.7	63
5500 RPM	43	70	20.9	79
WOT	45	73	22.3	84

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 220

INCLUDES GTD 220

SPECIFICATIONS	US	Metric
LOA	22'3"	6.80 m
Beam	8'6"	2.54 m
Fuel Capacity	52 gal	197 L
Approx. Draft (drive up)	17"	43 cm
Approx. Draft (drive down)	34"	86 cm
Maximum Capacity	2700 lbs	1225 kg
Persons Capacity	13	10 CE
Approx. Boat Weight	2900 lbs	1315 kg
Approx. Boat & Engine Weight	3600 lbs	1633 kg
Maximum Horsepower	250 hp	186 kW
Trailer Weight	1095 lbs	497 kg
Deadrise	17°	17°
Storage Length on Trailer	22'5"	6.80 m
Bridge Clearance	4'2"	1.30 m
Bridge Clearance with Arch/Tower	7'2"	2.20 m
Keel to Top of Tower Dn	5'5"	1.70 m
Keel to Top of Windshield	5'5"	1.70 m
Total Height	5'5"	1.70 m
Total Height on Trailer	7'0"	2.10 m
Height on Trailer w/Wakeboard Tower Dn	7'0"	2.10 m
Height on Trailer w/Wakeboard Tower Up	10'1"	3.10 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 150XL FourStroke	150	112	3370	1530
Mercury 200XL FourStroke DTS	200	149	3420	1550
Mercury 250XL Verado	250	186	3550	1610
Yamaha F150XB	150	112	3400	1540
Yamaha F200XB	200	149	3400	1540
Yamaha F250XB	250	186	3460	1570

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Mercury 200XL FourStroke DTS					
LBS	2900	485	310	150	1095
KG	1315	220	141	68	497

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 150XL 4S	15.5 x 17	39 x 43	SST	40 - 43	64 - 69	260	418
Mercury 200XL FourStroke DTS	15.5 x 17	39 x 43	SST	45 - 48	72 - 77	210	338
Mercury 250XL Verado	14.6 x 18	37 x 46	SST	50 - 53	80 - 85	180	290
Yamaha F150XB	14.5 x 15	37 x 38	SST	40 - 43	64 - 69	180	290
Yamaha F200XB	14.25 x 17	36 x 43	SST	45 - 48	72 - 77	160	257
Yamaha F250XB	15.5 x 17	39 x 43	SST	50 - 53	80 - 85	140	225

MERCURY 150XL FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	4	7	1	2
2000 RPM	7	11	1	5
2500 RPM	14	23	3	10
3000 RPM	21	33	4	14
3500 RPM	26	41	5	18
4000 RPM	29	47	6	24
4500 RPM	33	53	8	29
5000 RPM	36	58	9	35
5500 RPM	40	64	12	45
WOT	43	68	14	52

MERCURY 200XL FOURSTROKE DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	3
2000 RPM	8	12	2	8
2500 RPM	17	26	4	14
3000 RPM	25	40	5	20
3500 RPM	29	46	7	26
4000 RPM	33	53	9	34
4500 RPM	37	59	11	42
5000 RPM	41	65	14	51
5500 RPM	45	72	17	65
WOT	48	77	20	76

MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	4
2000 RPM	8	13	3	10
2500 RPM	18	29	5	18
3000 RPM	27	44	7	26
3500 RPM	31	51	9	33
4000 RPM	36	58	12	45
4500 RPM	40	65	14	55
5000 RPM	44	71	18	66
5500 RPM	49	79	22	84
WOT	52	84	26	99

**YAMAHA F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1	5
2000 RPM	7	12	2	8
2500 RPM	8	13	3	12
3000 RPM	11	18	5	17
3500 RPM	21	33	6	22
4000 RPM	26	42	7	25
4500 RPM	31	49	8	31
5000 RPM	35	56	10	38
5500 RPM	38	61	12	46
WOT	43	69	16	59

YAMAHA F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	6
2000 RPM	8	13	3	9
2500 RPM	9	15	4	15
3000 RPM	12	20	6	21
3500 RPM	23	37	7	27
4000 RPM	29	47	8	32
4500 RPM	34	55	10	39
5000 RPM	39	62	13	48
5500 RPM	42	68	15	58
WOT	48	78	20	74

YAMAHA F250XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2	8
2000 RPM	9	14	3	12
2500 RPM	10	16	5	18
3000 RPM	14	22	7	27
3500 RPM	25	41	9	34
4000 RPM	32	51	10	40
4500 RPM	37	60	13	48
5000 RPM	42	68	16	60
5500 RPM	46	75	19	72
WOT	53	85	24	92

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 225

INCLUDES GTD 225, GTD 225 Surf

SPECIFICATIONS	US	Metric
LOA	22'4"	6.80 m
LOA w/Extended Swim Platform	24'2"	7.40 m
Beam	8'6"	2.54 m
Fuel Capacity	52 gal	197 L
Approx. Draft (drive up)	17"	43 cm
Approx. Draft Forward Drive (drive up)	31"	79 cm
Approx. Draft (drive down)	34"	86 cm
Approx. Draft Forward Drive (drive down)	36"	91 cm
Maximum Capacity	1900 lbs	862 kg
Persons Capacity	13	10 CE
Approx. Boat Weight	3250 lbs	1475 kg
Approx. Boat & Engine Weight	4250 lbs	1928 kg
Maximum Horsepower	300 hp	224 kW
Trailer Weight	1095 lbs	497 kg
Deadrise	17°	17°
Storage Length on Trailer	22'5"	6.80 m
Storage Length on Trailer w/Extended Swim	24'4"	7.40 m
Bridge Clearance	4'2"	1.30 m
Bridge Clearance with Arch/Tower	7'2"	2.20 m
Keel to Top of Tower Dn	5'5"	1.70 m
Keel to Top of Windshield	5'5"	1.70 m
Total Height	5'5"	1.70 m
Total Height on Trailer	7'0"	2.10 m
Height on Trailer w/Wakeboard Tower Dn	7'0"	2.10 m
Height on Trailer w/Wakeboard Tower Up	10'1"	3.10 m
Potable Water (standard or optional)	12 gal	45 L
Ballast Capacity	1575 lbs	714 kg

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/A	250	186	4285	1945
MC 4.5L 250/B3 DTS	250	186	4360	1980
MC 4.5L 250/B4S DTS	250	186	4360	1980
MC 6.2L 300/B1 DTS	300	224	4545	2060
MC 6.2L 300/B3 DTS	300	224	4570	2075
MC 6.2L 300/B4S DTS	300	224	4570	2075
VP V6-250/SX	250	186	4150	1885
VP V6-250/FWD	250	186	4150	1885
VP V6-280/SX	280	209	4150	1885
VP V6-280/DP	280	209	4150	1885
VP V6-280/FWD	280	209	4150	1885
VP V8-300/SX	300	224	4250	1930
VP V8-300/DP	300	224	4250	1930
VP V8-300/FWD	300	224	4250	1930

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
MC 6.2L 300/B3					
LBS	3250	1320	310	150	1095
KG	1474	599	141	68	497

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/A	15.5 X 17	39 x 43	SST	46 - 49	74 - 79	200	322
MC 4.5L 250/B3 DTS	22.5 P	57 P	SST	47 - 50	75 - 80	205	330
MC 4.5L 250/B4S DTS	22.5 P	57 P	SST				
MC 6.2L 300/B1 DTS	15 X 17	38 x 43	SST	50 - 53	80 - 85	174	280
MC 6.2L 300/B3 DTS	24 P	61 P	SST	51 - 54	82 - 87	180	290
MC 6.2L 300/B4S DTS	24 P	61 P	SST				
VP V6-250/SX	14.8 X 17	38 x 43	AL	45 - 48	72 - 77	200	322
VP V6-250/SX	K4	K4	SST	42 - 45	67 - 72	210	338
VP V6-280/SX	14.8 X 17	38 x 43	AL	48 - 51	77 - 82	185	298
VP V6-280/DP	FH4	FH4	SST	48 - 51	77 - 82	190	306
VP V6-280/DP	K5	K5	SST	45 - 48	72 - 77	195	314
VP V8-300/SX	14.8 X 17	38 x 43	AL	50 - 53	80 - 85	160	257
VP V8-300/DP	FH5	FH5	SST	51 - 54	82 - 87	160	257
VP V8-300/DP	K5	K5	SST	48 - 51	77 - 82	170	274

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	7	1	3
1500 RPM	7	11	2	8
2000 RPM	10	16	4	13
2500 RPM	17	27	5	17
3000 RPM	23	37	5	20
3500 RPM	29	46	7	26
4000 RPM	34	55	10	37
4500 RPM	38	61	13	49
5000 RPM	44	70	17	65
WOT	47	76	20	74

MC 4.5L 250/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1	3
1500 RPM	7	11	2	8
2000 RPM	10	16	4	13
2500 RPM	17	27	5	17
3000 RPM	23	37	5	20
3500 RPM	29	47	7	26
4000 RPM	35	56	10	37
4500 RPM	39	63	13	49
5000 RPM	44	71	17	65
WOT	48	77	20	74

MC 6.2L 300/B1 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1	4
1500 RPM	7	12	3	10
2000 RPM	10	17	4	17
2500 RPM	18	29	6	21
3000 RPM	24	39	7	25
3500 RPM	30	49	9	32
4000 RPM	36	58	12	45
4500 RPM	41	65	16	60
5000 RPM	46	74	20	75
WOT	50	81	24	91

MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1	4
1500 RPM	7	12	3	9
2000 RPM	11	17	4	16
2500 RPM	18	29	6	21
3000 RPM	25	39	6	24
3500 RPM	31	49	8	32
4000 RPM	37	59	12	44
4500 RPM	41	66	16	59
5000 RPM	47	75	19	73
WOT	51	82	24	89

VP V6-250/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	7	1	3
2000 RPM	7	11	2	8
2500 RPM	10	16	4	13
3000 RPM	17	27	5	17
3500 RPM	23	37	5	20
4000 RPM	29	46	7	26
4500 RPM	34	55	10	37
5000 RPM	38	61	13	49
5500 RPM	44	70	17	65
WOT	47	76	20	74

VP V6-250/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	7
2000 RPM	9	14	3	10
2500 RPM	14	23	4	15
3000 RPM	21	34	5	18
3500 RPM	27	43	6	22
4000 RPM	31	50	8	29
4500 RPM	35	57	10	37
5000 RPM	40	64	13	50
5500 RPM	44	70	17	65
WOT	46	75	20	74

VP V6-280/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	4
2000 RPM	7	11	2	9
2500 RPM	10	17	4	15
3000 RPM	18	28	5	20
3500 RPM	24	38	6	23
4000 RPM	30	48	8	30
4500 RPM	36	57	11	42
5000 RPM	40	64	15	56
5500 RPM	46	73	19	73
WOT	49	80	22	84

VP V6-280/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	4
2000 RPM	7	12	2	9
2500 RPM	10	17	4	15
3000 RPM	18	29	5	20
3500 RPM	24	39	6	23
4000 RPM	30	49	8	30
4500 RPM	36	58	11	42
5000 RPM	41	65	15	56
5500 RPM	46	74	19	73
WOT	50	81	22	84

VP V6-280/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	8
2000 RPM	9	15	3	12
2500 RPM	15	24	5	17
3000 RPM	23	36	5	20
3500 RPM	28	45	7	26
4000 RPM	33	53	9	34
4500 RPM	37	60	11	43
5000 RPM	42	68	15	58
5500 RPM	46	75	20	75
WOT	49	79	23	85

VP V8-300/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	5
2000 RPM	7	12	3	11
2500 RPM	11	17	5	18
3000 RPM	18	29	6	23
3500 RPM	25	39	7	27
4000 RPM	31	49	9	36
4500 RPM	37	59	13	50
5000 RPM	41	66	18	66
5500 RPM	47	75	22	84
WOT	51	82	27	100

VP V8-300/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1	5
2000 RPM	7	12	3	11
2500 RPM	11	17	5	18
3000 RPM	18	29	6	23
3500 RPM	25	40	7	27
4000 RPM	31	50	9	36
4500 RPM	37	60	13	50
5000 RPM	42	67	18	66
5500 RPM	47	76	22	85
WOT	52	83	27	100

**VP V8-300/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2	9
2000 RPM	10	15	4	14
2500 RPM	15	25	5	20
3000 RPM	23	37	6	24
3500 RPM	29	47	8	30
4000 RPM	34	55	11	40
4500 RPM	38	62	13	51
5000 RPM	44	70	18	68
5500 RPM	48	77	23	88
WOT	51	82	27	100

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 240

INCLUDES GTD 240

SPECIFICATIONS	US	Metric
LOA	24'4"	7.40 m
Beam	8'6"	2.54 m
Fuel Capacity	60 gal	227 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Maximum Capacity	3100 lbs	1406 kg
Persons Capacity	14	12
Approx. Boat Weight	3700 lbs	1680 kg
Approx. Boat & Engine Weight	4250 lbs	1928 kg
Maximum Horsepower	300 hp	224 kW
Trailer Weight	1438 lb	652 kg
Deadrise	19°	19°
Storage Length on Trailer (not incl. engine)	24'7"	7.49 m
Bridge Clearance	4'2"	1.30 m
Bridge Clearance with Arch/Tower	6'10"	2.10 m
Keel to Top of Tower Up	8'4"	2.50 m
Keel to Top of Windshield	5'8"	1.70 m
Total Height	5'8"	1.70 m
Total Height on Trailer	7'8"	2.30 m
Height on Trailer w/Wakeboard Tower Dn	7'8"	2.30 m
Height on Trailer w/Wakeboard Tower Up	10'4"	3.10 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 200XL FourStroke DTS	200	149	4735	2150
Mercury 250XL Verado	250	186	4860	2205
Mercury 300XL Verado	300	224	4860	2205
Yamaha F200XB & F200XCA	200	149	4740	2150
Yamaha F250XB & F250XCA	250	186	4800	2175
Yamaha F300XCA	300	224	4815	2185

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Yamaha F250XCA					
LBS	3700	551	360	200	1438
KG	1678	250	163	91	652

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 200XL FourStroke DTS	14.625 x 15	37 x 38	SST	42-45	67-72	185	298
Mercury 250XL Verado	14.625 x 17	37 x 43	SST	46-49	74-79	180	290
Mercury 300XL Verado	14.6 x 18	37 x 46	SST	50-53	80-85	190	306
Yamaha F200X & F200XCA	14.5 x 15	37 x 37	SST	42-45	67-72	240	386
Yamaha F250XB & F250XCA	15.5 x 16	39 x 41	SST	46-49	74-79	190	306
Yamaha F300UCA	15.5 x 17	39 x 43	SST	50-53	80-85	185	298

MERCURY 200XL FOURSTROKE DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	2	7
2000 RPM	7	12	3	12
2500 RPM	10	16	4	15
3000 RPM	16	25	5	19
3500 RPM	22	35	6	24
4000 RPM	27	43	8	31
4500 RPM	31	50	10	38
5000 RPM	35	56	12	47
5500 RPM	40	64	17	63
WOT	43	69	20	74

MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	8
2000 RPM	8	13	4	13
2500 RPM	11	18	4	16
3000 RPM	17	27	6	21
3500 RPM	24	38	7	27
4000 RPM	30	47	9	34
4500 RPM	34	54	11	43
5000 RPM	38	61	14	53
5500 RPM	43	70	19	71
WOT	47	75	22	83

MERCURY 300XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2	8
2000 RPM	9	14	4	14
2500 RPM	12	19	5	17
3000 RPM	18	29	6	22
3500 RPM	26	41	7	28
4000 RPM	32	51	9	36
4500 RPM	36	58	12	45
5000 RPM	41	66	14	55
5500 RPM	47	75	20	74
WOT	50	81	23	86

**YAMAHA F200XB & F200XA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1	5
2000 RPM	8	13	2	8
2500 RPM	11	17	3	11
3000 RPM	15	24	4	14
3500 RPM	22	36	5	19
4000 RPM	28	45	6	24
4500 RPM	32	51	8	30
5000 RPM	36	58	11	43
5500 RPM	40	64	15	58
WOT	44	70	18	67

YAMAHA F250XB & F250XA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2	8
2000 RPM	9	15	3	12
2500 RPM	14	22	5	18
3000 RPM	22	36	6	24
3500 RPM	28	45	8	30
4000 RPM	32	51	10	39
4500 RPM	36	57	13	48
5000 RPM	40	64	15	57
5500 RPM	45	72	18	69
WOT	50	80	23	89

YAMAHA F300UCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	13	2	9
2000 RPM	10	16	3	13
2500 RPM	15	24	5	20
3000 RPM	24	38	7	26
3500 RPM	30	48	9	33
4000 RPM	34	55	11	43
4500 RPM	38	61	14	53
5000 RPM	43	69	17	63
5500 RPM	48	77	20	76
WOT	53	86	26	98

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTD 245

INCLUDES GTD 245, GTD 245 Surf

SPECIFICATIONS	US	Metric
LOA	24'4"	7.40 m
LOA w/Extended Swim Platform	26'2"	8.00 m
Beam	8'6"	2.54 m
Fuel Capacity	60 gal	227 L
Approx. Draft (drive up)	18"	46 cm
Approx. Draft (drive down)	35"	89 cm
Approx. Draft Forward Drive (drive up)	32"	81 cm
Approx. Draft Forward Drive (drive down)	37"	94 cm
Maximum Capacity (category C)	2250 lbs	1021 kg
Persons Capacity (category C)	14	12
Maximum Capacity (category D)	2250 lbs	2108 kg
Persons Capacity (category D)	14	12
Approx. Boat Weight	3600 lbs	1635 kg
Approx. Boat & Engine Weight	4600 lbs	2087 kg
Maximum Horsepower	350 hp	261 kW
Trailer Weight	1438 lb	652 kg
Deadrise	19°	19°
Storage Length on Trailer	24'7"	7.50 m
Storage Length on Trailer w/Ext Swim	26'5"	8.10 m
Bridge Clearance	4'2"	1.30 m
Bridge Clearance with Arch/Tower	6'10"	2.10 m
Keel to Top of Tower Up	8'4"	2.54 m
Keel to Top of Windshield	5'8"	1.70 m
Total Height	5'8"	1.70 m
Total Height on Trailer	7'8"	2.30 m
Height on Trailer w/Wakeboard Tower Dn	7'8"	2.30 m
Height on Trailer w/Wakeboard Tower Up	10'4"	3.10 m
Potable Water (standard or optional)	12 gal	45 L
Ballast Capacity	1565	710 kg

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 6.2L 300/B3 DTS	300	224	4750	2155
MC 6.2L 300/B4S DTS	300	224	4750	2155
MC 6.2L 350/B3 DTS	350	261	4750	2155
MC 6.2L 350/B4S DTS	350	261	4750	2155
VP V8-300/DP	300	224	4600	2085
VP V8-300/FWD	300	224	4600	2085
VP V8-350/DP	350	261	4600	2085
VP V8-350/FWD	350	261	4600	2085

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
MC 6.2L 300/B3 DTS					
LBS	3,600	1,320	360	200	1,438
KG	1,633	599	163	91	652

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L 300/B3 DTS	26 P	66 P	SST	48 - 51	77 - 82	210	340
MC 6.2L 300/B4S DTS	22.5 P	57 P	SST				
MC 6.2L 350/B3 DTS	26 P	66 P	SST	51 - 54	82 - 87	200	320
MC 6.2L 350/B4S DTS	24 P	61 P	SST				
VP V8-300/DP	FH5	FH5	SST	48 - 51	77 - 82	190	305
VP V8-300/FWD	K4	K4	SST	41 - 44	66 - 71	185	300
VP V8-350/DP	FH5	FH5	SST	51 - 54	82 - 87	190	305
VP V8-350/FWD	K5	K5	SST	43 - 46	69 - 74	170	275

MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	2	6
1500 RPM	7	12	3	10
2000 RPM	10	16	4	16
2500 RPM	18	29	5	19
3000 RPM	25	41	6	24
3500 RPM	31	49	8	31
4000 RPM	36	58	11	43
4500 RPM	41	66	16	60
5000 RPM	46	75	20	77
WOT	50	80	24	91

MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	2	7
1500 RPM	8	12	3	11
2000 RPM	11	17	5	18
2500 RPM	19	31	6	22
3000 RPM	27	43	7	28
3500 RPM	33	53	9	35
4000 RPM	39	62	13	48
4500 RPM	44	70	18	69
5000 RPM	49	80	23	88
WOT	53	86	27	103

VP V8-300/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	2	7
2000 RPM	7	12	3	11
2500 RPM	10	16	5	17
3000 RPM	18	29	6	21
3500 RPM	25	41	7	27
4000 RPM	31	49	9	34
4500 RPM	36	58	12	47
5000 RPM	41	66	18	67
5500 RPM	46	75	22	84
WOT	50	80	27	100

VP V8-300/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	8
2000 RPM	9	14	3	12
2500 RPM	12	19	5	18
3000 RPM	19	30	6	22
3500 RPM	25	40	7	27
4000 RPM	30	48	9	35
4500 RPM	34	55	12	46
5000 RPM	38	62	16	61
5500 RPM	41	66	21	79
WOT	43	69	23	86

VP V8-350/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	9	2	8
2000 RPM	8	12	3	12
2500 RPM	11	17	5	19
3000 RPM	19	31	6	23
3500 RPM	27	43	8	29
4000 RPM	33	53	10	38
4500 RPM	39	62	14	52
5000 RPM	44	70	19	73
5500 RPM	49	80	25	94
WOT	53	86	29	110

**VP V8-350/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	12	2	9
2000 RPM	9	15	4	14
2500 RPM	12	20	6	21
3000 RPM	20	32	7	26
3500 RPM	26	42	8	32
4000 RPM	32	51	11	41
4500 RPM	36	59	14	54
5000 RPM	41	66	19	72
5500 RPM	44	71	25	93
WOT	45	73	27	100

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GX 190 & GX 195 SINGLE AXLE TRAILER

INCLUDES GX 190, GX 190 Sport, GX 195 & GX 195 Sport TRAILER

	US	Metric
Trailer length	22'	6.71 M
Trailer length w/ Tongue Folded	19' 10"	6.05 M
Width	8' 6"	2.591 M
Trailer Empty weight w/ spare	866 LBS	392.8 KG
Carrying Capacity	4134 LBS	1875 KG
GVWR (Gross Vehical Weight Rating)	5,000 LBS	2,268 KG
GAWR (Gross Axle Weight Rating)	5,000 LBS	2,268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GX 210 SINGLE AXLE TRAILER

INCLUDES GX 210 & GX 210 Sport TRAILER

	US	Metric
Trailer length	22' 7"	6.883M
Trailer length w/ Tongue Folded	19' 5"	5.918 M
Width	8' 6"	2.591 M
Trailer Empty weight w/ spare	971 LBS	440 KG
Carrying Capacity	4029 LBS	1828 KG
GVWR (Gross Vehical Weight Rating)	5,000 LBS	2,268 KG
GAWR (Gross Axle Weight Rating)	5,000 LBS	2,268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GX 210 & GX 215 TANDEM AXLE TRAILER

INCLUDES GX 210, GX 210 Sport, GX 215 & GX 215 Sport TRAILER

	US	Metric
Trailer length	22' 7"	6.883M
Trailer length w/ Tongue Folded	19' 5"	5.918 M
Width	8' 6"	2.591 M
Trailer Empty weight w/ spare	1155 LBS	524 KG
Carrying Capacity	5845 LBS	2651 KG
GVWR (Gross Vehical Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GT 180 SINGLE AXLE TRAILER

INCLUDES GT 180, GTS 180 & GTSF 180 TRAILER

	US	Metric
Trailer Length	20'1"	6.121 M
Trailer Length w/Tongue Folded	17'11"	5.461 M
Width	8'2"	2.489 M
Trailer Empty Weight w/Spare	639 LBS	290 KG
Carrying Capacity	2861 LBS	1298 KG
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 KG
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

GT 185 SINGLE AXLE TRAILER

INCLUDES GT 185, GTS 185 & GTSF 185 TRAILER

	US	Metric
Trailer Length	20'1"	6.096 M
Trailer Length w/Tongue Folded	17'11"	5.461 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	861 LBS	390 KG
Carrying Capacity	3539 LBS	1606 KG
GVWR (Gross Vehicle Weight Rating)	4400 LBS	1996 KG
GAWR (Gross Axle Weight Rating)	4400 LBS	1996 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4400 LBS	1996 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GT 200 & GT 205 SINGLE AXLE TRAILER

INCLUDES GT 200, GTS 200, GTSF 200, GT 205, GTS 205
& GTSF 205 TRAILER

	US	Metric
Trailer Length	21'9"	6.629 M
Trailer Length w/Tongue Folded	19'7"	5.969 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	971 LBS	440 KG
Carrying Capacity	4029 LBS	1828 KG
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 KG
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GT 200 & GT 205 TANDEM AXLE TRAILER

INCLUDES GT 200, GTS 200, GTSF 200, GT 205, GTS 205
& GTSF 205 TRAILER

	US	Metric
Trailer Length	21'9"	6.629M
Trailer Length w/Tongue Folded	19'7"	5.969 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	1155 LBS	524 KG
Carrying Capacity	5845 LBS	2651 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GT 225 TANDEM AXLE TRAILER

INCLUDES GT 225 & GTS 225 TRAILER

	US	Metric
Trailer Length	23'8"	7.213 M
Trailer Length w/Tongue Folded	21'6"	7.061 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	1095 LBS	497 KG
Carrying Capacity	5905 LBS	2678 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	2600 LBS	1179 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GT 245 & GTD 245 TANDEM AXLE TRAILER

INCLUDES GT 245, GTS 245, & GTD 245 & GTD 245 Surf TRAILER

	US	Metric
Trailer Length	26'3"	7.874 M
Trailer Length w/Tongue Folded	21'4"	6.502 M
Width	8'6"	2.59 M
Trailer Empty Weight w/Spare	1420 LBS	644 KG
Carrying Capacity	8380 LBS	3801 KG
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 KG
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1500 LBS	680 KG
Winch	2600 LBS	1179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM

GTD 180 SINGLE AXLE TRAILER

INCLUDES GTD 180 TRAILER

	US	Metric
Trailer Length	20' 1"	6.096 M
Trailer Length w/Tongue Folded	17'11"	5.461 M
Width	8'2"	2.489 M
Trailer Empty Weight w/Spare	713 LBS	323 KG
Carrying Capacity	2787 LBS	1264 KG
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 KG
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

GTD 200 & GTD 205 SINGLE AXLE TRAILER

INCLUDES GTD 200 & GTD 205 TRAILER

	US	Metric
Trailer Length	22'	6.71 M
Trailer Length w/Tongue Folded	19'10"	6.05 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	866 LBS	392.8 KG
Carrying Capacity	4134 LBS	1875 KG
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 KG
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GTD 200 & GTD 205 TANDEM AXLE TRAILER

INCLUDES GTD 200, GTD 205 & GTD 205 Surf TRAILER

	US	Metric
Trailer Length	22'	6.71 M
Trailer Length w/Tongue Folded	19'10"	6.05 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	1019 LBS	462.2 KG
Carrying Capacity	5981 LBS	2713 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GTD 220 & GTD 225 TANDEM AXLE TRAILER

INCLUDES GTD 220, GTD 225 & GTD 225 Surf TRAILER

	US	Metric
Trailer Length	24'2"	7.366 M
Trailer Length w/Tongue Folded	21'6"	7.061 M
Width	8'6"	2.591 M
Trailer Empty Weight w/Spare	1095 LBS	497 KG
Carrying Capacity	5905 LBS	2678 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	2600 LBS	1179 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GTD 240 TANDEM AXLE TRAILER

INCLUDES GTD 240 TRAILER

	US	Metric
Trailer Length	26'3"	7.874 M
Trailer Length w/Tongue Folded	21'4"	6.502 M
Width	8'6"	2.59 M
Trailer Empty Weight w/Spare	1438 LBS	652 KG
Carrying Capacity	8362 LBS	3793 KG
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 KG
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1500 LBS	680 KG
Winch	2600 LBS	1179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM

WINNING EDGE NORTH AMERICAN OWNER PROTECTION PLAN

2020 LIMITED WARRANTY FIBERGLASS BOATS AND TRAILERS

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2020 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2020 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED OR STATUTORY WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES OR CONDITIONS (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under This Limited Warranty

Trailer Limited Warranty: The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for three (3) years for defects in the boat's non-structural parts and components, except as noted below. All Non-Structural Hull and Component warranty repairs are subject to a \$100 deductible per warranty claim for years 2 & 3.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Limited Warranty: The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently. The warranty coverage applies only to warranted defects which first manifest themselves and are reported to Glastron during the applicable warranty period.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$300 (US), for all boats, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) proof of the purchase; and 2) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred **once**. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail

purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or a trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training certification, parts, support warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or reinstatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.

15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Trailer tires, paint or Gatorhyde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.



To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items and any applicable deductible.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

Glastron
925 Frisbie Street
Cadillac, MI 49601
Telephone: (231) 775-1351

WINNING EDGE INTERNATIONAL OWNER PROTECTION PLAN

2020 LIMITED WARRANTY FIBERGLASS BOATS

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2020 model year Glastron boat from a factory authorized dealer, or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2020 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED OR STATUTORY WARRANTIES OR CONDITIONS (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES OR CONDITIONS (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

Coverage Under This Limited Warranty

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for for three (3) years for defects in the boat's non-structural parts and components, except as noted below. All Non-Structural Hull and Component warranty repairs are subject to a \$100 deductible per warranty claim for years 2 & 3.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable.

If the boat is bottom painted or left in the water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Component Limited Warranty: The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$300 (US), provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) proof of the purchase; and 2) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred **once**. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat originally purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, generators, air conditioners, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Any original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installation of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used as a rental or charter boat; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.

17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY OR CONDITION (IF ANY) IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- 
- A. The dealer will contact and receive an authorization number from Glastron for repairs.
 - B. Upon completion of repairs, you must pay the dealer for non-covered items.
 - C. You assume all liability for payment of non-authorized repairs.
 - D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats trailers without obligation to modify any boat trailer previously manufactured.

Glastron
925 Frisbie Street
Cadillac, MI 49601
Telephone: (231) 775-1351



MAKE IT A GLASTRON SUMMER!

#GLASTRONSUMMER

It's time to get out on the water and make it a Glastron summer. For over 60 years families and friends have been making memories on the most iconic boat on the water. Share with us and the rest of the boating community by tagging your memories with **#GlastronSummer**.

QUALITY CONSTRUCTION

Every Glastron boat and trailer is manufactured by hard-working, skilled technicians dedicated to over 60 years of boat building heritage. From initial prototyping to final production, every detail is taken into consideration, thoroughly researched and put through diligent testing. State of the art technology combined with tried and true methods ensure the best possible result; this will always be the Glastron standard.

Notice: Glastron specifications, photography, video, features, and options are for reference purposes only. Models are shown with non-Glastron options and accessories. Options vary by model while some are shown with optional equipment. While Glastron makes every effort to ensure information contained herein is correct, content should not be regarded as infallible as unending product refinement and design changes may result in revisions to current models. Glastron reserves the right to change product specifications, models, features, imagery, video, and colors at any time without notification or incurring obligations. Representations herein do not constitute a warranty of any of the products shown. All limited warranties are outlined in the Glastron limited warranty that accompanies each boat. Please see your authorized Glastron dealer for additional information, option availability, and specific warranty details prior to purchase.